

PHASE I ENVIRONMENTAL SITE ASSESSMENT DAVID STOTT BUILDING 1150 GRISWOLD STREET DETROIT, MICHIGAN 48226

for

DETROIT/WAYNE COUNTY PORT AUTHORITY 8109 EAST JEFFERSON AVENUE DETROIT, MICHIGAN 48214

and

MAE DEVELOPMENT, LLC 1150 GRISWOLD STREET, SUITE 2800 DETROIT, MICHIGAN 48226

> AKT PEERLESS PROJECT No. 6125D-1-17 May 7, 2009



TABLE OF CONTENTS

1.0	INT	RODUCTION	1
	1.1	PURPOSE	1
	1.2	SCOPE OF SERVICES	2
	1.3	PROJECT RESOURCES	2
	1.4	SIGNIFICANT ASSUMPTIONS	2
	1.5	LIMITATIONS AND EXCEPTIONS	3
	1.6	SPECIAL TERMS AND CONDITIONS	3
	1.7	USER RELIANCE	4
2.0	USE	R AND/OR DEVELOPER PROVIDED INFORMATION	4
3.0	SUB	JECT PROPERTY DESCRIPTION	4
	3.1	LOCATION AND LEGAL DESCRIPTION	4
	3.2	SUBJECT PROPERTY AND VICINITY CHARACTERISTICS	4
	3.3	DESCRIPTION OF STRUCTURES AND OTHER IMPROVEMENTS	4
	3.4	CURRENT USE OF THE SUBJECT PROPERTY	5
	3.5	UTILITIES AND MUNICIPAL SERVICES	5
	3.6	CURRENT USES OF THE ADJOINING PROPERTIES	6
4.0	REC	CORDS REVIEW	6
	4.1	PHYSICAL SETTING SOURCES	6
		4.1.1 Topography and Area Hydrogeology	6
		4.1.2 Area Geology and Soil	
	4.2	STANDARD ENVIRONMENTAL RECORD SOURCES	7
		4.2.1 Subject Property and Occupant Listings	8
		4.2.2 Adjoining and Nearby Sites	8
	4.3	ENVIRONMENTAL RECORD SOURCES	9
		4.3.1 MDEQ Waste and Hazardous Material Division (WHMD) Records	
		4.3.2 MDEQ Remediation and Redevelopment Division (RRD) Records	9
	4.4	ADDITIONAL ENVIRONMENTAL RECORD SOURCES	10
		4.4.1 Local Health Department	
		4.4.2 Local Fire Department	
		4.4.3 Water and Sewage Utility Provider	
		4.4.4 Natural Gas Provider	10



		4.4.5 Previous Environmental Investigations	10
	4.5	HISTORICAL USE INFORMATION	10
		4.5.1 Aerial Photographs	13
		4.5.2 Fire Insurance Maps	
		4.5.3 City Directories	14
		4.5.4 Assessing Department Records	17
		4.5.5 Building Department Records	17
5.0	INTI	ERVIEWS	17
	5.1	INTERVIEW WITH SUBJECT PROPERTY OWNER	17
	5.2	INTERVIEW WITH KEY SITE MANAGER	18
	5.3	INTERVIEW WITH SUBJECT PROPERTY OCCUPANTS	18
	5.4	INTERVIEWS WITH OTHERS	
6.0	SUB	JECT PROPERTY RECONNAISSANCE	18
	6.1	METHODOLOGY AND LIMITING CONDITIONS	18
	6.2	GENERAL SUBJECT PROPERTY SETTING AND OPERATIONS	
	6.3	OBSERVATIONS	
		6.3.1 Hazardous Substances and Petroleum Products	
		6.3.2 Hazardous and Non-Hazardous Waste	19
		6.3.3 Storage Tanks	
		6.3.4 Unidentified Substances/Containers	
		6.3.5 Potential PCB Containing Equipment	20
		6.3.6 Interior Staining / Corrosion	
		6.3.7 Drains and Sumps	21
		6.3.8 Discharge Features	21
		6.3.9 Pits, Ponds, and Lagoons	21
		6.3.10 Solid Waste Dumping / Landfills	21
		6.3.11 Stained Soil, Stressed Vegetation, Stressed/Stained Pavement	21
		6.3.12 Well and Septic Systems	
		6.3.13 Other Observations	21
	6.4	NON-ASTM SCOPE CONSIDERATIONS	21
7.0	CON	CLUSIONS AND RECOMMENDATIONS	22
	7.1	RECOGNIZED ENVIRONMENTAL CONDITIONS	22
	7.2	HISTORICAL RECOGNIZED ENVIRONMENTAL CONDITIONS	22
	7.3	AREAS OF POTENTIAL CONCERN AND SIGNIFICANT DATA GAPS	22



8.0	DEVIATIONS	24
9.0	SIGNATURES OF ENVIRONMENTAL PROFESSIO	ONALS24
<u>QUA</u>	<u>ALIFICATIONS</u>	
<u>FIGU</u>	<u>GURES</u>	
Figure	ure 1	. Subject Property Location Map
Figure	ure 2	Topographic Location Map
Figure	ure 3	Parcel Map
Figure	ure 4	Subject Property Map
<u>APPI</u>	PENDICES PENDICES	
Appe	pendix AGer	neral Limitations and Exceptions
Appe	oendix B	Legal Description
Appe	oendix C	Reconnaissance Photographs
Appe	oendix DStandard Enviror	nmental Record Database Report
Appe	oendix E	Aerial Photographs
Appe	oendix F His	storical Research Documentation



PHASE I ENVIRONMENTAL SITE ASSESSMENT

DAVID STOTT BUILDING 1150 GRISWOLD STREET DETROIT, MICHIGAN 48226

AKT PEERLESS PROJECT No. 6125D-1-17

1.0 <u>INTRODUCTION</u>

MAE Development, LLC (the Client/Developer) through the Detroit/Wayne County Port Authority (DWCPA) retained AKT Peerless Environmental & Energy Services (AKT Peerless) to conduct a Phase I Environmental Site Assessment (ESA) of 1150 Griswold Street in Detroit, Wayne County, Michigan (subject property).

This Phase I ESA was conducted in accordance with the United States Environmental Protection Agency (USEPA) Standards and Practices for All Appropriate Inquiries [(AAI), 40 CFR Part 312] and guidelines established by the American Society for Testing and Materials (ASTM) in the Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process / Designation E 1527-05 (ASTM Standard Practice E 1527-05).

1.1 PURPOSE

The purpose of this Phase I ESA was to evaluate the current and historical conditions of the subject property in an effort to identify *recognized environmental conditions* (RECs)¹ and *historical recognized environmental conditions* (HRECs)² in connection with the subject property. Moreover, certain users of this Phase I ESA may be able to satisfy one of the environmental due diligence requirements to qualify for the bona fide prospective purchaser, contiguous landowner, or innocent landowner liability protections available under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980, the Superfund Amendments and Reauthorization Act (SARA) of 1986, and the Small Business Liability and Brownfield Revitalization Act (Brownfield Amendments) of 2002. This Phase I ESA is intended to reduce, but not eliminate, uncertainty regarding the potential for RECs and HRECs in connection with the subject property.

_

¹ ASTM's Standard Practice E 1527-05 defines the term recognized environmental condition (REC) as the presence or likely presence of any hazardous substance or petroleum product on a property under conditions that indicate (1) an existing release, (2) a past release, or (3) a material threat of a release of a hazardous substance or petroleum product into structures on the subject property or into the ground, groundwater, or surface water of the subject property.

² ASTM defines the term historical recognized environmental condition (HREC) as an environmental condition which in the past would have been considered an REC, but which may or may not be considered an REC currently. Neither HRECs nor RECs are intended to include *de minimis* conditions that generally do not present a material risk of harm to public health or the environment and would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies.



1.2 SCOPE OF SERVICES

AKT Peerless' scope-of-services is based on its proposal PD-9545-1, dated January 28, 2009, and the terms and conditions of that agreement. This Phase I ESA included the following:

- an inquiry of environmental conditions by an environmental professional.
- a review of specialized knowledge reported by the Client/Developer.
- a review of public and historical records, including those maintained by federal, state, tribal, and local government agencies.
- interviews with regulatory officials and personnel associated or knowledgeable with the subject property, including as appropriate past and present owners, or neighbors if the property is abandoned.
- a reconnaissance of the subject property and adjoining properties.
- other non-ASTM scope considerations as presented in Section 6.4.

1.3 PROJECT RESOURCES

AKT Peerless referred to the following resources between January 28, 2009 and May 7, 2009 to complete its ESA:

- United States Geological Survey (USGS)
- United States Department of Agriculture (USDA) Soil Conservation Service
- Michigan Department of Environmental Quality (MDEQ)
- Wayne County Environmental Health Department
- Detroit Health Department
- Detroit Government Sources (e.g., assessing, water and sewerage, building, and fire departments, etc.)
- Terraserver (www.terraserver-usa.com)
- Google Earth
- Environmental Data Resources, Inc. (EDR)
- Bresser's Cross-Reference Directory archival library
- City of Detroit Public Library
- Interviews and Questionnaire Responses

1.4 SIGNIFICANT ASSUMPTIONS

During this Phase I ESA, AKT Peerless made the following significant assumptions:

- AKT Peerless assumed that the information provided by EDR in the regulatory database report is an accurate and complete representative summary of the information contained in the referenced regulatory agency records, except when such information is obviously contradicted by other data.
- AKT Peerless assumed that the information used to prepare this assessment that was obtained



from ostensibly knowledgeable individuals, regulatory agency representatives, or other secondary sources was an accurate and complete representative summary of the information possessed by those individuals, representatives, or sources.

1.5 LIMITATIONS AND EXCEPTIONS

A list of general limitations and exceptions typically encountered when completing Phase I ESAs is provided in Appendix A. Along with the inherent limitations set forth in various sections of ASTM Standard Practice E 1527-05 and the USEPA All Appropriate Inquiry Standard, the accuracy and completeness of this report may also be limited by the following project specific facts or conditions:

- AKT Peerless was not able to access all of the floors of the 38-story commercial office building. Therefore, AKT Peerless inspected a representative sample that included the common areas of the subject building and 60% of the tenant floors of the subject building.
- Due to the presence of stored materials, and locked doors on some of the tenant units, AKT Peerless' visual observations of the subject property were limited.
- Although flashlights were used during the site reconnaissance, visual observations of the subject building's interior were limited in certain rooms (e.g., basement, between walls, above ceilings, etc.) due to the absence of and/or poor electric lighting. However, it is unlikely that this lack of lighting will present a material effect on the conclusions presented in this report.
- Due to potentially dangerous conditions, the elevator pits were not inspected during site reconnaissance.
- AKT Peerless submitted questionnaires to the Client/Developer regarding the past uses of the subject property. Repeated attempts were made to obtain these questionnaires; however, as of the submittal date of this report a response has not been received. This gap in historical information is considered *data failure* as provided in Section 8.3.2.3 of the ASTM Standard Practice For ESAs (E 1527). If a response is received that changes the findings of this report, an addendum will be submitted.

Subject to the general limitations and exceptions listed in Appendix A and the referenced terms and conditions, AKT Peerless accepts responsibility for the competent performance of its duties in executing this assignment and preparing this report in accordance with the normal standards of the profession, but disclaims any responsibility for consequential damages.

Should additional information become available to the Client/Developer that differs significantly from our understanding of conditions presented in this report, AKT Peerless requests that such information be forwarded immediately to our attention so that we may reassess the conclusions provided herein and amend this project's scope of services as necessary and appropriate.

1.6 SPECIAL TERMS AND CONDITIONS

To the best of AKT Peerless' knowledge, no special terms or conditions apply to the preparation of this Phase I ESA.



1.7 USER RELIANCE

AKT Peerless performed this Phase I ESA for the benefit of the Client/Developer (MAE Development, LLC) and the DWCPA (the Client). AKT Peerless acknowledges that these parties may rely on the contents and conclusions presented in this report. Unless stated otherwise in writing, AKT Peerless makes no other warranty, representation, or extension of reliance upon the findings of this report to any other entity or third party.

2.0 <u>USER AND/OR DEVELOPER PROVIDED INFORMATION</u>

AKT Peerless submitted a questionnaire to the Client/Developer (User) requesting information about the subject property and this Phase I ESA. Repeated attempts were made to obtain this questionnaire; however, as of the submittal date of this report a response has not been received. This gap in historical information is considered *data failure* as provided in Section 8.3.2.3 of the ASTM Standard Practice For ESAs (E 1527). If a response is received that changes the findings of this report, an addendum will be submitted.

3.0 SUBJECT PROPERTY DESCRIPTION

3.1 LOCATION AND LEGAL DESCRIPTION

The subject property is located at 1150 Griswold Street in the City of Detroit, Wayne County, Michigan. The subject property is situated at the southeastern corner of Griswold and State Streets. It consists of a rectangular-shaped parcel that contains approximately 0.14-acres. The subject property's Ward/Item number is 2/1994. The subject property is improved with a 38-story commercial office building, and is zoned B5 (Major Business District). The current owner of record is MAE Development, LLC.

Refer to Figure 1, Subject Property Location Map; Figure 2, Topographic Location Map; Figure 3, Parcel Map; and Figure 4, Subject Property Map. The legal description of the subject property is presented in Appendix B. Photographs taken during AKT Peerless' subject property reconnaissance are provided in Appendix C.

3.2 SUBJECT PROPERTY AND VICINITY CHARACTERISTICS

The subject property is currently developed for commercial use, and is located in an area of Detroit that is characterized by commercial and recreational properties.

3.3 DESCRIPTION OF STRUCTURES AND OTHER IMPROVEMENTS

General information regarding the on-site building (the subject building) is presented in the following table:



	1150 Griswold Street			
General Construction	Interior Finish:	Square Ft.	Construction and Other Improvement Dates	
38-story office building, storefronts on ground level, brick construction; tar roof, full basement with two sub-basements.	concrete, resilient floor tiles (RFTs), linoleum, marble, plaster, drywall, paint, drop-in acoustic ceiling tiles (ACTs), wood, metal, glass, etc.	209,410	constructed in 1928 multiple interior alterations to commercial storefronts and office spaces from 1930 through 1984 mezzanine constructed in 1930 mezzanine rebuilt in 1987 dumbwaiter installed from main floor to 2 nd floor in 1947 antenna tower placed on roof in 1959 revolving door replaced in 1959	

A paved alley adjoins the subject building to the east and a paved sidewalk adjoins the subject building to the north and west.

3.4 CURRENT USE OF THE SUBJECT PROPERTY

The subject property currently contains an occupied office building, with a print shop on the second floor, and one unoccupied and three occupied storefronts on the street level. Current occupants of the subject property include various office tenants, On Call Printing & Advertising, JB Printing & Signs, Griswold Grocery, and Downtown Cellular. AKT Peerless requested a full tenant list from the Client/Developer, however this list was not provided.

3.5 UTILITIES AND MUNICIPAL SERVICES

AKT Peerless identified the type and supplier of utilities provided to the subject property. These services are described in the following table:

Utility / Service	Type	Utility Company or Municipality	Comments/Historical Services
heat	natural gas	DTE Energy/MichCon	natural gas is currently available to the area of the subject property; however, the connection date to the subject building was not identified.
municipal waste	general refuse	City of Detroit municipal system private waste hauler	The City of Detroit municipal system collects refuse from the subject property three times a week. Refuse generated from the party store is collected by a private waste hauler.
potable water	municipal	Detroit Water and Sewerage Department	municipal drinking water has been provided to the subject property vicinity since at least 1884
electricity	electric lines	DTE Energy	electricity has been provided since the construction of the subject building in 1929
sewage	municipal	Detroit Water and	municipal sewage utilities have been provided to the



Utility / Service	Туре	Utility Company or Municipality	Comments/Historical Services
disposal		Sewerage Department	subject property vicinity since at least 1870

Additional information regarding the referenced heat, water, and sewage utilities is presented in Section 4.4.

3.6 CURRENT USES OF THE ADJOINING PROPERTIES

The following table describes the current uses of the adjoining properties, identified occupants, and noteworthy observations of environmental concern, if any, that were noted during AKT Peerless' recent reconnaissance of the adjoining properties.

Direction	Address	Current Use / Occupant	Potential Concerns
north	1212 Griswold Street	commercial / United Way	none observed
east	27-31 State Street	commercial / none identified	none observed
south	1126-1134 Griswold Street	commercial / none identified	none observed
	1133-1139 Griswold Street	commercial / none identified	none observed
west	1145 Griswold Street	commercial / Smokers Bargain, Midtown Mini-Mart, and White Room Studio	none observed
northwest	not applicable	recreational / Capitol Park	none observed

Based on AKT Peerless' visual observations, the current uses of the adjoining properties do not appear to pose a direct environmental threat to the subject property.

4.0 RECORDS REVIEW

The objective of the records review is to evaluate reasonably ascertainable databases, historical records, and physical setting records to help identify recognized environmental conditions at the subject property and, to the extent identifiable, at surrounding properties.

4.1 PHYSICAL SETTING SOURCES

AKT Peerless reviewed geological survey maps for geologic, hydrologic, and topographic conditions that may affect potential contaminant migration to the subject property.

4.1.1 Topography and Area Hydrogeology

According to the USGS' *Topographic Map of the Detroit Quadrangle*, which was published in 1968 and was photorevised in 1973 and 1980, the subject property is situated at approximately 599 feet above the National Geodetic Vertical Datum (NGVD). The subject property's topography appears to be generally level.

AKT Peerless did not obtain or review reports that document actual groundwater conditions at or adjacent to the subject property. Therefore, AKT Peerless was unable to (1) identify the depth to



shallow groundwater beneath the subject property, or (2) determine the groundwater flow direction beneath the subject property.

Typically, the water table aquifer flows toward a major drainage feature or in the same direction as the drainage basin. The Detroit River, which flows to the south-southwest, is located approximately 0.5-miles southeast of the subject property. Therefore, AKT Peerless infers that groundwater beneath the subject property flows to the south-southeast.

AKT Peerless' research did not identify known groundwater recharge area on or near the subject property, or any groundwater supply or monitor wells on the subject property. Groundwater from the area of the subject property does not serve as the primary drinking water source for properties in Detroit, which obtains its municipal water from the Detroit Water and Sewerage Department. Public sources of information do not identify main aquifers below the subject property.

4.1.2 Area Geology and Soil

According to the MDNR Geological Survey Division's *Bedrock Geology of Southern Michigan* (1987), bedrock beneath the subject property is classified as Dundee Limestone of an unassigned group, which is included in the Erian series within the Devonian System of the Paleozoic Era. The depth to bedrock beneath the subject property was not readily available prior to the completion of this Phase I ESA.

According to the Michigan Geological Survey Division's publication, *Quaternary Geology of Southern Michigan* (1982), soil in the subject property area is defined as lacustrine clay and silt. This soil is described as gray to dark reddish brown and is varved in some localities. The soil chiefly underlies extensive, flat, low-lying areas formerly inundated by glacial Great Lakes, but also occurs in separate, small lake basins and includes small areas of lacustrine sand and clayrich till. The soil thickness ranges from one to 30 feet. Typically, lacustrine clay and silt are associated with low hydraulic permeability and restrict the movement of groundwater.

According to the USDA's *Soil Survey of Wayne County, Michigan* (1977), soil at the subject property is classified as belonging to the Pewamo-Blount Metamora association, which is described as nearly level to gently sloping, very poorly drained to somewhat poorly drained soil that has a fine textured to moderately coarse textured subsoil. The subject property is beyond the limits of the survey.

AKT Peerless did not obtain other information about the subject property's soil during this Phase I ESA.

4.2 STANDARD ENVIRONMENTAL RECORD SOURCES

AKT Peerless retained EDR to provide current environmental database information compiled by a variety of federal and state regulatory agencies. The purpose of obtaining this data was to evaluate potential environmental risks associated with the subject property, adjoining sites, and other sites that are (1) identified on target lists, and (2) within varying distances of up to one mile from the subject property. AKT Peerless reviewed the following federal and state databases for such listings within the indicated search radii.



Туре	Regulatory Agency Database	Approximate Minimum Search Distance
Federal	National Priority List (NPL)	1 mile
Federal	De-listed National Priority List (DNPL)	½ mile
Federal	Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS)	½ mile
Federal	CERCLIS No Further Remediation Action Planned (NFRAP) Site List	½ mile
Federal	Resource Conservation and Recovery Act (RCRA) Corrective Action Report (CORRACTS) Facilities List	1 mile
Federal	RCRA non-CORRACTS Treatment, Storage or Disposal (TSD) Facilities List	½ mile
Federal	RCRA Generators List	subject property and adjoining properties
Federal	Institutional Control / Engineering Control Registries*	subject property
Federal	Environmental Response and Notification System (ERNS)	subject property
State & Tribal	Hazardous Waste Sites (HWS) (equivalents to NPL and CERCLIS)	1 mile
State & Tribal	Solid Waste Facilities/Landfill Sites (SWLF)	½ mile
State & Tribal	Historical Landfill Site (HIST LF)	½ mile
State & Tribal	Leaking Underground Storage Tank (LUST) List	½ mile
State & Tribal	Registered Underground Storage Tank (UST) List	subject property and adjoining properties
State & Tribal	Institutional Control / Engineering Control Registries*	subject property
State & Tribal	Brownfield Sites	½ mile
State	Baseline Environmental Assessment (BEA) Sites	½ mile
Either	Unmappable Database Listings (a.k.a. Orphan Sites)	database-dependent

^{*} Neither the US EPA nor Michigan Tribal Governments nor the State of Michigan maintains registries of sites with Institutional Controls / Engineering Controls in the subject property area.

4.2.1 <u>Subject Property and Occupant Listings</u>

The EDR Report (Appendix D) does not identify the subject property or its known occupants on the referenced databases.

4.2.2 Adjoining and Nearby Sites

AKT Peerless' review of the referenced databases (including those on the orphan list) also considered the potential or likelihood of contamination from adjoining and nearby sites. To evaluate which of the adjoining and nearby sites identified in the EDR Report present an



environmental risk to the subject property, AKT Peerless considered the following criteria:

- the type of database on which the site is identified.
- the topographic position of the identified site relative to the subject property.
- the direction and distance of the identified site from the subject property.
- local soil conditions in the subject property area.
- the known or inferred groundwater flow direction in the subject property area.
- the status of the respective regulatory agency-required investigation(s) of the identified site, if any.
- surface and subsurface obstructions and diversions (e.g., buildings, roads, sewer systems, utility service lines, rivers, lakes, and ditches) located between the identified site and the subject property.

Only those sites that are judged to present a potential environmental risk to the subject property are further evaluated by reviewing MDEQ file information. Using the referenced criteria, and based upon a review of readily available information contained within the EDR report, AKT Peerless did not identify adjoining (i.e., bordering) or nearby sites (e.g., properties within a ¼-mile radius) listed in the EDR Report that were judged to present a potential environmental risk to the subject property, except for the following:

	Databases			
Database(s):	Database(s): State: RCRA CESQG Distance: a			
Name:	United Way for Southeastern Michigan	Direction:	north	
Address:	1212 Griswold Street	Elevation:	599 feet	
Section References:	Refer to Section 4.5 for further information.	Known/Inferred Groundwater Flow Direction:	south- southeast	

The United Way property is identified on the RCRA conditionally exempt small quantity generator (CESQG) database, indicating the facility generates 100 kg or less of hazardous waste per month, and accumulates 1000 kg or less of hazardous waste at any time. According to the EDR Report, the facility has been generating waste since January 1988 and no violations have been reported. Based on this information, the United Way for Southeastern Michigan facility does not appear to represent an environmental concern to the subject property.

4.3 ENVIRONMENTAL RECORD SOURCES

4.3.1 MDEQ Waste and Hazardous Material Division (WHMD) Records

AKT Peerless contacted the MDEQ WHMD to review available records regarding waste management activities, permits, inspections, violations, and registered USTs associated with the subject property and the adjoining properties. A response received indicated that no records exist for the subject property.

4.3.2 MDEQ Remediation and Redevelopment Division (RRD) Records

AKT Peerless reviewed the RRD's Perfected Lien List to determine if environmental cleanup liens had been filed against the subject property. According to the most recent list that was published on November 3, 2008, the MDEQ does not have record of environmental cleanup liens



filed against the subject property.

AKT Peerless contacted the MDEQ-RRD to review available records regarding environmental information or leaking USTs associated with the subject property. A response received indicated that no records exist for the subject property.

4.4 ADDITIONAL ENVIRONMENTAL RECORD SOURCES

4.4.1 Local Health Department

AKT Peerless contacted the Detroit and Wayne County Health Departments to review available records regarding environmental concerns and well or septic information associated with the subject and adjoining properties. According to the Wayne County and Detroit Health Departments, no records exist for the subject property.

4.4.2 Local Fire Department

AKT Peerless requested a review of available fire department records for the subject and adjoining properties. Records reviewed for the subject and adjoining properties did not reveal obvious evidence of RECs associated with the subject property.

4.4.3 Water and Sewage Utility Provider

Based on AKT Peerless' review of fire insurance maps, water service has been available to the subject property vicinity since at least 1884; however, the original connection dates were not determined during the course of this Phase I ESA. According to a map obtained from the City of Detroit Water and Sewerage Department (DWSD), sanitary services have been available to the subject property vicinity since at least 1870. Detroit Public Works Department's sanitary waste is ultimately received for processing by the DWSD.

4.4.4 Natural Gas Provider

DTE Energy provided AKT Peerless with a map of natural gas lines in the area of the subject property. The map indicates that the natural gas main along Griswold Street was replaced in 2006. The original installation date was not available.

AKT Peerless' review of readily available standard and other historical sources indicates that the subject property has utilized steam heat since its construction in approximately 1928.

4.4.5 Previous Environmental Investigations

AKT Peerless was not provided with copies of reports that document previous investigations or assessments of the subject property. Further, AKT Peerless did not identify the existence of such documents from other environmental records sources (i.e., MDEQ WHMD or RRD, etc.) during this assessment.

4.5 HISTORICAL USE INFORMATION

The objective of reviewing historical sources is to (1) develop a history of previous uses or specific occupancies of the subject property, (2) identify those uses or specific occupancies that



are likely to have led to potential environmental concerns at the subject property, and to the extent identifiable, at adjoining properties, and (3) identify obvious uses of the subject property from the present, back to the property's *obvious* first developed use, or back to 1940, whichever is earlier.

Historical Summary – Subject Property

The following table summarizes the general development and use of the subject property, as identified by AKT Peerless:

Time Period	Improvements	Use	Owner / Occupant	Data Sources
1884	Brunswick Hotel	commercial	not determined	Sanborn maps
after 1884- prior to 1895	Brunswick Hotel demolished	commercial	not determined	municipal records city directories Sanborn maps
1895- 1928	Hodges Building	commercial	not determined	municipal records city directories Sanborn maps
1928	Hodges Building demolished	commercial	not determined	municipal records
1928- present	David Stott office building with commercial tenants on ground floor	commercial	various office tenants and commercial businesses	municipal records city directories Sanborn maps aerial photographs reconnaissance interviews

The subject property was initially developed prior to 1884 as part of the Brunswick Hotel. Prior to 1895, the hotel was demolished and the Hodges Building was constructed. The Hodges Building was a six-story office building with up to five commercial tenants on the ground floor. This building was demolished in 1928 and the current subject property structure was constructed.

The current subject property structure has historically been used as storefronts on the street level and offices on the remaining floors. The subject building was constructed in 1928. Currently, the subject property contains an occupied office building with a print shop on the second floor, and one unoccupied and three occupied storefronts on the street level. Current occupants of the subject property include various office tenants, On Call Printing & Advertising, JB Printing & Signs, Griswold Grocery, and Downtown Cellular.

Identified previous occupants of the subject property include: Astor Lunch, music shop, Bilt-Well Shoe Co., Newark Shoes, Tick Tock Shop, Charles LaFond Cigar Co., Leed's Tailor, Wiltshire Travel Shop, Disrael Limited (custom hatters), Caronet Card Store, Vollmer's Hallmark, William R. Slocum, JB Printing & Signs, JB Graphics Etc., William McPheil-printer, Town & Country Cleaners, doctor's office, Smoker's Bargain, H&O Rogers & Co., LaSalle Millinery, Schiller Millnery, Paramount Millinery, LaFond Shop, hosiery shop, Farmer Fanny, Inc., Morrow Nut House, Kelia's Phone Paging Connection, Calvert's & Son Co., Wagner's Furnishings, Wagner Arcade, Awrey Bakeries, and various office tenants.



Historical Summary – Adjoining Properties

North

The northern adjoining property, beyond State Street, was initially developed as a livery and carriage house prior to 1884. The property was occupied by a chamber of commerce, a bank, and various storefronts from between 1884 and 1897 until prior to 1921, when it was occupied by the Detroit Savings Bank, offices, and various storefronts. Identified previous occupants of the northern adjoining property include Citizen's Bank, Baumgartner's Fashion Shop, Chamber of Commerce, DF Beaufait Boots, a tailor shop, LaFond Cigars, RG Dun & Co., Detroit Savings Bank, American Institute of Banking, Detroit Bank and Trust, various office tenants, a volunteer call center, United Way, and The Heat and Warmth Fund. Currently, the northern adjoining property is occupied by United Way of Southeastern Michigan.

East

The eastern adjoining property, beyond a public alley, was initially developed as part of the Brunswick Hotel, which also extended onto the subject property, prior to 1884. The property was occupied by the Richter Hotel with storefronts on the street level from approximately 1890 until approximately 1919. The property has been occupied by various storefronts and office tenants since the early 1920s. Identified previous occupants of the eastern adjoining property include Hotel Richter, saloon, Brooke's Millinery, Federal Bakeries Co., MacDiarmid Candy Co., Story & Clark Piano Co., Colonial Department Store, Smart Shop Milliners, Cunningham Drug Store, jewelry store, Winkler Bakeries, Madison Hosiery Co., a department store, and Salamah Trading. Currently, the eastern adjoining property contains a vacant six-story commercial building.

South

The southern adjoining property, beyond a public alley, was initially developed as part of the Brunswick Hotel prior to 1884. The property was occupied by various storefronts and a theatre prior to 1897 until 1928 when the theatre was demolished and replaced by storefronts. Identified occupants of the southern adjoining property include Brunswick Hotel, Whitney's Opera House, Garrick Theatre, Milward & Son Tailors, Mayson Millinery, Russell Cigars, Griswold Sporting Goods, Greenfield Restaurant, Fashion of Paris, and Deli Delight. Currently, the southern adjoining property is unoccupied.

West

The western adjoining properties, beyond Griswold Street, has been improved with commercial properties since at least 1884. Identified occupants of the western adjoining property include Krapp & Kommel Art Needle Work, Lang's Millinery, Peter Smith & Sons Grocery Co., Boston Boot Shop, Baumgartner Clothing Co., United Savings Bank, various office tenants, Manufacturer Bank Personal Loans, Capital Park Building, Detroit and Northern Savings, Reed's Quickie Diner, LG Haig Shoe Store, T&H Discount Store, copy shop, printers, 99 Cent Store, White Room Studio, Mailboxes Etc., lingerie store, and Smoker's Bargain. Currently the western adjoining property located at 1133-1139 Griswold Street is unoccupied, and the property located at 1145 Griswold Street is occupied by Smokers Bargain, Midtown Mini-Mart, and White Room Studio.



Northwest

The northwestern adjoining property, beyond the intersection of Griswold and State Streets, was developed with a high school prior to 1884. The high school was demolished and the existing park (Capitol Park) was constructed between 1897 and 1921. A bus stop shelter is located on the park and an underground convenience station is located beneath the park.

4.5.1 Aerial Photographs

AKT Peerless obtained aerial photographs for the subject property from the Southeastern Michigan Council of Governments (SEMCOG). AKT Peerless' observations noted during the review of these photographs are summarized in the following table. Photocopies of select aerial photographs are presented as Appendix E.

Photo	Observations	Potential Environmental
Dates	(Subject Property)	Concerns
1949, 1952, 1956, 1961, 1981, 1997, 2009	The subject property is improved with the current structure.	none observed

AKT Peerless' review of historical aerial photographs of the adjoining properties is summarized in the following table.

Photo Dates	Potential Environmental Concerns (Adjoining Properties)
1949, 1952, 1956, 1961, 1981, 1997, 2009	No obvious evidence or indications of RECs or other potential environmental concerns were noted with respect to the adjoining properties during AKT Peerless' review of the referenced aerial photographs.

4.5.2 Fire Insurance Maps

AKT Peerless obtained fire insurance maps for the subject property from EDR. AKT Peerless' observations noted during the review of these maps are summarized in the following table. Photocopies of the referenced maps are presented in Appendix F.

Map Dates	Observations (Subject Property)	Potential Environmental Concerns
1884	The subject property is improved with the Brunswick Hotel, which extends onto the eastern and southern adjoining properties. A dining room, hotel office, and reading salon are depicted in the subject building.	none observed
1897, 1919, 1921	The Brunswick Hotel has been demolished and the subject property is improved with the Hodges Building. Five storefronts are depicted on the street level and offices are located on the upper floors of the building.	none observed



Map	Observations	Potential Environmental
Dates	(Subject Property)	Concerns
1950, 1953,		
1957, 1961,	The Hodges Building has been demolished and the subject	
1977, 1983,	property consists of the current building (David Stott	none observed
1988, 1989,	Building) with three storefronts on the ground level and	none observed
1991, 1996,	offices on the upper levels.	
2002		

AKT Peerless' review of historical fire insurance maps of the adjoining properties is summarized in the following table.

Map Dates	Potential Environmental Concerns (Adjoining Properties)
1884, 1897, 1919, 1921, 1950, 1953, 1957, 1961, 1977, 1983, 1988, 1989, 1991, 1996, 2002	No obvious evidence or indications of recognized environmental conditions or other potential environmental concerns were noted with respect to the adjoining properties during AKT Peerless' review of the referenced maps, except for (1) a paint, wallpaper, and print shop on the western adjoining property on the 1884 map; and (2) a paint and wallpaper shop on the western adjoining property on the 1897 map. However, it is AKT Peerless' opinion that the western adjoining property does not represent a REC associated with the subject property based on (1) the clay soil in the area that restricts the movement of contamination, (2) the location of this site in a cross-gradient position from the subject property, and (3) the location of this site beyond Griswold Avenue from the subject
2002	

4.5.3 <u>City Directories</u>

City Directories from various years between 1890 and 2008 were obtained from EDR and reviewed at the City of Detroit Public Library and Bresser's Cross-Reference Directory archival library. The purpose of this review was to determine the past occupancy of the subject property. Information obtained from the reviewed directories is summarized in the following table:

Dates	Subject Property Occupant (1142 Griswold Street)
1890	barber
1895-1915	address not listed
1921-1925	Astor Lunch
1929-2008	address not listed

Dates	Subject Property Occupant (1146 Griswold Street)
1890-1915	address not listed
1921	music shop
1929	shoe store
1935-2008	address not listed

Dates	Subject Property Occupant (1148 Griswold Street)
1890-1921	address not listed



Dates	Subject Property Occupant (1148 Griswold Street)
1924	Charles LaFond Cigar Co
1930	Leed's Tailors
1936	Wiltshire Travel Shop
1941-1956	Disrael Limited (custom hatters)
1964-1968	Caronet Card Store
1973-1983	William R Slocum
1988-1993	Vollmer's Hallmark
1998-2003	address not listed
2008	JB Printing & Signs, JB Graphics Etc.

Dates	Subject Property Occupant (1150 Griswold Street)
1890-1900	Hodges Building
1905	Hodges Building, William McPheil, printer (basement)
1910	Hodges Building
1921-1925	barber
1929-2008	David Stott Building

Dates	Subject Property Occupant (1152 Griswold Street)
1890-1977	address not listed
1983-1993	doctor's office
1998-1998	address not listed
2003	Smoker's Bargain
2008	address not listed

Dates	Subject Property Occupant (37 State Street)
1890	address not listed
1895	vacant
1900	restaurant, cigar shop
1905	H&O Rogers & Co
1910-1924	boot shop
1929-1977	millinery
1983-1988	clothing store
1993-2008	address not listed

Dates	Subject Property Occupant (39 State Street)
1890-1921	address not listed
1925	Hodges Building
1929-1939	clothing store
1946-2008	address not listed



Dates	Subject Property Occupant (41 State Street)
1890-1924	address not listed
1930-1936	hosiery shop
1941	Farmer Fanny, Inc
1956-1993	Morrow's Nut House
1998	address not listed
2003-2008	Kelia's Phone Paging Connection

Dates	Subject Property Occupant (43 State Street)
1890-1895	address not listed
1900	Calvert's & Son Co.
1905	Wagner's Furnishings
1910	Wagner Arcade
1915	Wagner's Men's Furnishings
1921-1962	address not listed
1967-1972	Awrey Bakeries
1977	not published
1983-2008	address not listed

An address that is not listed typically indicates that (1) the property was vacant at that time, (2) a potential building was unoccupied at that time, (3) a previously existing address was different than the current address, (4) the building was not represented in the directory because of a "lag time" between building the structure and compiling the list, or (5) occupant information was not available for inclusion into the directory.

AKT Peerless' city directory review for the subject property did not identify occupants that represented an obvious REC associated with the subject property except for a printing operation in the basement of the subject building (1150 Griswold Street) in 1905. However, this printer was identified at the subject property prior to the construction of the current building. It is AKT Peerless' opinion that any release that may have occurred would have been removed during excavation activities for the basement and sub-basements in the current structure. In addition, the printing operation identified at 1148 Griswold Street in a 2008 directory is not likely to have caused a release that would adversely affect the natural resources of the subject property.

AKT Peerless also reviewed city directories for select adjoining properties to determine their past occupancy. No obvious environmental concerns associated with historical occupants of the adjoining properties were noted, except for a print shop on the western adjoining property (1133 Griswold Street) in 1988 and a print shop on the southern adjoining property (1140 Griswold Street) in 2003-2008. However, it is AKT Peerless' opinion that the western and southern adjoining properties do not represent a REC associated with the subject property based on (1) the clay soil in the area that restricts the movement of contamination, (3) the location of the properties in a cross-gradient (western adjoining property) or down-gradient (southern adjoining property) position from the subject property, (4) the location of the western adjoining property beyond Griswold Avenue from the subject property, and the presence of utility corridors in the



right-of-way, and (5) the southern adjoining property was not identified on any regulatory databases searched in Section 4.2 of this report.

4.5.4 <u>Assessing Department Records</u>

AKT Peerless requested tax assessment records for the subject property at the City of Detroit Finance Department – Assessing Division. The following table summarizes features or items of potential environmental concern, if any, that were noted during the record review.

Environmental Issue	Comments
Storage Tanks	none identified
Asbestos-Containing Materials	none identified
PCB Materials	none identified
On-site Well/Septic System	none identified
Disposal Facilities/Fill Material (e.g., lagoons, pits, landfills, etc.)	none identified

No additional information that could indicate potential environmental concerns at the subject property was found in the records.

4.5.5 **Building Department Records**

AKT Peerless reviewed building records for the subject and adjoining properties at the City of Detroit Buildings and Safety Engineering Department (BSED). AKT Peerless' review did not identify potential environmental concerns associated with the subject property.

5.0 <u>INTERVIEWS</u>

AKT Peerless provided questionnaires to the subject property owner, key site manager, and as available, conducted interviews.

5.1 INTERVIEW WITH SUBJECT PROPERTY OWNER

AKT Peerless submitted a questionnaire to the Client/Developer (Mr. Robert Trustman) for submittal to the subject property owner. Repeated attempts were made to obtain this questionnaire; however, as of the submittal date of this report a response has not been received. This gap in historical information is considered *data failure* as provided in Section 8.3.2.3 of the ASTM Standard Practice For ESAs (E 1527). If a response is received that changes the findings of this report, an addendum will be submitted.

Due to a data failure, AKT Peerless was unable to identify previous owners of the subject property to conduct interviews regarding the historical use of the subject property; however, this data failure is not anticipated to have a material effect on the findings and conclusions of this assessment.



5.2 INTERVIEW WITH KEY SITE MANAGER

AKT Peerless conducted an interview with Mr. John O'Reilly, maintenance personnel at the subject building. Mr. O'Reilly did not report information that would be considered material to identifying RECs associated with the subject property. Information obtained from Mr. O'Reilly during the site walk is summarized throughout Section 6.3 of this report.

5.3 INTERVIEW WITH SUBJECT PROPERTY OCCUPANTS

AKT Peerless conducted interviews with the proprietors of the commercial businesses at the subject property (two print shops, cell phone store, and party store) at the subject property. These individuals did not report information that would be considered material to identifying RECs associated with the subject property.

5.4 INTERVIEWS WITH OTHERS

An interview was conducted with Mr. Byron Foster at Otis Elevator Co., who maintains the elevators at the subject property. This interview is summarized in Section 6.3.5 of this report. Interviews with the neighbors of the subject property were not conducted because the subject property is not abandoned.

6.0 SUBJECT PROPERTY RECONNAISSANCE

6.1 METHODOLOGY AND LIMITING CONDITIONS

The subject property reconnaissance consisted of visual and physical observations of the interior and exterior of the subject property. In addition, AKT Peerless observed the subject property from all adjacent public thoroughfares.

Ms. Deanna Hutsell of AKT Peerless conducted the subject property reconnaissance on March 11, 2009. Ms. Hutsell was accompanied by Mr. John O'Reilly, maintenance person, during the reconnaissance. AKT Peerless encountered the following project specific facts or conditions that limited our ability to access the subject property:

- AKT Peerless was not able to access all of the floors of the 38-story commercial office building. Therefore, AKT Peerless inspected a representative sample that included the common areas of the subject building and 60% of the tenant floors of the subject building.
- Due to the presence of stored materials, and locked doors on some of the tenant units, AKT Peerless' visual observations of the subject property were limited.
- Although flashlights were used during the site reconnaissance, visual observations of the
 subject building's interior were limited in certain rooms (e.g., basement, between walls,
 above ceilings, etc.) due to the absence of and/or poor electric lighting. However, it is
 unlikely that this lack of lighting will present a material effect on the conclusions presented
 in this report.
- Due to potentially dangerous conditions, the elevator pits were not inspected during site reconnaissance.



6.2 GENERAL SUBJECT PROPERTY SETTING AND OPERATIONS

The subject property contains a 38-story office building with one unoccupied and three occupied commercial storefronts on the street level. The building is equipped with a full basement and two sub-basements which contain storage items and mechanical/electrical equipment for building operations. The top two floors contain equipment for the antenna on the roof of the building and elevator equipment. Current occupants of the subject building include: various office tenants, On Call Printing & Advertising, JB Printing & Signs, Griswold Grocery, and Downtown Cellular. The print shops were observed to contain mainly commercial copy machines and significant quantities of chemicals were not observed in either storefront. A paved alley adjoins the subject building to the east and south, and a paved sidewalk adjoins the subject building to the north and west. In addition, a former access point for an out-of-use freight elevator is located on the sidewalk along State Street. This access point was observed to be welded shut.

6.3 OBSERVATIONS

6.3.1 Hazardous Substances and Petroleum Products

AKT Peerless did not observe hazardous substances or petroleum products at the subject property except for small quantities of paints, household cleaning products, etc. These materials were observed in quantities of 5-gallons or less. These substances were observed throughout the subject building, in tenant units and in storage areas in the basement of the subject building. These substances were observed to be responsibly stored and no obvious evidence of a significant release associated with these substances was observed.

In addition, a 55-gallon drum containing compressor oil was observed in the sub-basement. This drum was observed to be stored on a table with an attached drum valve. Staining was observed on the concrete floor near the drum storage area.

6.3.2 <u>Hazardous and Non-Hazardous Waste</u>

AKT Peerless did not observe hazardous waste at the subject property. Non-hazardous waste was limited to storage items (i.e. office furniture, doors, etc.) and building debris observed throughout the subject building. In addition, general refuse at the property is stored in trash bins and a dumpster, which is utilized by the party store, outside the subject building. This refuse is disposed three times a week by the City of Detroit and a private waste hauler.

6.3.3 Storage Tanks

AKT Peerless did not observe evidence of current or former UST systems (e.g., vent pipes, fill ports, dispensing pumps, patched pavement, etc.) or evidence of current or former AST systems (e.g., stands, secondary containments, etc.) at the subject property.

6.3.4 Unidentified Substances/Containers

AKT Peerless did not observe unidentified substances or other suspect containers on the subject property.



6.3.5 Potential PCB Containing Equipment

AKT Peerless inspected the subject property for the presence of liquid-cooled electrical units such as transformers and large capacitors. Such units are notable since they may be potential sources of PCBs (polychlorinated biphenyls). AKT Peerless observed a transformer in the basement of the subject building and additional electrical equipment in the sub-basement of the subject building. According to Mr. O'Reilly, the oil in the equipment located in the sub-basement was changed by DTE Energy approximately three to four years ago. No label regarding the presence or absence of PCBs was noted on the transformer or other electric equipment in the subject building. It is AKT Peerless' opinion that the potential exists for PCBs to be present in the transformers and other electrical equipment present in the subject building.

Fluorescent light ballasts manufactured before 1980 may contain PCBs. These ballasts are considered small capacitors under the Toxic Substances Control Act (TSCA). Fluorescent lights were observed throughout the subject building and ballast storage was noted in the basement of the subject building. Given the date of construction of the subject building (approximately 1929), it is AKT Peerless' opinion that fixtures in the building may contain PCBs and should be inspected during removal and properly disposed in accordance with applicable regulations.

AKT Peerless observed six passenger elevators in use at the subject property, and two out-of-use freight elevators in the basement and sub-basement levels of the subject building. The elevator pits for the out-of-use elevators could not be observed at the time of reconnaissance. However, the elevator access rooms for the six passenger elevators were observed to contain oil staining on the concrete floor in the lower sub-basement. Due to the presence of debris and staining in this area, the integrity of the floor could not be observed. In addition, pits containing elevator equipment were observed, however, due to the presence of potentially dangerous conditions, AKT Peerless did not enter these pits.

AKT Peerless conducted an interview with Mr. Byron Foster of Otis Elevator Co., the company that maintains the elevators at the subject property. According to Mr. Foster, who has been associated with the subject property for approximately four years, there have been no known leaks from the six passenger elevators or the two out-of-use freight elevators. In addition, Mr. Foster indicated that the elevator pits contain "buffers". These buffers are used to engage a piston to absorb the shock to prevent an elevator from falling to the ground in the event of a malfunction. Mr. Foster indicated that hydraulic oil is used to keep the piston inside the buffer, however this oil is contained inside the buffer mechanism. In addition, Mr. Foster indicated that the two freight elevators are cable-driven, low-rise traction elevators, and were taken out-of-service because of the cost to restore them to proper working order. Furthermore, Mr. Foster indicated that the oil in the elevators in the subject building do not contain PCBs.

6.3.6 Interior Staining / Corrosion

AKT Peerless did not observe any interior staining or corrosion at the subject property, except for oil staining in the lower sub-basement near the compressor oil storage area and in the elevator access rooms.



6.3.7 **Drains and Sumps**

AKT Peerless observed a sump along the western wall in the sub-basement of the subject building. This sump was observed to be dry at the time of site reconnaissance. In addition, floor drains were observed throughout the subject property. According to Mr. O'Reilly, floor drains located in the sub-basement areas drain to the sump and are pumped into the municipal system. Drains located on the remaining floors drain into the municipal system. No unusual staining or odors were noted in connection with floor drains or the sump at the subject property.

6.3.8 <u>Discharge Features</u>

Storm water that falls upon the subject property appears to percolate directly into the ground, into roof drains, runoff to adjoining properties, or evaporate. AKT Peerless did not observe storm water catch basins or drains on the subject property.

6.3.9 Pits, Ponds, and Lagoons

AKT Peerless did not observe evidence of pits, ponds, or lagoons at the subject property, except for pits associated with elevator equipment discussed in Section 6.3.5 of this report.

6.3.10 Solid Waste Dumping / Landfills

AKT Peerless did not observe evidence of solid waste dumping or landfills at the subject property.

6.3.11 Stained Soil, Stressed Vegetation, Stressed/Stained Pavement

AKT Peerless did not observe evidence of stained soil, stressed vegetation, stressed pavement, or stained pavement at the subject property.

6.3.12 Well and Septic Systems

AKT Peerless did not observe physical evidence or indication of wells or septic systems at the subject property.

6.3.13 Other Observations

AKT Peerless did not observe evidence of other potential environmental concerns at the subject property, except for a compressor and other mechanical equipment in the lower sub-basement. AKT Peerless did not observe evidence of a release from this equipment.

6.4 NON-ASTM SCOPE CONSIDERATIONS

AKT Peerless did not evaluate any other potential environmental conditions (i.e., further areas of possible business/environmental concern and/or liability) that are outside the scope of ASTM Standard Practice E 1527-05. Examples of such potential environmental conditions that were beyond the scope of this Phase I ESA include asbestos-containing materials (ACMs), cultural and historic resources, ecological resources, endangered species, health and safety, high-voltage power lines, indoor air quality, industrial hygiene, lead-based paints (LBPs), lead in drinking water, moisture intrusion/suspect mold growth, noise pollution, radon, regulatory compliance/non-compliance and/or wetlands.



AKT Peerless advises users of this document who wish to obtain an evaluation of the subject property relative to any of the aforementioned non-ASTM issues to engage the services of a qualified environmental professional.

7.0 CONCLUSIONS AND RECOMMENDATIONS

7.1 RECOGNIZED ENVIRONMENTAL CONDITIONS

We have performed a Phase I ESA of the subject property in conformance with the scope and limitations of ASTM Standard Practice E 1527-05 and AAI 40 CFR Part 312. Any exceptions to, or deletions from, this practice are described in Section 8.0 and Appendix A of this report. This assessment has revealed no evidence of RECs in connection with the subject property, except the following:

- As discussed in Section 6.3.1, a 55-gallon drum containing compressor oil was observed in the lower sub-basement. This drum was observed to be stored on a table with an attached drum valve. Staining was observed on the concrete floor near the drum storage area. It is AKT Peerless' opinion that a potential exists for adverse impact to the subject property's soil and/or groundwater from the leaking drum observed at the subject property.
- As discussed in Section 6.3.5, AKT Peerless observed six passenger elevators in use at the subject property, and two out-of-use freight elevators in the basement and sub-basements at the subject property. The elevator access rooms for the six passenger elevators were observed to contain oil staining on the concrete floor in the sub-basement. Due to the presence of debris and staining in this area, the integrity of the floor could not be observed. In addition, due to the presence of a potentially dangerous condition, the elevator pits were not inspected for evidence of a potential oil release. Furthermore, according to the Otis elevator representative, who services elevators at the subject property, the out-of-use freight elevators are hydraulically operated. These freight elevators could not be inspected for potential oil leaks. It is AKT Peerless' opinion that a potential exists for adverse impact to the subject property's soil and/or groundwater from the oil staining observed near the elevators at the subject property.

Because RECs were identified during the performance of the Phase I ESA, further investigation and/or assessment is warranted in order to determine the nature, extent, magnitude, and materiality of the RECs associated with the subject property.

7.2 HISTORICAL RECOGNIZED ENVIRONMENTAL CONDITIONS

AKT Peerless did not identify HRECs in connection with the subject property.

7.3 AREAS OF POTENTIAL CONCERN AND SIGNIFICANT DATA GAPS

AKT Peerless did not identify other areas of potential concern in connection with the subject property during the course of this ESA except for the following:

• As discussed in Sections 4.5.3 and 6.2, a printing business has been present on the subject



property (1148 Griswold Street) since 2008. In addition, a printing business was present on the subject property (1150 Griswold Street) in the basement in 1905. A printing business was also observed on the second floor of the subject building during reconnaissance. However, due to the presence of two sub basements at the subject property, it is unlikely these businesses have adversely affected the natural resources of the subject property.

- As discussed in Section 4.5.3, AKT Peerless identified the presence of a print shop on the western adjoining property (1133 Griswold Street) in 1988 and a print shop on the southern adjoining property (1140 Griswold Street) from 2003 until 2008. However, it is AKT Peerless' opinion that the western and southern adjoining properties do not represent a REC associated with the subject property based on (1) the clay soil in the area that restricts the movement of contamination, (3) the location of these sites in a cross-gradient (western adjoining property) or down-gradient (southern adjoining property) position from the subject property, (4) the location of the western adjoining property beyond Griswold Avenue from the subject property, and the presence of utility corridors in the right-of-way, and (5) the southern adjoining property was not identified on any regulatory databases searched in Section 4.2 of this report.
- As discussed in Section 4.5.2, AKT Peerless' review of Sanborn Maps revealed the presence of a paint, wallpaper, and print shop on the western adjoining property in 1884 and a paint and wallpaper shop on the western adjoining property in 1897. However, it is AKT Peerless' opinion that the western adjoining property does not represent a REC associated with the subject property based on (1) the clay soil in the area that restricts the movement of contamination, (2) the location of this site in a cross-gradient position from the subject property, and (3) the location of this site beyond Griswold Avenue from the subject property, and the presence of utility corridors in the right-of-way.
- As discussed in Section 1.5, 2.0, and 5.0, AKT Peerless submitted questionnaires to the Client/Developer regarding the past uses of the subject property. Repeated attempts were made to obtain these questionnaires; however, as of the submittal date of this report a response has not been received. This gap in historical information is considered *data failure* as provided in Section 8.3.2.3 of the ASTM Standard Practice For ESAs (E 1527). If a response is received that changes the findings of this report, an addendum will be submitted.
- As discussed in Section 6.3.5, AKT Peerless observed a transformer in the basement of the subject building and additional electrical equipment in the sub-basement of the subject building. According to Mr. O'Reilly, the oil in the equipment located in the sub-basement was changed by DTE Energy approximately three to four years ago. No label regarding the presence or absence of PCBs was noted on the transformer or other electric equipment in the subject building. It is AKT Peerless' opinion that the potential exists for PCBs to be present in the transformers and other electrical equipment present in the subject building.
- As discussed in Section 6.3.5, fluorescent lights were observed throughout the subject building and ballast storage was noted in the basement of the subject building. Fluorescent light ballasts manufactured before 1980 may contain PCBs. These ballasts are considered small capacitors under the Toxic Substances Control Act (TSCA). Given the date of construction of the subject building (approximately 1929), it is AKT Peerless' opinion that if fixtures are present they may contain PCBs and should be disposed of in accordance with applicable regulations.



AKT Peerless did not identify or encounter any instances of <u>significant</u> data gaps during the course of this ESA, except as noted in Section 7.1 of this report.

8.0 <u>DEVIATIONS</u>

AKT Peerless did not deviate from ASTM Standard Practice E 1527-05 when performing this Phase I ESA (i.e., no components of that practice were deleted, and no additions to it were made).

9.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS

We declare that, to the best of our knowledge and professional belief, we meet the definition of environmental professional as defined in ASTM E-1527-05 and §312.10 of 40 CFR 312 or conducted this inquiry under the supervision or responsible charge of, an environmental professional. We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. We have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in ASTM E-1527-05 and 40 CFR Part 312.

Deanna & Hicksell

Deanna L. Hutsell, P.E. Environmental Consultant **AKT PEERLESS ENVIRONMENTAL SERVICES** Detroit, Michigan Office

phone: 313-962-9353 fax: 313-962-0966 Timothy J. McGahey, CHMM

Operations Manager – Detroit Branch

AKT PEERLESS ENVIRONMENTAL SERVICESDetroit, Michigan Office

phone: 313-962-9353 fax: 313-962-0966



QUALIFICATIONS





PROFESSIONAL PROFILE

TIMOTHY J. MCGAHEY, CHMM

Director of Detroit Operations Environmental Compliance and Assessment Services

EDUCATION

Bachelor of Science: Environmental Science, 1998 Aquinas College, Michigan

PROFESSIONAL EXPERIENCE

Senior Environmental Consultant AKT Peerless Environmental Services

AREA OF EXPERTISE

- (1) Brownfield Redevelopment
- (2) Management of federal environmental grant programs
- (3) Coordination and technical oversight of environmental assessments
- (4) Preparation of cost estimates and proposals
- (5) Liaison with regulatory agencies
- (6) Conducting Phase I environmental site assessments (ESAs)
- (7) Conducting environmental compliance audits
- (8) Hazardous chemical inventory reporting
- (9) Field management and activities coordination
- (10) Asbestos building inspections

Mr. McGahey has over ten years experience in environmental assessments, Brownfield redevelopment, project management, federal and state environmental grant program implementation, management and implementation of brownfield financial incentives, environmental response activities, corrective action and regulatory compliance management. Mr. McGahey has managed hundreds of investigations at commercial and industrial properties to evaluate the presence and extent of environmental impact. Information obtained during these investigations is typically used to evaluate environmental risk and determine appropriate response activities necessary to allow for the intended use of a property in a manner that protects public health and safety.

.

SUMMARY OF SELECTED PROJECTS

- (1) Acted as senior project manager and technical advisor for several communities with U.S. EPA Brownfield assessment grants. The primary objective of each Brownfield grant was to perform Brownfield inventories, conduct Phase I and Phase II environmental site assessments (ESAs), baseline environmental site assessments (BEAs) and EPA quality assurance project plans (QAPPS). Responsibilities also included: acting as a liaison between Brownfield communities, U.S. EPA project managers, and stake holders, project budget tracking, quarterly reporting and participation in environmental subcommittees.
- (2) Performed Phase I ESAs (including project management, site reconnaissance, regulatory and historical records investigations, and report completion) for financial institutions, manufacturing facilities, real estate developers, property managers, and insurance companies. Properties included industrial, commercial, and residential sites. Properties assessed were located in Michigan, Ohio, Indiana, Virginia, Arizona, Texas, Oklahoma, Tennessee, and Nebraska.
- (3) Conducted environmental compliance audit for plastics forming facility. Audit focused on determining the facility degree of compliance with applicable federal, state and local environmental regulations and recommending actions to achieve compliance.
- (4) Supervised LUST closure activities for multiple sites in southeast Michigan, completing MDEQ required investigation, reports, corrective actions, and closures.
- (5) Performed Environmental Transaction Screen Assessments (including project management, field activity, site reconnaissance, regulatory historical records investigations, and report completion) for financial institutions.
- (6) Prepared annual Toxic Chemical Release Inventory (Form R) and Hazardous Chemical Inventory (Tier II) reports for industrial facilities.
- (7) Prepared quarterly Wastewater Discharge Permits for plastics forming facility.
- (8) Prepared Storm Water Pollution Prevention Plans for various manufacturing facilities.
- (9) Conducted hazardous materials surveys for operating and abandoned industrial facilities.
- (10) Supervised drilling and mobile lab operations. Activities included: selecting boring locations, collecting soil samples, field screening soil samples, installing monitoring wells, and selecting samples for laboratory analysis.
- (11) Supported U. S. EPA in a critical removal action for an abandoned industrial facility in Hamtramck, Michigan.
- (12) Conducted vertical profiling and discrete sampling of groundwater at specific depths to determine the vertical extent of contamination. Conducted delineation procedures to determine the exact location and extent of soil contamination.
- (13) Conducted geophysical surveys using an EM-61MK2 metal detector, and prepared scaled, contoured site maps depicting anomalous areas.
- (14) Conducted long term monitoring including well development and well sampling procedures.
- (15) Provided technical expertise and project management support for the Downriver Area Brownfield Consortium (DABC) USEPA Brownfield Assessment Grants and Detroit/Wayne County Port Authority (DWCPA) Brownfield Assessment Grants. These grants are designed to empower communities in the economic redevelopment of Brownfield sites. Duties include management,

SUMMARY OF SELECTED PROJECTS (continued)

- oversight, property assessments; participation in monthly meetings; developing USEPA Work Plans, preparing quarterly reports, and communication with USEPA.
- (16) Conducted and managed due-diligence investigations for large-scale (more than 40 properties) portfolio property purchases.

REGISTRATIONS AND CERTIFICATIONS

Certified Hazardous Materials Manager (CHMM) by the Academy of Certified Hazardous Materials Managers (Certificate No. 010213)

Leadership in Energy and Environmental Design (LEED) Accredited Professional

Certified Environmental Site Assessor of Canada (first US Resident awarded certification)

Health and Safety Training for Hazardous Waste Sites (OSHA-mandated 40-hour training)

OSHA 8-Hour refresher courses

Michigan Department of Environmental Quality Certified Storm Water Operator (Industrial)

OSHA Confined Space Entrant and Attendant Course

Completed AHERA Asbestos Building Inspector Course

Cardiopulmonary Resuscitation (CPR) and Standard First Aid Training Certification

PROFESSIONAL AFFILIATIONS

Member

Academy of Certified Hazardous Materials Managers, Michigan Chapter

Member

Associated Environmental Site Assessors of Canada





PROFESSIONAL PROFILE

DEANNA HUTSELL, P.E.

Environmental Consultant Environmental Compliance and Assessment Services

EDUCATION

Bachelor's of Science: Environmental Engineering, 2002 Michigan Technological University, Houghton, Michigan

PROFESSIONAL EXPERIENCE

Environmental ConsultantAKT Peerless Environmental Services

Project Manager
The Traverse Group. Inc.

Environmental Consultant The Traverse Group, Inc.

AREA OF EXPERTISE

- (1) Conducting Phase I environmental site assessments
- (2) Conducting Phase I environmental investigations
- (3) Providing oversight of soil and ground water Phase II ESA subsurface investigations
- (4) Preparing Baseline Environmental Assessments
- (5) Evaluating the potential environmental risk at commercial and raw-land properties
- (6) Oversight of UST removal and drilling contractors
- (7) Preparation of Leaking Underground Storage Tank (LUST) reports
- (8) Preparation of Spill Prevention Control and Countermeasure Plans (SPCC) and Pollution Incident Prevention Plans (PIPP) plans

SUMMARY OF SELECTED PROJECTS

(1) Managed Phase I ESAs, including proposal generation, cost analysis, project management, client communication, and invoicing for financial institutions, manufacturing facilities, real estate developers, and property managers.

SUMMARY OF SELECTED PROJECTS (continued)

- (2) Completed Phase I ESAs in compliance with the American Society for Testing and Materials (ASTM), U.S. Department of Housing and Urban Development (HUD), and/or Michigan State Housing Development Authority (MSHDA) guidelines in support of acquisition/divestiture for various properties in Michigan, California, Nevada, Illinois, and Colorado. These properties included vacant properties and properties improved with schools, light industrial facilities, automotive parts supply warehouses, and multi-family residential developments. The properties ranged in size from less than one acre to more than 30 acres.
- (3) Managed Phase II subsurface investigations (including the coordination of soil boring and monitoring well installation, laboratory data interpretation, and report completion) to (a) evaluate the potential presence of contaminants, (b) evaluate the type of contaminants, and (c) delineate horizontal and vertical extent. Additional activities included the preparation of Baseline Environmental Assessments to address identified contamination at facilities for submittal to the Michigan Department of Environmental Quality (MDEQ).
- (4) Managed Phase II Environmental Site Assessments and Leaking Underground Storage Tank (LUST) projects, including proposal generation, client communications, obtaining subcontractor costs and scheduling field activities, preparing sol and groundwater samples for laboratory submittal, interpreting analytical results, and generating all associated reports.
- (5) Performed monthly methane gas monitoring, leachate sampling, and groundwater sampling at a landfill in Ohio and prepared associated reports submitted to the Ohio Environmental Protection Agency (EPA).
- (6) Prepared Spill Prevention Control and Countermeasure Plans (SPCC) and Pollution Incident Prevention Plans (PIPP) for large and small facilities in Michigan.

LICENSES AND SPECIALIZED TRAINING

Professional Engineer (P.E. License 55527), State of Michigan

Michigan Asbestos Inspector, Accreditation Number A32752

OSHA – 40-Hour Hazardous Waste Operations Training


OSHA – 8-Hour Hazardous Waste Operations Training

AHERA Asbestos Building Inspector Course

MDEQ Brownfields Training – February 2008




FIGURES




DETROIT QUADRANGLE

MICHIGAN - WAYNE COUNTY 7.5 MINUTE SERIES (TOPOGRAPHIC)



T.2 S. - R.12 E.






FARMINGTON DETROIT SAGINAW LANSING WWW.AKTPEERLESS.COM

TOPOGRAPHIC LOCATION MAP

DAVID STOTT BUILDING 1150 GRISWOLD STREET DETROIT, MICHIGAN PROJECT NUMBER: 6125D-1-17 DRAWN BY: K Edmond DATE: 3/3/2009

FIGURE 2





FARMINGTON DETROIT SAGINAW LANSING WWW.AKTPEERLESS.COM

PARCEL MAP

DAVID STOTT BUILDING 1150 GRISWOLD STREET DETROIT, MICHIGAN PROJECT NUMBER: 6125D-1-17 DRAWN BY: K Edmond DATE: 3/3/2009

FIGURE 3



DD ODED

= PROPERTY LINE



FARMINGTON DETROIT SAGINAW LANSING WWW.AKTPEERLESS.COM

SUBJECT PROPERTY MAP

DAVID STOTT BUILDING 1150 GRISWOLD STREET DETROIT, MICHIGAN PROJECT NUMBER: 6125D-1-17 DRAWN BY: K Edmond DATE: 3/3/2009




FIGURE 4



APPENDIX A GENERAL LIMITATIONS AND EXCEPTIONS



General Limitations and Exceptions

Subject to the proposal, scope-of-services, and the related terms and conditions referenced in Section 1.0 of this Phase I ESA, AKT Peerless accepts responsibility for the competent performance of its duties in executing the assignment and preparing reports in accordance with the normal standards of the profession, but disclaims any responsibility for consequential damages.

Although AKT Peerless believes that the findings, opinions, and recommendations contained herein are reliable and appropriate, AKT Peerless cannot warrant or guarantee that the information provided is exhaustive, or that the information obtained from any data sources is complete or accurate.

Along with the inherent limitations set forth in various sections of ASTM Standard Practice E 1527-05, the accuracy and completeness of this report may be limited by the following facts or conditions:

- Due to the poor scale of the historical aerial photographs, the presence or absence of small features (e.g., individual drums, fuel dispensers) could not be discerned reliably.
- AKT Peerless made reasonable efforts to determine if USTs or related equipment (collectively referred to as UST systems) are or have been present at the subject property. AKT Peerless defines reasonable efforts as obtaining and evaluating information from visual observations of unobstructed areas and from the secondary sources cited in this report. AKT Peerless recognizes, and suggests users of this assessment acknowledge, that the accuracy of our conclusions relative to the on-site presence or use of UST systems may be directly affected by the presence of physical obstructions at the time of the reconnaissance, or affected by our receipt and evaluation of incorrect information.
- AKT Peerless' evaluation of soil and groundwater features at and near the subject property
 was based only on published maps and other readily available information. AKT Peerless
 used this information to assess soil types and groundwater flow directions to determine if
 conditions at any nearby sites present an environmental threat to the subject property.
- Unless specifically noted otherwise, invasive investigation of any kind has not been performed during this Phase I ESA, nor has observation under floors, above ceilings, behind walls, within the surface and subsurface soil, within groundwater, within confined spaces, roof tops, or inaccessible areas been performed.
- AKT Peerless did not conduct sampling or analysis of air, soil, groundwater, surface water, or building materials as part of this Phase I ESA, unless specifically noted otherwise.
- This Phase I ESA did not include a physical inspection of the adjoining properties, which AKT Peerless observed from the subject property and from readily accessible public rightsof-way.
- AKT Peerless typically does not review historical or environmental information about nearby sites in detail unless known activities or events at a nearby site appear to present an environmental threat to the subject property.
- AKT Peerless' scope of services did not include conducting a review of property title



documentation. AKT Peerless requested property title documentation and environmental cleanup liens from the Client/Developer, but was not provided this information, unless specifically noted otherwise. However, as described in this report, AKT Peerless made reasonable attempts to determine if the State Environmental Agency maintains documentation regarding environmental liens recorded against the subject property.

- This assessment did not include a review or audit of operational environmental compliance issues, or of any environmental management systems, that may be associated with the subject property.
- This Phase I ESA did not include any investigation or evaluation of issues not specifically related to petroleum products or hazardous substances as defined in CERCLA (i.e., other areas of potential business environmental risk such as radon, lead in drinking water, etc.).
- The information and opinions contained in the report are given in light of this assignment. The report must be reviewed and relied upon only in conjunction with the terms and conditions expressly agreed-upon by the parties and as limited therein.
- Although AKT Peerless believes the results contained in herein are reliable, AKT Peerless
 cannot warrant or guarantee that the information provided is exhaustive, or that the
 information provided by the Client/Developer, third parties, or the secondary information
 sources cited in this report is complete or accurate.
- AKT Peerless is not in a position to provide an opinion regarding the Fair Market Value of the subject property. Therefore, a comparison of the purchase price of the subject property to other similar real estate transactions was not conducted during this assessment.
- Nothing in this report constitutes a legal opinion or legal advice. For information regarding individual or organizational liability, AKT Peerless recommends consultation with independent legal counsel.
- AKT Peerless relied upon specific or common knowledge of the Client/Developer, or
 information provided to the Client/Developer, to identify environmental liens, institutional
 controls, activity use limitations, or property valuation issues. As possible within the time
 frame and cost of this project, AKT Peerless looked for any obvious environmental
 information regarding these issues made readily available during the course of this ESA.
- The information and opinions presented in this report are for the exclusive use of the Client/Developer. No distribution to or reliance by other parties may occur without the express written permission of AKT Peerless. AKT Peerless will not distribute this report without written consent from the Client/Developer, or as required by law or by a Court order.
- Any third parties to whom the right to rely on the contents of this report have been granted by AKT Peerless, which is explicitly required prior to any third-party release, expressly agrees to be bound by the original terms and conditions entered into by AKT Peerless and the Client/Developer.



APPENDIX B LEGAL DESCRIPTION

General Property Information

[Back to Non-Printer Friendly Version] [Send To Printer]

Parcel: 02001994.

Property Address

[collapse]

1150 GRISWOLD , 48226

Owner Information

[collapse]

MAE DEVELOPMENT LLC 2400 DAVID SCOTT BLDG DETROIT, MI 48226

Unit:

01

Taxpayer Information

[collapse]

SEE OWNER INFORMATION

General Information for Tax Year 2009

[collapse]

Property Class:

202

Assessed Value:

School District:

\$654,010

State Equalized Value:

\$654,010

Map #

\$380,919

02

DISTRICT

Date of Last Name Chg:

Date Filed:

Principal Residence Exemption

(2008 May 1):

0.0000 %

Principal Residence Exemption

(2008 Final):

0.0000 %

Land Information

[collapse]

Acreage: **Zoning Code:** 0.14

Frontage:

0.00 Ft.

Depth:

0.00 Ft.

Land Value:

\$296,050

Mortgage Code: **Lot Dimensions/Comments:**

N/A

Land Improvements: Renaissance Zone:

\$0 ΝO

Legal Information for 02001994.

[collapse]

E GRISWOLD N 71.25 FT 77 PLAT OF SEC 8 GOVERNOR & JUDGES PLAN L34 P543 DEEDS, W C R 2/1 71.25 IRREG

Sales Information

1 sale recor	d(s) found.					
Sale Date	Sale Price	Instrument	Grantor	Grantee	Terms Of Sale	Liber/Page
09/01/1980	\$900,000.00	WD			VA-VERIFIED BY APPR	20968:01880

Building Information

Descrip	tion		Floor Area	Yr Built
Commerc	ial/Industrial Building 1 - <i>Offic</i>	ce Building	209410 Sq. Ft.	1938
General Information				
Floor Area: Occupancy:	209410 Sq. Ft. Office Building	Estimated TCV: Class:	N/A C	
Stories Above Ground: Basement Wall Height:	38 N/A	Average Story Height	: 11	e principal de la constitución d
Year Built:	1938	Year Remodeled:	0	
Percent Complete:	100%	Heat:	Steam Radia with Boiler	tor
Physical Percent Good: Economic Percent Good:	42% 100%	Functional Percent Go Effective Age:	ood: 100% 71 yrs.	

^{**}Disclaimer: BS&A Software provides this Web Site as a way for municipalities to display information online and is not responsible for the content or accuracy of the data herein. This data is provided for reference only and WITHOUT WARRANTY of any kind, expressed or inferred. Please contact your local municipality if you believe there are errors in the data.

Privacy Policy



APPENDIX C RECONNAISSANCE PHOTOGRAPHS



PHOTOGRAPH NO. 1: SUBJECT PROPERTY AS VIEWED FACING NORTH



PHOTOGRAPH NO. 2: SUBJECT PROPERTY AS VIEWED FACING EAST



RECONNAISSANCE PHOTOGRAPHS

DAVID STOTT BUILDING 1150 GRISWOLD DETROIT, MICHIGAN TAKEN BY: D. HUTSELL DATE: 03.11.09



PHOTOGRAPH NO. 3: SUBJECT PROPERTY - PARTY STORE IN SUBJECT BUILDING



PHOTOGRAPH NO. 4: SUBJECT PROPERTY - CELL PHONE STORE IN SUBJECT BUILDING



DAVID STOTT BUILDING 1150 GRISWOLD DETROIT, MICHIGAN TAKEN BY: D. HUTSELL DATE: 03.11.09



PHOTOGRAPH NO. 5: SUBJECT BUILDING – TYPICAL TENANT SUITE



PHOTOGRAPH NO. 6: SUBJECT BUILDING – VACANT TENANT SUITE



DAVID STOTT BUILDING 1150 GRISWOLD DETROIT, MICHIGAN TAKEN BY: D. HUTSELL DATE: 03.11.09



PHOTOGRAPH NO. 7: SUBJECT BUILDING - WATER TANK FOR FIRE SUPRESSION SYSTEM IN PENTHOUSE



PHOTOGRAPH NO. 8: SUBJECT BUILDING - VIEW OF ROOF



DAVID STOTT BUILDING 1150 GRISWOLD DETROIT, MICHIGAN TAKEN BY: D. HUTSELL DATE: 03.11.09



PHOTOGRAPH NO. 9: SUBJECT BUILDING - ELEVATOR EQUIPMENT ROOM IN PENTHOUSE



PHOTOGRAPH NO. 10: SUBJECT BUILDING – SUMP IN SUB-BASEMENT



DAVID STOTT BUILDING 1150 GRISWOLD DETROIT, MICHIGAN TAKEN BY: D. HUTSELL DATE: 03.11.09



PHOTOGRAPH NO. 11: SUBJECT BUILDING – COMPRESSOR OIL IN SUB-BASEMENT



 $PHOTOGRAPH \ NO. \ 12: \ SUBJECT \ BUILDING-STAINING \ UNDERNEATH \ COMPRESSOR \ OIL \ DRUM \\ IN \ SUB-BASEMENT$



DAVID STOTT BUILDING 1150 GRISWOLD DETROIT, MICHIGAN TAKEN BY: D. HUTSELL DATE: 03.11.09



PHOTOGRAPH NO. 13: SUBJECT PROPERTY – COMPRESSOR EQUIPMENT IN SUB-BASEMENT



PHOTOGRAPH NO. 14: SUBJECT PROPERTY – OUT OF USE FREIGHT ELEVATOR



DAVID STOTT BUILDING 1150 GRISWOLD DETROIT, MICHIGAN TAKEN BY: D. HUTSELL DATE: 03.11.09



PHOTOGRAPH NO. 15: SUBJECT PROPERTY – ELEVATOR ACCESS ROOM FOR PASSENGER ELEVATORS



PHOTOGRAPH NO. 16: SUBJECT PROPERTY – PASSENGER ELEVATOR PIT



DAVID STOTT BUILDING 1150 GRISWOLD DETROIT, MICHIGAN TAKEN BY: D. HUTSELL DATE: 03.11.09



PHOTOGRAPH NO. 17: SUBJECT PROPERTY – FORMER EXTERIOR ACCESS TO FREIGHT ELEVATOR



PHOTOGRAPH NO. 18: SOUTHERN ADJOINING PROPERTY VACANT COMMERCIAL BUILDING – 1126-1134 GRISWOLD STREET



RECONNAISSANCE PHOTOGRAPHS

DAVID STOTT BUILDING 1150 GRISWOLD DETROIT, MICHIGAN TAKEN BY: D. HUTSELL DATE: 03.11.09



PHOTOGRAPH NO. 19: WESTERN ADJOINING PROPERTY UNOCCUPIED – 1133-1139 GRISWOLD STREET AND STOREFRONTS – 1145 GRISWOLD STREET



PHOTOGRAPH NO. 20: NORTHERN ADJOINING PROPERTY

UNITED WAY – 1212 GRISWOLD STREET



DAVID STOTT BUILDING 1150 GRISWOLD DETROIT, MICHIGAN TAKEN BY: D. HUTSELL DATE: 03.11.09



PHOTOGRAPH NO. 21: EASTERN ADJOINING PROPERTY UNOCCUPIED – 27-31 STATE STREET



PHOTOGRAPH NO. 22: NORTHWESTERN ADJOINING PROPERTY
CAPITOL PARK – NORTHWEST CORNER OF STATE AND GRISWOLD STREETS



RECONNAISSANCE PHOTOGRAPHS

DAVID STOTT BUILDING 1150 GRISWOLD DETROIT, MICHIGAN TAKEN BY: D. HUTSELL DATE: 03.11.09



APPENDIX D

STANDARD ENVIRONMENTAL RECORD DATABASE REPORT

David Stott Building

1150 Griswold Detroit, MI 48226

Inquiry Number: 2415587.2s

February 09, 2009

The EDR Radius Map™ Report with GeoCheck®




TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map.	2
Detail Map.	
Map Findings Summary	4
Map Findings.	7
Orphan Summary.	154
Government Records Searched/Data Currency Tracking.	GR-1
GEOCHECK ADDENDUM	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map.	A-5
Physical Setting Source Map.	A-7
Physical Setting Source Map Findings.	A-8
Physical Setting Source Records Searched.	A-12

Thank you for your business.Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

1150 GRISWOLD DETROIT, MI 48226

COORDINATES

Latitude (North): 42.332500 - 42° 19' 57.0" Longitude (West): 83.048900 - 83° 2' 56.0"

Universal Tranverse Mercator: Zone 17 UTM X (Meters): 331193.1 UTM Y (Meters): 4688513.5

Elevation: 599 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 42083-C1 DETROIT, MI

Most Recent Revision: 1980

AERIAL PHOTOGRAPHY IN THIS REPORT

Photo Year: 2005

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List

Proposed NPL..... Proposed National Priority List Sites

NPL LIENS..... Federal Superfund Liens Federal Delisted NPL site list Delisted NPL..... National Priority List Deletions Federal RCRA CORRACTS facilities list CORRACTS...... Corrective Action Report Federal RCRA non-CORRACTS TSD facilities list RCRA-TSDF...... RCRA - Transporters, Storage and Disposal Federal RCRA generators list RCRA-LQG..... RCRA - Large Quantity Generators Federal institutional controls / engineering controls registries US ENG CONTROLS..... Engineering Controls Sites List US INST CONTROL..... Sites with Institutional Controls Federal ERNS list ERNS..... Emergency Response Notification System State and tribal landfill and/or solid waste disposal site lists SWF/LF..... Solid Waste Facilities Database State and tribal leaking storage tank lists INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land State and tribal registered storage tank lists _____ Aboveground Tanks INDIAN UST...... Underground Storage Tanks on Indian Land State and tribal institutional control / engineering control registries AUL..... Engineering and Institutional Controls State and tribal voluntary cleanup sites INDIAN VCP..... Voluntary Cleanup Priority Listing ADDITIONAL ENVIRONMENTAL RECORDS Local Lists of Landfill / Solid Waste Disposal Sites Open Dump Inventory DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations

HIST LF..... Inactive Solid Waste Facilities

INDIAN ODI...... Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL..... Clandestine Drug Labs

DEL SHWS...... Delisted List of Contaminated Sites CDL...... Clandestine Drug Lab Listing

Local Land Records

LIENS 2..... CERCLA Lien Information

LUCIS..... Land Use Control Information System

LIENS.....Lien List

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System

SPILLS...... Pollution Emergency Alerting System

Other Ascertainable Records

CONSENT...... Superfund (CERCLA) Consent Decrees

TRIS...... Toxic Chemical Release Inventory System

TSCA..... Toxic Substances Control Act

Act)/TSCA (Toxic Substances Control Act)

HIST FTTS...... FIFRA/TSCA Tracking System Administrative Case Listing

SSTS..... Section 7 Tracking Systems

ICIS______ Integrated Compliance Information System

FINDS______Facility Index System/Facility Registry System RAATS______RCRA Administrative Action Tracking System

INDIAN RESERV...... Indian Reservations

SCRD DRYCLEANERS...... State Coalition for Remediation of Drycleaners Listing

PWS..... Public Water System Data

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants..... EDR Proprietary Manufactured Gas Plants

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in **bold italics** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal CERCLIS list

CERCLIS: The Comprehensive Environmental Response, Compensation and Liability Information System contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the CERCLIS list, as provided by EDR, and dated 10/07/2008 has revealed that there are 2 CERCLIS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
FORMER STATLER HILTON HOTEL SI COMERICA PARK MERCURY	1539-1565 WASHINGTON AV 2100 WOODWARD AVENUE	,		96 137

Federal CERCLIS NFRAP site List

CERC-NFRAP: Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

A review of the CERC-NFRAP list, as provided by EDR, and dated 12/03/2007 has revealed that there is 1 CERC-NFRAP site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MI DEPT/ENVIRONMENTAL QUALITY	33 JOHN R	N 1/8 - 1/4 (0.193 mi.)	O54	<i>7</i> 5

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 09/10/2008 has revealed that there is 1 RCRA-SQG site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CADILLAC DEVELOPMENT COMPANY L	1114 WASHINGTON BLVD	WSW 0 - 1/8 (0.108 mi.)	G22	40

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 09/10/2008 has revealed that there are 12 RCRA-CESQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
UNITED WAY FOR SOUTHEASTERN MI	1212 GRISWOLD ST	NNW 0 - 1/8 (0.013 mi.)	A2	7
MI DEPT/TRANSPORTATION	M3 GRATIOT AVE OVER GRV	V ENE 0 - 1/8 (0.065 mi.)	B7	12
COMPUWARE CORPORATION	1044 WOODWARD AVE	E 0 - 1/8 (0.075 mi.)	C9	14
OMNIPRINT	150 MICHIGAN AVE	SW 0 - 1/8 (0.081 mi.)	E13	20
DETROIT PUBLIC LIBRARY	121 GRATIOT	ENE 1/8 - 1/4 (0.137 mi.)	33	52
DETROIT FREE PRESS	321 W LAFAYETTE	SSW 1/8 - 1/4 (0.169 mi.)	46	61
DETROIT PEOPLE MOVERS	1250 PARK PLACE	WNW 1/8 - 1/4 (0.185 mi.)	52	72
TROLLEY PLAZA GARAGE	1426 TIMES SQ	WNW 1/8 - 1/4 (0.197 mi.)	R66	89
SACHS WALDMAN PROFESSIONAL COR	1000 FARMER ST	E 1/8 - 1/4 (0.219 mi.)	79	98
Lower Elevation	Address	Direction / Distance	Map ID	Page
CITY OF DETROIT AT&T CORP MICHIGAN BELL TELEPHONE COMPAN	350 MICHIGAN AVENUE 445 STATE ST 444 MICHIGAN AVE	WSW 1/8 - 1/4 (0.183 mi.) W 1/8 - 1/4 (0.195 mi.) WSW 1/8 - 1/4 (0.238 mi.)	N51 Q61 Z98	70 81 11 2

State- and tribal - equivalent CERCLIS

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Quality's' Contaminated Sites List on Diskette With Address.

A review of the SHWS list, as provided by EDR, and dated 11/13/2008 has revealed that there are 2

SHWS sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HUDSON'S BUILDING Facility Status: Interim Response conduct	1206 WOODWARD AVENUE ted - No further activities anticipate	'	B5	11
DETROIT METROPOLITAN BUILDING Facility Status: Interim Response in progr	33 JOHN R ress	N 1/8 - 1/4 (0.193 mi.)	O53	75

State and tribal leaking storage tank lists

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Quality's Leaking Underground Storage Tank (LUST) Database.

A review of the LUST list, as provided by EDR, and dated 12/01/2008 has revealed that there are 19 LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HERTZ RENT-A-CAR Facility Status: Closed	1041 WASHINGTON BLVD	SW 1/8 - 1/4 (0.147 mi.)	37	55
FEDERAL RESERVE BANK Facility Status: Closed	160 W FORT ST	SSE 1/8 - 1/4 (0.151 mi.)	39	56
FIRST NATIONAL BUILDING Facility Status: Closed	660 WOODWARD AVE	SE 1/8 - 1/4 (0.179 mi.)	M48	63
METRO GARAGE Facility Status: Closed Facility Status: Closed	1009 CASS AVE	SW 1/8 - 1/4 (0.196 mi.)	P65	85
FORT WASHINGTON GARAGE Facility Status: Open	645 WASHINGTON BLVD	S 1/8 - 1/4 (0.232 mi.)	V86	106
FORT & FIRST SERVICE INC Facility Status: Open Facility Status: Open	460 W FORT ST	SSW 1/4 - 1/2 (0.280 mi.)	108	122
HOWARD STREET GARAGE Facility Status: Closed	530 HOWARD ST	WSW 1/4 - 1/2 (0.291 mi.)	109	124
DETROIT ATHLETIC CLUB Facility Status: Closed	241 MADISON ST	NNE 1/4 - 1/2 (0.332 mi.)	111	126
THE DETROIT NEWS Facility Status: Closed	615 W LAFAYETTE BLVD	SW 1/4 - 1/2 (0.356 mi.)	116	129
BANK ONE TREANSPORT FACILITY Facility Status: Closed Facility Status: Closed	461 GRATIOT AVE	NE 1/4 - 1/2 (0.374 mi.)	123	132
DETROIT POLICE DEPT HEADQUATER Facility Status: Closed	500 CLINTON ST	NE 1/4 - 1/2 (0.380 mi.)	127	138
DETROIT WOODWARD DISTRICT Facility Status: Closed	811 ABBOTT ST	WSW 1/4 - 1/2 (0.461 mi.)	AF133	141
HUDSON'S WAREHOUSE Facility Status: Closed Facility Status: Closed	425 BEACON ST	NNE 1/4 - 1/2 (0.470 mi.)	137	146

*Additional key fields are available in the Map Findings section

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
FIRE ENGINE #3 Facility Status: Closed	111 W MONTCALM ST	NW 1/4 - 1/2 (0.471 mi.)	AH138	147
FORMER SHELL STATION Facility Status: Open	561 GRATIOT AVE	NE 1/4 - 1/2 (0.479 mi.)	AI143	152
Lower Elevation	Address	Direction / Distance	Map ID	Page
DOWNTOWN GARAGE INC Facility Status: Open	328 W CONGRESS ST	S 1/4 - 1/2 (0.268 mi.)	AA104	119
COMERICA INC Facility Status: Open	459 E LAFAYETTE BLVD	ENE 1/4 - 1/2 (0.379 mi.)	AE125	137
640 MICHIGAN AVENUE Facility Status: Open	640 MICHIGAN AVE	W 1/4 - 1/2 (0.462 mi.)	AG134	143
FIRE DEPT ENGINE #9 Facility Status: Closed	545 E LAFAYETTE	ENE 1/4 - 1/2 (0.479 mi.)	141	150

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Quality's Michigan UST database.

A review of the UST list, as provided by EDR, and dated 12/01/2008 has revealed that there are 9 UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
COMPUWARE CORP	1044 WOODWARD AVE	E 0 - 1/8 (0.075 mi.)	C8	14
HERTZ RENT-A-CAR	1041 WASHINGTON BLVD	SW 1/8 - 1/4 (0.147 mi.)	37	55
FEDERAL RESERVE BANK	160 W FORT ST	SSE 1/8 - 1/4 (0.151 mi.)	39	56
FIRST NATIONAL BUILDING	660 WOODWARD AVE	SE 1/8 - 1/4 (0.179 mi.)	M48	63
DETROIT PEOPLE MOVERS	1250 PARK PLACE	WNW 1/8 - 1/4 (0.185 mi.)	52	72
METRO GARAGE	1009 CASS AVE	SW 1/8 - 1/4 (0.196 mi.)	P65	85
FORT WASHINGTON GARAGE	645 WASHINGTON BLVD	S 1/8 - 1/4 (0.232 mi.)	V86	106
Lower Elevation	Address	Direction / Distance	Map ID	Page
AT&T	445 STATE ST	W 1/8 - 1/4 (0.195 mi.)	Q62	84
AMERITECH	444 MICHIGAN AVE	WSW 1/8 - 1/4 (0.240 mi.)	Z99	114

State and tribal Brownfields sites

BROWNFIELDS: Brownfields and USTfield Site Database.

A review of the BROWNFIELDS list, as provided by EDR, and dated 12/16/2008 has revealed that there are 4 BROWNFIELDS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HUDSON'S BUILDING	1206 WOODWARD AVENUE	NE 0 - 1/8 (0.063 mi.)	B5	11

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
DETROIT METROPOLITAN BUILDING	33 JOHN R	N 1/8 - 1/4 (0.193 mi.)	O53	<i>7</i> 5
MICHIGAN SITE NETWORK	33 JOHN R.	N 1/8 - 1/4 (0.193 mi.)	O55	78
STATLER HILTON HOTEL (FORMER)	1539-1565 WASHINGTON BL	NNW 1/8 - 1/4 (0.221 mi.)	T81	100

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: The EPA's listing of Brownfields properites addressed by Cooperative Agreement Recipients and Brownfields properties addressed by Targeted Brownfields Assessments

A review of the US BROWNFIELDS list, as provided by EDR, and dated 10/01/2008 has revealed that there is 1 US BROWNFIELDS site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
JEFFERSON-CHENE PROPERTY	EAST JEFFERSON AVE & CH	H ESE 1/4 - 1/2 (0.475 mi.)	140	149

Other Ascertainable Records

RCRA-NonGen: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA-NonGen list, as provided by EDR, and dated 09/10/2008 has revealed that there are 21 RCRA-NonGen sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HUDSON BUILDING	1206 WOODWARD AVE	ENE 0 - 1/8 (0.062 mi.)	B4	9
DETROIT TOLEDO SHORELINE RAILR	131 W LAFAYETTE BLVD	SSE 0 - 1/8 (0.079 mi.)	D10	16
131 W LAFAYETTE	131 W LAFAYETTE	SSE 0 - 1/8 (0.079 mi.)	D11	18
FIRST FEDERAL BLDG	1001 WOODWARD AVE	ESE 0 - 1/8 (0.083 mi.)	C15	35
DETROIT ECONOMIC GROWTH CO	731 WOODWARD	ESE 0 - 1/8 (0.101 mi.)	F18	38
CARRIER SERVICE CTR	231 W LAFAYETTE BLVD	SSW 0 - 1/8 (0.123 mi.)	H25	45
US DEPT/JUSTICE	231 W LAFAYETTE	SSW 0 - 1/8 (0.123 mi.)	H26	47
US GENERAL SERVICES ADMINISTRA	231 W LAFAYETTE BLVD	SSW 0 - 1/8 (0.123 mi.)	H27	49
211 FORT WASHINGTON ASSOC	211 W FORT ST	S 1/8 - 1/4 (0.167 mi.)	41	58
FIRST NATIONAL BUILDING	660 WOODWARD AVE	SE 1/8 - 1/4 (0.179 mi.)	M48	63
FIRST NATIONAL BUILDING	660 WOODWARD	SE 1/8 - 1/4 (0.179 mi.)	M49	67
MI DEPT/ENVIRONMENTAL QUALITY	33 JOHN R	N 1/8 - 1/4 (0.193 mi.)	O54	<i>7</i> 5
METRO GARAGE	1009 CASS AVE	SW 1/8 - 1/4 (0.196 mi.)	P65	85
DALESSANDRO CONTRACTING GROUP	7700 2ND AVENUE	ESE 1/8 - 1/4 (0.206 mi.)	73	93
MI DEPT/ENVIRONMENTAL QUALITY	1539-1565 WASHINGTON BL	NNW 1/8 - 1/4 (0.221 mi.)	T82	100
DMR PROPERTIES INC	645 WASHINGTON BLVD	S 1/8 - 1/4 (0.232 mi.)	V87	107
Lower Elevation	Address	Direction / Distance	Map ID	Page
ARCHDIOCESE OF DETROIT	1209 WASHINGTON BLVD	W 0 - 1/8 (0.118 mi.)	123	43

Lower Elevation	Address	Direction / Distance	Map ID	Page
DOWNTOWN AUTO SERVICE INC	1200 CASS AVE	WSW 1/8 - 1/4 (0.195 mi.)	N59	79
JP MORGAN CHASE BANK NA	611 WOODWARD AVENUE	SE 1/8 - 1/4 (0.215 mi.)	S75	95
AMERITECH CORP	1365 CASS AVE	W 1/8 - 1/4 (0.225 mi.)	U83	102
AT&T LONG LINES	1365 CASS	W 1/8 - 1/4 (0.225 mi.)	U84	104

BEA: Baseline Environmental Assessment.

A review of the BEA list, as provided by EDR, and dated 12/08/2008 has revealed that there are 33 BEA sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
THE FOWLER BUILDING	1225 WOODWARD AVENUE	NE 0 - 1/8 (0.064 mi.)	B6	11
Not reported	1132 WASHINGTON BLVD	WSW 0 - 1/8 (0.104 mi.)	G19	39
BOOK-CADILLAC HOTEL	1114 WASHINGTON BLVD	WSW 0 - 1/8 (0.108 mi.)	G21	40
FIRST NATIONAL BUILDING	660 WOODWARD AVE	SE 1/8 - 1/4 (0.179 mi.)	M48	63
421 BAGLEY PARKING VENTURE LLC	421 BAGLEY STREET	WNW 1/4 - 1/2 (0.273 mi.)	AB106	121
HDC PARTNERS LLC	421 BAGLEY STREET	WNW 1/4 - 1/2 (0.273 mi.)	AB107	121
BAGLEY STREET PROPERTY	151 WEST ADAMS	NW 1/4 - 1/2 (0.331 mi.)	110	126
JOSEPH PARKING LOT	419 E. FORT	E 1/4 - 1/2 (0.336 mi.)	112	127
WALBRIDGE ALDINGER PARCEL 3	608 HOWARD STREET	WSW 1/4 - 1/2 (0.344 mi.)	114	128
BRUSH 1466 VENTURES LLC	1466 BRUSH STREET	NNE 1/4 - 1/2 (0.345 mi.)	115	129
Not reported	401 EAST CONGRESS STREE	E 1/4 - 1/2 (0.356 mi.)	AC117	130
Not reported	401 E CONGRESS	E 1/4 - 1/2 (0.356 mi.)	AC118	131
LITTLE CAESARS	285 WEST ADAMS STREET	WNW 1/4 - 1/2 (0.357 mi.)	119	131
LITTLE CAESARS	100 WEST ELIZABETH STRE	NW 1/4 - 1/2 (0.372 mi.)	122	132
BANK ONE TREANSPORT FACILITY	461 GRATIOT AVE	NE 1/4 - 1/2 (0.374 mi.)	123	132
OLYMPIA DEVELOPMENT OF MICHIGA	2121 CASS AVENUE	NW 1/4 - 1/2 (0.414 mi.)	128	139
LITTLE CAESARS	145 WEST COLUMBIA STREE		129	140
GREEKTOWN LLC	566 MONROE STREET	ENE 1/4 - 1/2 (0.428 mi.)	130	140
LITTLE CAESARS	2171 CASS AVENUE	NW 1/4 - 1/2 (0.436 mi.)	131	140
MGM RAND DETROIT II, LLC	811 ABBOTT AVENUE	WSW 1/4 - 1/2 (0.461 mi.)	AF132	141
HOTEL BUILDING	120 WEST MONTCALM	NW 1/4 - 1/2 (0.471 mi.)	AH139	148
Not reported	561 GRATIOT	NE 1/4 - 1/2 (0.479 mi.)	AI142	151
GREEKTOWN LLC	666 MACOMB STREET	NE 1/4 - 1/2 (0.490 mi.)	144	152
LITTLE CAESARS	2323/2333 PARK AVENUE	NNW 1/4 - 1/2 (0.492 mi.)	AH145	153
Lower Elevation	Address	Direction / Distance	Map ID	Page
PARKING LOT	225 WEST CONGRESS AVEN	US 1/8 - 1/4 (0.236 mi.)	X92	110
STERLING GROUP - PARKING LOT P	225 W. CONGRESS AVENUE	,	X95	111
FORMER DOWNTOWN GARAGE	328 W. CONGRESS ST	S 1/4 - 1/2 (0.268 mi.)	AA105	121
FIRST STREET PARKING DECK	621 FIRST STREET	SSW 1/4 - 1/2 (0.338 mi.)	113	128
MICHIGAN AVENUE PARKING LOT	551 MICHIGAN AVENUE	W 1/4 - 1/2 (0.361 mi.)	AD120	131
551 PARKING VENTURE, LLC	551 MICHIGAN AVENUE	W 1/4 - 1/2 (0.361 mi.)	AD121	132
GREEK TOWN CASINO, L.L.C.	459 EAST LAFAYETTE	ENE 1/4 - 1/2 (0.379 mi.)	AE124	136
SHORT TERM PARKING LOT	640 MICHIGAN AVENUE	W 1/4 - 1/2 (0.462 mi.)	AG135	145
FORMER GAS STATION/SHORT TERM	640 MICHIGAN AVENUE	W 1/4 - 1/2 (0.462 mi.)	AG136	145

EDR PROPRIETARY RECORDS

EDR Proprietary Records

EDR Historical Auto Stations: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc.

A review of the EDR Historical Auto Stations list, as provided by EDR, has revealed that there are 17 EDR Historical Auto Stations sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CROSSTOWN CORPORATION	1020 WOODWARD AVE	E 0 - 1/8 (0.079 mi.)	C12	20
KENNFDY SQUARE GARAGE	700 GRISWOLD ST	SSE 1/8 - 1/4 (0.145 mi.)	36	55
GENERAL AUTO SERVICE REAR	1033 CASS AVE	SW 1/8 - 1/4 (0.195 mi.)	P63	85
DOHERTY RAY REPAIR C COLLISION	1009 CASS AVE	SW 1/8 - 1/4 (0.196 mi.)	P64	85
NATIONAL GARAGES INC	132 MONROE AVE	ENE 1/8 - 1/4 (0.197 mi.)	67	91
FIRST NATIONAL FILLING STATION	49 E CONGRESS	SE 1/8 - 1/4 (0.238 mi.)	W97	112
MCDEARMAN STERLING B	405 W FORT	SSW 1/8 - 1/4 (0.243 mi.)	103	119
Lower Elevation	Address	Direction / Distance	Map ID	Page
BOOK TOWER GARAGE	320 STATE	W 1/8 - 1/4 (0.129 mi.)	129	51
BOOK TOWER GARAGE INC	330 STATE	W 1/8 - 1/4 (0.135 mi.)	130	52
DOWNTOWN AUTO SERVICE	1200 CASS AVE	WSW 1/8 - 1/4 (0.195 mi.)	N58	79
HAMLIN A T	530 STATE	W 1/8 - 1/4 (0.204 mi.)	Q70	92
DUNN GARAGE	217 CONGRESS W	S 1/8 - 1/4 (0.234 mi.)	X89	110
BERG GARAGE CO	221 W CONGRESS	S 1/8 - 1/4 (0.235 mi.)	X90	110
FIRST NATIONAL FILLING STATION	41 E CONGRESS	SE 1/8 - 1/4 (0.236 mi.)	W91	110
BERG GARAGE CO	227 W CONGRESS	S 1/8 - 1/4 (0.236 mi.)	X93	111
DOWN TOWN GARAGE	244 CONGRESS W	S 1/8 - 1/4 (0.241 mi.)	X100	118
WAYNE-CONGRESS GARAGE	244 W CONGRESS	S 1/8 - 1/4 (0.241 mi.)	X101	118

EDR Historical Cleaners: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc.

A review of the EDR Historical Cleaners list, as provided by EDR, has revealed that there are 35 EDR Historical Cleaners sites within approximately 0.25 miles of the target property.


Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
TIETZE DYEING AND CLEANING CO	1205 GRISWOLD	NW 0 - 1/8 (0.008 mi.)	A1	7
PALACE MODEL LAUNDRY CO	1238 GRISWOLD	NNW 0 - 1/8 (0.037 mi.)	3	9
BLUE BIRD CLEANERS AND TAILORS	832 WOODWARD AVE	ESE 0 - 1/8 (0.096 mi.)	F17	37
CHRISTY JOHN	200 W LAFAYETTE AVE	SSW 0 - 1/8 (0.107 mi.)	H20	40
BROSSY L C DYEING CO	119 E GRAND RIVER AVE	NNE 1/8 - 1/4 (0.168 mi.)	K42	60
BROSSY L C DYEING CO	119 E GRAND RIVER	NNE 1/8 - 1/4 (0.168 mi.)	K43	60
HENRY THE HATTER	205 GRATIOT AVE	NE 1/8 - 1/4 (0.175 mi.)	47	63
ESTERSOHM GDAL FUR	1514 WOODWARD AVE	N 1/8 - 1/4 (0.182 mi.)	L50	70

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
YEE LEE	1051 CASS	SW 1/8 - 1/4 (0.195 mi.)	P56	78
YEE LEE	1051 CASS AVE	SW 1/8 - 1/4 (0.195 mi.)	P57	78
ROYAL HAND LAUNDRY	1038 CASS AVE	SW 1/8 - 1/4 (0.195 mi.)	P60	81
GUNDUNAS THEO	424 W GRAND RIVER AVE	WNW 1/8 - 1/4 (0.206 mi.)	R71	92
SOLAKIAN GEO	424 GRAND RIVER AVE	WNW 1/8 - 1/4 (0.206 mi.)	R72	92
KLEANQUICK LAUNDRY BR	443 GRAND RIVER AVE	WNW 1/8 - 1/4 (0.217 mi.)	77	97
YEE LEE	432 HOWARD	WSW 1/8 - 1/4 (0.219 mi.)	78	97
MERCHANTS FUR CLEANING CO	206 E GRAND RIVER AVE	NNE 1/8 - 1/4 (0.229 mi.)	85	106
CHUNG WILLIE	1035 RANDOLPH	ENE 1/8 - 1/4 (0.237 mi.)	Y94	111
CROSS LAUNDRY	1010 RANDOLPH	ENE 1/8 - 1/4 (0.237 mi.)	Y96	111
SEUNG YEE	464 HOWARD	WSW 1/8 - 1/4 (0.243 mi.)	102	119
Lower Elevation	Address	Direction / Distance	Map ID	Page
YOUNGBLOOD S CLEANERS AND DYER	131 GRAND RIVER AVE	NNW 0 - 1/8 (0.094 mi.)	16	37
WASHINGTON CLEANERS AND DYERS	309 STATE	W 0 - 1/8 (0.122 mi.)	124	45
YALE CLEANERS AND TAILORS	314 STATE	W 1/8 - 1/4 (0.126 mi.)	128	51
DOWN-TOWN CLEANERS AND DYERS	1426 GRISWOLD	NNW 1/8 - 1/4 (0.136 mi.)	J31	52
MANHATTAN HAT AND CLEANING CO	1429 GRISWOLD	NNW 1/8 - 1/4 (0.136 mi.)	J32	52
STATE CLEANERS AND DYERS	340 STATE	W 1/8 - 1/4 (0.141 mi.)	134	54
GRISWOLD HAT CLEANING AND SHOE	1445 GRISWOLD	NNW 1/8 - 1/4 (0.142 mi.)	J35	54
BROSSY L C DYEING CO	316 GRAND RIVER AVE	WNW 1/8 - 1/4 (0.150 mi.)	38	56
OTTO THE HATTER	371 STATE	W 1/8 - 1/4 (0.159 mi.)	40	58
DOLLAR DAY CLEANERS	19 CLIFFORD ST	N 1/8 - 1/4 (0.168 mi.)	L44	61
DOLLAR DRY CLEANERS	19 CLIFFORD	N 1/8 - 1/4 (0.168 mi.)	L45	61
VALIAN CHAS	1300 CASS AVE	WSW 1/8 - 1/4 (0.203 mi.)	N68	92
DC LUXE HAT CLEANERS	1306 CASS AVE	WSW 1/8 - 1/4 (0.204 mi.)	69	92
YALE CLEANERS AND TAILORS	1330 CASS AVE	W 1/8 - 1/4 (0.210 mi.)	74	94
CUTLER MORRIS I	17 W CONGRESS	SE 1/8 - 1/4 (0.220 mi.)	S80	99
FIRST NATL HAT CLEANERS	27 E CONGRESS	SE 1/8 - 1/4 (0.232 mi.)	W88	109

Due to poor or inadequate address information, the following sites were not mapped:

Site Name	Database(s)
ST. ANNE'S GATE PROPERTIES	SHWS, DEL SHWS
CLIFFORD LAB	CERCLIS
FORMER LAFAYETTE BUILDING	BROWNFIELDS
FORMER DETROIT GARAGE INC	LUST
FORT STREET HOLDING	LUST, BEA
DOWNTOWN MOBIL	LUST, UST
FORMER SEARS AUTOMOTIVE CENTER	LUST
ST ANNE'S GATE	LUST, UST
DETROIT SWITCH	LUST, UST
BRUSH PARK	US BROWNFIELDS
1310 - 1340 MICHIGAN AVE	BEA
RITE AID OF MICHIGAN	BEA
BILTRITE FABRICATING, INC.	BEA
CITY OF DETROIT ENVIROAMENTAL AFFA	BEA
9200 - 9208 GRATIOT AVENUE	BEA
THE NEW WHITNEY LLC	BEA
CITY OF DETROIT	BEA
LITTLE CAESERS	BEA
FORT AND CLARK STREET PROPERTY	BEA
SCOTTEN AVENUE PROPERTY	BEA
1370 CASS AVENUE / 315 BAGLEY	BEA
FAMILY DOLLAR STORES OF MICHIGAN I	BEA
PROPOSED NEXTENERGY CENTER PROPERT	BEA
PROPOSED NEXT ENERGY CENTER PROPER	BEA
WEST FORT STREET, CLARK AVENUE	BEA
CROWN ENTERPRISES	BEA
CITY OF DETROIT ENVIROMENTAL AFFAI	BEA
OLYMPIA DEVELOPMENT OF MICHIGAN LL	BEA
LITTLE CAESARS	BEA
PARCEL 109 STADIUMS PROJECT	BEA
STANDARD FEDERAL BANK	BEA
JOY & SCHAEFER VACANT PROPERTY	BEA

OVERVIEW MAP - 2415587.2s



February 09, 2009 3:11 pm

Copyright © 2008 EDR, Inc. © 2008 Tele Atlas Rel. 07/2007.

INQUIRY #: 2415587.2s


DATE:

Detroit MI 48226

42.3325 / 83.0489

LAT/LONG:

DETAIL MAP - 2415587.2s



display and/or hide map information. The legend includes only those icons for the default map view. CLIENT: AKT Peerless E CONTACT: Deanna Hutsell AKT Peerless Env. Services

SITE NAME: David Stott Building ADDRESS: 1150 Griswold

Detroit MI 48226 LAT/LONG: 42.3325 / 83.0489

INQUIRY #: 2415587.2s February 09, 2009 3:11 pm DATE:

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted	
STANDARD ENVIRONMENTAL RECORDS									
Federal NPL site list									
NPL Proposed NPL NPL LIENS		1.000 1.000 TP	0 0 NR	0 0 NR	0 0 NR	0 0 NR	NR NR NR	0 0 0	
Federal Delisted NPL sit	e list								
Delisted NPL		1.000	0	0	0	0	NR	0	
Federal CERCLIS list									
CERCLIS		0.500	0	1	1	NR	NR	2	
Federal CERCLIS NFRA	P site List								
CERC-NFRAP		0.500	0	1	0	NR	NR	1	
Federal RCRA CORRAC	TS facilities li	st							
CORRACTS		1.000	0	0	0	0	NR	0	
Federal RCRA non-COR	RACTS TSD fa	acilities list							
RCRA-TSDF		0.500	0	0	0	NR	NR	0	
Federal RCRA generator	rs list								
RCRA-LQG RCRA-SQG RCRA-CESQG		0.250 0.250 0.250	0 1 4	0 0 8	NR NR NR	NR NR NR	NR NR NR	0 1 12	
Federal institutional con engineering controls reg									
US ENG CONTROLS US INST CONTROL		0.500 0.500	0 0	0 0	0 0	NR NR	NR NR	0 0	
Federal ERNS list									
ERNS		TP	NR	NR	NR	NR	NR	0	
State- and tribal - equiva	lent CERCLIS	3							
SHWS		1.000	1	1	0	0	NR	2	
State and tribal landfill a solid waste disposal site									
SWF/LF		0.500	0	0	0	NR	NR	0	
State and tribal leaking storage tank lists									
LUST INDIAN LUST		0.500 0.500	0 0	5 0	14 0	NR NR	NR NR	19 0	
State and tribal registered storage tank lists									
UST AST		0.250 0.250	1 0	8 0	NR NR	NR NR	NR NR	9 0	

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	<u>> 1</u>	Total Plotted
INDIAN UST		0.250	0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
AUL		0.500	0	0	0	NR	NR	0
State and tribal voluntar	y cleanup site	es						
INDIAN VCP		0.500	0	0	0	NR	NR	0
State and tribal Brownfields sites								
BROWNFIELDS		0.500	1	3	0	NR	NR	4
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS		0.500	0	0	1	NR	NR	1
Local Lists of Landfill / Solid Waste Disposal Sites								
ODI DEBRIS REGION 9 HIST LF INDIAN ODI		0.500 0.500 0.500 0.500	0 0 0 0	0 0 0 0	0 0 0 0	NR NR NR NR	NR NR NR NR	0 0 0 0
Local Lists of Hazardous waste / Contaminated Sites								
US CDL DEL SHWS CDL		TP 1.000 TP	NR 0 NR	NR 0 NR	NR 0 NR	NR 0 NR	NR NR NR	0 0 0
Local Land Records								
LIENS 2 LUCIS LIENS		TP 0.500 TP	NR 0 NR	NR 0 NR	NR 0 NR	NR NR NR	NR NR NR	0 0 0
Records of Emergency Release Reports								
HMIRS SPILLS		TP TP	NR NR	NR NR	NR NR	NR NR	NR NR	0 0
Other Ascertainable Records								
RCRA-NonGen DOT OPS DOD FUDS CONSENT ROD UMTRA MINES TRIS TSCA		0.250 TP 1.000 1.000 1.000 1.000 0.500 0.250 TP TP	9 NR 0 0 0 0 0 NR NR	12 NR 0 0 0 0 0 0 NR NR	NR NR 0 0 0 0 NR NR NR	NR NR 0 0 0 NR NR NR NR	NR NR NR NR NR NR NR NR	21 0 0 0 0 0 0 0 0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
FTTS		TP	NR	NR	NR	NR	NR	0
HIST FTTS		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
ICIS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
RADINFO		TP	NR	NR	NR	NR	NR	0
FINDS		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
DRYCLEANERS		0.250	0	0	NR	NR	NR	0
NPDES		TP	NR	NR	NR	NR	NR	0
AIRS		TP	NR	NR	NR	NR	NR	0
BEA		0.500	3	3	27	NR	NR	33
INDIAN RESERV		1.000	0	0	0	0	NR	0
SCRD DRYCLEANERS		0.500	0	0	0	NR	NR	0
PWS		TP	NR	NR	NR	NR	NR	0
EDR PROPRIETARY RECOR	RDS							
EDR Proprietary Records	3							
Manufactured Gas Plants EDR Historical Auto Station EDR Historical Cleaners	ns	1.000 0.250 0.250	0 1 6	0 16 29	0 NR NR	0 NR NR	NR NR NR	0 17 35

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Direction Distance

Distance Elevation Site EDR ID Number Database(s) EPA ID Number

A1 TIETZE DYEING AND CLEANING CO EDR Historical Cleaners 1009476100 NW 1205 GRISWOLD N/A

NW 1205 GRISWOLD < 1/8 DETROIT, MI

0.008 mi.

41 ft. Site 1 of 2 in cluster A

Relative:

EDR Historical Cleaners:

Equal Name:

Year: 1921
Type: CLEANERS AND DYERS

Actual: 599 ft.

Name: TIETZE DYEING AND CLEANING CO

Year: 1926

Type: CLEANERS AND DYERS

A2 UNITED WAY FOR SOUTHEASTERN MICHIGAN RCRA-CESQG 1010784722 NNW 1212 GRISWOLD ST MIK185662731

TIETZE L DYEING AND CLEANING CO

NNW 1212 GRISWOLD ST < 1/8 DETROIT, MI 48226

0.013 mi.

69 ft. Site 2 of 2 in cluster A

Relative: RCRA-CESQG:

Equal Date form received by agency: 01/30/2008

Facility name: UNITED WAY FOR SOUTHEASTERN MICHIGAN

Actual: Facility address: 1212 GRISWOLD ST 599 ft. DETROIT MI 48226

DETROIT, MI 48226 EPA ID: MIK185662731

Mailing address: 20255 VICTOR PKWY LIVONIA, MI 48152

Contact: SUSAN HINDERLITER
Contact address: 1212 GRISWOLD ST

DETROIT, MI 48226

Contact country: Not reported
Contact telephone: (734) 953-9997
Contact email: Not reported

EPA Region: 05

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from

the cleanup of a spill, into or on any land or water, of acutely

hazardous waste

Owner/Operator Summary:

Owner/operator name: UNITED WAY OF SOUTHEASTERN MICHIGAN

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Private

Direction Distance Elevation

nce EDR ID Number ation Site Database(s) EPA ID Number

UNITED WAY FOR SOUTHEASTERN MICHIGAN (Continued)

1010784722

Owner/Operator Type: Operator
Owner/Op start date: 01/02/1988
Owner/Op end date: Not reported

Owner/operator name: UNITED WAY OF SOUTHEASTERN MICHIGAN

Owner/operator address: Not reported

Not reported

Owner/operator telephone: Not reported Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/02/1988
Owner/Op end date: Not reported

Handler Activities Summary:

Owner/operator country:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: Nο On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

UNITED WAY FOR SOUTHEASTERN MICHIGAN (Continued)

1010784722

Waste type: **Thermostats**

Accumulated waste on-site: No Generated waste on-site: No

Violation Status: No violations found

PALACE MODEL LAUNDRY CO **EDR Historical Cleaners** 1009476277

1238 GRISWOLD N/A

< 1/8 **DETROIT, MI**

0.037 mi. 194 ft.

NNW

EDR Historical Cleaners: Relative:

Equal Name: PALACE MODEL LAUNDRY CO

Year: 1921

Actual: LAUNDRIES Type: 599 ft.

В4 **HUDSON BUILDING FINDS** 1001127524 RCRA-NonGen **ENE** 1206 WOODWARD AVE MIR000022087

< 1/8 DETROIT, MI 48226

0.062 mi.

329 ft. Site 1 of 4 in cluster B

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Higher

Actual: RCRAInfo is a national information system that supports the Resource 601 ft.

Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 11/14/2000

Facility name: **HUDSON BUILDING** 1206 WOODWARD AVE Facility address:

DETROIT, MI 48226

EPA ID: MIR000022087 Mailing address: 150 W JEFFERSON

DETROIT, MI 48226

Contact: JON RUSSELL

1206 WOODWARD AVE Contact address:

DETROIT, MI 48226

Contact country: Not reported (313) 392-6528 Contact telephone: Contact email: Not reported

EPA Region: 05

Classification:

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CITY OF DETROIT DEVELOPMENT AUTHORITY

Owner/operator address: Not reported

Not reported

Direction Distance Elevation

nce EDR ID Number ation Site Database(s) EPA ID Number

HUDSON BUILDING (Continued)

1001127524

Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Municipal Owner/Operator Type: Owner Owner/Op start date: 01/01/1901 Owner/Op end date: Not reported

Owner/operator name: CITY OF DETROIT DEVELOPMENT AUTHORITY

Owner/operator address: Not reported

Not reported

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Owner/Op start date:

Owner/Op end date:

Not reported

Municipal

Operator

Operator

Othor/1901

Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: Mixed waste (haz. and radioactive): No Recycler of hazardous waste: Nο Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

HUDSON BUILDING (Continued)

1001127524

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 03/04/1997

Facility name: HUDSON BUILDING
Classification: Not a generator, verified

Violation Status: No violations found

B5 HUDSON'S BUILDING SHWS S105144848
NE 1206 WOODWARD AVENUE BROWNFIELDS N/A

< 1/8 DETROIT, MI Onull

0.063 mi.

332 ft. Site 2 of 4 in cluster B

Relative: SHWS:

HigherFacility ID:82001578Source:Department StoresActual:SAM Score:20 out of 48

601 ft. SAM Score Date: 11/18/1998

Township: 2S Range: 12E Section: 20 Quarter: NE Quarter/Quarter: NW

Facility Status: Interim Response conducted - No further activities anticipated

Pollutant(s): Asbestos; Methylene chloride

BROWNFIELD:

Facility ID: Not reported Region: Status: Closed Properry Use: Not reported BEA: No Ernie Id Number: 82001578 Redevelop Status: Not reported Before Redevelopment: Not reported After Redevelopment: Not reported

B6 THE FOWLER BUILDING BEA \$108414572
NE 1225 WOODWARD AVENUE N/A

< 1/8 DETROIT, MI 48223

0.064 mi.

337 ft. Site 3 of 4 in cluster B

Relative: BEA:

Higher Secondary Address: Not reported

BEA Number: 3475
Actual: District: Southeast MI

600 ft.

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THE FOWLER BUILDING (Continued)

S108414572

MIK244121562

Date Received: 2/28/2007 12:59:00 AM Submitter Name: The Fowler LLC Petition Determination: No Request

Petition Disclosure:

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: thorntop

Division Assigned: **Environmental Response Division**

RCRA-CESQG 1008373414

MI DEPT/TRANSPORTATION **B7** M3 GRATIOT AVE OVER GRW RR **ENE**

< 1/8 DETROIT, MI 48207

0.065 mi.

341 ft. Site 4 of 4 in cluster B

Relative:

RCRA-CESQG:

Date form received by agency: 04/11/2005 Higher

Facility name: MI DEPT/TRANSPORTATION Actual: M3 GRATIOT AVE OVER GRW RR Facility address: 601 ft.

DETROIT, MI 48207

EPA ID: MIK244121562

Mailing address: 1400 HOWARD STREET

DETROIT, MI 48216

ROGER TEALE Contact:

Contact address: M3 GRATIOT AVE OVER GRW RR

DETROIT, MI 48207

Contact country: Not reported Contact telephone: (313) 965-6350 Contact email: Not reported

EPA Region:

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from

the cleanup of a spill, into or on any land or water, of acutely

hazardous waste

Owner/Operator Summary:

MICH DEPARTMENT OF TRANSPORTATION Owner/operator name:

Owner/operator address: Not reported Not reported Owner/operator country: Not reported

Owner/operator telephone: Not reported Legal status: State Owner/Operator Type: Owner Owner/Op start date: 04/11/2005 Owner/Op end date: Not reported

Direction Distance Elevation

ance EDR ID Number vation Site Database(s) EPA ID Number

MI DEPT/TRANSPORTATION (Continued)

1008373414

Owner/operator name: MICH DEPARTMENT OF TRANSPORTATION

Owner/operator address: Not reported Not reported Owner/operator country: Not reported

Owner/operator telephone: Not reported Legal status: State
Owner/Operator Type: Operator
Owner/Op start date: 04/11/2005
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: Nο

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MI DEPT/TRANSPORTATION (Continued)

1008373414

Violation Status: No violations found

C8 **COMPUWARE CORP** UST U003908208 **East 1044 WOODWARD AVE** N/A

< 1/8 DETROIT, MI 48226

0.075 mi.

397 ft. Site 1 of 4 in cluster C

UST: Relative:

Facility ID: 00041204 Higher Facility Type: **ACTIVE** Actual: Latitude: 42.3318088600 601 ft. Longitude: -83.0468842100

Owner Name: Compuware Corp Owner Address: One Campus Martius Owner City, St, Zip: Detroit, MI 48226

Owner Country: USA

Hines Property Management Owner Contact:

Owner Phone: (313) 227-4848 Contact: Roger Maggid 248-737-7640 Contact Phone: Date of Collection: Not reported

Accuracy: 15 Accuracy Value Unit: **METERS** Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: **POINT** Desc Category: Not reported Method of Collection: Interpolation-Map

Tank ID:

Tank Status: Currently In Use

Capacity: 6000 Install Date: Jan 24 2003 Product: Diesel Remove Date: Not reported

Tank Release Detection: Automatic Tank Gauging, Interstitial Monitoring Double Walled Tank

Pipe Realease Detection: Interstitial Monitoring Double Walled Piping

Double Walled, Flexible Piping Piping Material: Piping Type: Suction: No Valve At Tank

Fiberglass Reinforced Plastic, Double Walled Constr Material:

Impressed Device: No

C9 **COMPUWARE CORPORATION RCRA-CESQG** 1010319805 **East 1044 WOODWARD AVE** MIK339421216

DETROIT, MI 48226 < 1/8

0.075 mi.

397 ft. Site 2 of 4 in cluster C

RCRA-CESQG: Relative:

Date form received by agency: 04/11/2007 Higher

Facility name: COMPUWARE CORPORATION Facility address: 1044 WOODWARD AVE

Actual: 601 ft. DETROIT, MI 48226

EPA ID: MIK339421216 Contact: CHRIS HEWITT Contact address: 1044 WOODWARD AVE

Direction Distance Elevation

vation Site Database(s) EPA ID Number

COMPUWARE CORPORATION (Continued)

1010319805

EDR ID Number

DETROIT, MI 48226

Contact country: Not reported
Contact telephone: (313) 227-5611
Contact email: Not reported

EPA Region: 05

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

hazardous waste

Owner/Operator Summary:

Owner/operator name: COMPUWARE CORPORATION

Owner/operator address: Not reported

Not reported

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Not reported
Private
Owner
Owner

Owner/Operator Type: Owner
Owner/Op start date: 03/01/2003
Owner/Op end date: Not reported

Owner/operator name: HINES DETROIT SERVICES LLC
Owner/operator address: Not reported

Owner/operator country: Not reported Not reported Not reported Not reported Not reported Private Owner/Operator Type: Operator

Owner/Operator Type: Operator
Owner/Op start date: 03/01/2003
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No

Direction Distance

Elevation Site Database(s) **EPA ID Number**

COMPUWARE CORPORATION (Continued)

1010319805

EDR ID Number

Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

DEVICES CONTAINING ELEMENTAL MERCURY Waste type:

Accumulated waste on-site: Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Batteries Waste type: Accumulated waste on-site: No Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Pesticides** Accumulated waste on-site: No Generated waste on-site: No

Thermostats Waste type:

Accumulated waste on-site: Nο Generated waste on-site: No

Violation Status: No violations found

D10 **DETROIT TOLEDO SHORELINE RAILROAD**

SSE 131 W LAFAYETTE BLVD DETROIT, MI 48226

< 1/8

0.079 mi.

416 ft. Site 1 of 2 in cluster D

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Higher

Actual: RCRAInfo is a national information system that supports the Resource 603 ft. Conservation and Recovery Act (RCRA) program through the tracking of

> events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 07/28/2006

Facility name: DETROIT TOLEDO SHORELINE RAILROAD

Facility address: 131 W LAFAYETTE BLVD

DETROIT, MI 48226

EPA ID: MID006957955 **FINDS**

RCRA-NonGen

1000367021

MID006957955

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DETROIT TOLEDO SHORELINE RAILROAD (Continued)

1000367021

Contact: W BLADES

131 W LAFAYETTE BLVD Contact address:

DETROIT, MI 48226

Contact country: Not reported Contact telephone: (313) 963-4110 Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

NO ACTIVE O/OP AS NOT GENERATING WASTE Owner/operator name:

Not reported

Owner/operator address: Not reported Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 07/29/2006 Owner/Op end date: Not reported

NO ACTIVE O/OP AS NOT GENERATING WASTE Owner/operator name:

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Operator Owner/Op start date: 07/29/2006 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: Nο

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DETROIT TOLEDO SHORELINE RAILROAD (Continued)

1000367021

MIK695968644

Generated waste on-site: No

MERCURY SWITCHES Waste type:

Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: Nο Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Waste type: Pesticides Accumulated waste on-site: No Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 08/20/1980

Facility name: DETROIT TOLEDO SHORELINE RAILROAD

Classification: Not a generator, verified

Violation Status: No violations found

D11 **131 W LAFAYETTE RCRA-NonGen** 1007371020

SSE **131 W LAFAYETTE** < 1/8 DETROIT, MI 48226

0.079 mi.

416 ft. Site 2 of 2 in cluster D

RCRA-NonGen: Relative: Date form received by agency: 05/31/2006

Higher Facility name: 131 W LAFAYETTE Actual: Facility address: 131 W LAFAYETTE

603 ft. DETROIT, MI 48226

MIK695968644 EPA ID: Mailing address: 719 GRISWOLD ST DETROIT, MI 48226

Contact: TRISH KALMBACH Contact address: 131 W LAFAYETTE DETROIT, MI 48226

Contact country: Not reported Contact telephone: (313) 237-7795 Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator country:

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE

Owner/operator address: Not reported

Not reported Not reported

Direction Distance Elevation

tance EDR ID Number vation Site Database(s) EPA ID Number

131 W LAFAYETTE (Continued)

1007371020

Owner/operator telephone: Not reported Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 06/01/2006
Owner/Op end date: Not reported

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE

Owner/operator address: Not reported

Not reported Not reported

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Owner

Owner

Owner/Op start date:

Owner/Op end date:

Not reported

Not reported

Not reported

Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: Nο Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

131 W LAFAYETTE (Continued) 1007371020

Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Thermostats**

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 05/17/2004

Facility name: 131 W LAFAYETTE Classification: Not a generator, verified

Violation Status: No violations found

CROSSTOWN CORPORATION C12 1009484910 **EDR Historical Auto Stations** N/A

1020 WOODWARD AVE East

< 1/8 **DETROIT, MI**

0.079 mi.

420 ft. Site 3 of 4 in cluster C

EDR Historical Auto Stations: Relative:

CROSSTOWN CORPORATION Name: Higher

Year: 1921

Actual: Type: **AUTOMOBILE GARAGES** 601 ft.

OMNIPRINT E13 **FINDS** 1004724502 SW **150 MICHIGAN AVE** RCRA-CESQG MIR000004200

< 1/8 DETROIT, MI 48226

0.081 mi.

428 ft. Site 1 of 2 in cluster E

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Higher

Actual: RCRAInfo is a national information system that supports the Resource 601 ft.

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-CESQG:

Date form received by agency: 06/09/1995 Facility name: **OMNIPRINT**

Facility address: 150 MICHIGAN AVE DETROIT, MI 48226 MIR000004200 EPA ID:

Contact: PAUL NEUBURGER Contact address: 150 MICHIGAN AVE DETROIT, MI 48226

Contact country: Not reported Contact telephone: (313) 965-4050 Contact email: Not reported

EPA Region: 05

Classification: Conditionally Exempt Small Quantity Generator

Direction Distance Elevation

ce EDR ID Number ion Site Database(s) EPA ID Number

OMNIPRINT (Continued) 1004724502

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

hazardous waste

Owner/Operator Summary:

Owner/operator name: PAUL NEUBURGER

Owner/operator address: Not reported

Not reported

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Owner/Op start date:

Owner/Op end date:

Not reported

Private

Operator

Operator

Othor/1970

Not reported

Owner/operator name: PAUL NEUBURGER

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1970
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: Nο Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Direction Distance

Elevation Site Database(s) EPA ID Number

OMNIPRINT (Continued) 1004724502

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 01/01/1980 Facility name: OMNIPRINT

Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

E14 DETROIT CITY OF-HUBER FOUNDRY MANIFEST 1009224110 SW 150 MICHIGAN AVENUE N/A

SW 150 MICHIGAN AVENUE < 1/8 DETROIT, MI 48226

0.081 mi.

430 ft. Site 2 of 2 in cluster E

Relative: NY MANIFEST:

Higher EPA ID: MIG000006010
Facility Name: DETROIT CITY OF-HUBER FOUNDRY

Actual: Facility Address: 150 MICHIGAN AVENUE

600 ft. Facility City: DETROIT
Facility Address 2: Not reported

Country: USA

Mailing Name: DETROIT CITY OF-HUBER FOUNDRY Mailing Contact: DETROIT CITY OF-HUBER FOUNDRY

Mailing Address: 150 MICHIGAN AVENUE

Mailing Address 2: Not reported Mailing City: DETROIT Mailing State: MI Mailing Zip: 48226 Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: 313-424-8860

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

Document ID: NYA5326857 Manifest Status: Completed copy Trans1 State ID: 02542S Trans2 State ID: Not reported Generator Ship Date: 870522 Trans1 Recv Date: 870522 Trans2 Recv Date: Not reported 870526 TSD Site Recy Date: Part A Recv Date: 870603 Part B Recv Date: 870603 MIG000006010 Generator EPA ID: MID000820365 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NYD049836679

B007 - OTHER MISCELLANEOUS PCB WASTES Waste Code:

Quantity: 65820 P - Pounds Units: 001 Number of Containers:

Container Type: CM - Metal boxes, cases, roll-offs

L Landfill. Handling Method: Specific Gravity: 100 Year: 87

Manifest Tracking Num: Not reported Import Ind: Not reported Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYA5326866 Manifest Status: Completed copy MICH93313 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 870522 Trans1 Recv Date: 870522 Trans2 Recv Date: Not reported TSD Site Recv Date: 870526 Part A Recv Date: 870603 Part B Recv Date: 870603

Generator EPA ID: MIG000006010 Trans1 EPA ID: MID000820365 Trans2 EPA ID: Not reported TSDF ID: NYD049836679

B007 - OTHER MISCELLANEOUS PCB WASTES Waste Code:

Quantity: 29800 P - Pounds Units: Number of Containers: 001

Container Type: CM - Metal boxes, cases, roll-offs

Handling Method: L Landfill. Specific Gravity: 100

Distance Elevation Site

vation Site Database(s) EPA ID Number

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

EDR ID Number

Year: 87 Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported

Document ID: NYA5326821
Manifest Status: Completed copy

Mgmt Method Type Code:

MICH Trans1 State ID: Trans2 State ID: MICH 870618 Generator Ship Date: Trans1 Recv Date: 870618 Trans2 Recv Date: Not reported TSD Site Recy Date: 870619 Part A Recv Date: 870702 Part B Recv Date: 870701

 Generator EPA ID:
 MIG000006010

 Trans1 EPA ID:
 MID049277718

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD049836679

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Not reported

Quantity: 26480
Units: P - Pounds
Number of Containers: 001

Container Type: CM - Metal boxes, cases, roll-offs

Handling Method: L Landfill.
Specific Gravity: 100
Year: 87

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYA5215311

Manifest Status: Completed copy
Trans1 State ID: MICH02542
Trans2 State ID: Not reported
Generator Ship Date: 870512
Trans1 Recv Date: 870512

Direction Distance

Elevation Site Database(s) EPA ID Number

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

EDR ID Number

Trans2 Recv Date: Not reported 870513 TSD Site Recv Date: Part A Recv Date: 870527 Part B Recv Date: 870519 Generator EPA ID: MIG000006010 Trans1 EPA ID: MID000820365 Trans2 EPA ID: Not reported TSDF ID: NYD049836679

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 07420 Units: P - Pounds Number of Containers: 001

Container Type: CM - Metal boxes, cases, roll-offs

Handling Method: L Landfill.
Specific Gravity: 100
Year: 87

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Not reported Manifest Ref Num: Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYA6324939 Manifest Status: Completed copy Trans1 State ID: MICH43751 Trans2 State ID: Not reported 870303 Generator Ship Date: Trans1 Recv Date: 870303 Trans2 Recv Date: Not reported TSD Site Recv Date: 870304 Part A Recv Date: 870317 Part B Recv Date: 870311 Generator EPA ID: MIG000006010

 Trans1 EPA ID:
 MID000820365

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD049836679

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 26820 Units: P - Pounds Number of Containers: 001

Container Type: DT - Dump trucks

Handling Method: L Landfill.

Specific Gravity: 100

Year: 87

Manifest Tracking Num:
Import Ind:
Export Ind:
Discr Quantity Ind:
Not reported

Direction Distance Elevation

stance EDR ID Number evation Site Database(s) EPA ID Number

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

Discr Residue Ind:
Discr Partial Reject Ind:
Discr Full Reject Ind:
Mot reported
Not reported
Mgmt Method Type Code:
Not reported

Document ID: NYA6324813 Manifest Status: Completed copy MICH02542 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 870302 Trans1 Recv Date: 870302 Trans2 Recv Date: Not reported TSD Site Recy Date: 870303 Part A Recv Date: 870317 Part B Recv Date: 870311

 Generator EPA ID:
 MIG000006010

 Trans1 EPA ID:
 MID000820365

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD049836679

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 68420
Units: P - Pounds
Number of Containers: 001

Container Type: CM - Metal boxes, cases, roll-offs

Handling Method: L Landfill.
Specific Gravity: 100
Year: 87

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NYA6324921 Document ID: Manifest Status: Completed copy Trans1 State ID: MICH02542 Trans2 State ID: Not reported Generator Ship Date: 870309 870309 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 870310 Part A Recv Date: 870317 Part B Recv Date: 870317

Generator EPA ID: MIG000006010
Trans1 EPA ID: MID000820365

Direction Distance

Elevation Site Database(s) **EPA ID Number**

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

EDR ID Number

Trans2 EPA ID: Not reported TSDF ID: NYD049836679

B007 - OTHER MISCELLANEOUS PCB WASTES Waste Code:

Quantity: 22280 Units: P - Pounds Number of Containers: 001

Container Type: CM - Metal boxes, cases, roll-offs

Handling Method: L Landfill. Specific Gravity: 100 Year: 87

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYA6324957 Manifest Status: Completed copy Trans1 State ID: MICHT4881 Trans2 State ID: Not reported 870303 Generator Ship Date: Trans1 Recv Date: 870303 Trans2 Recv Date: Not reported TSD Site Recy Date: 870304 Part A Recv Date: 870317 Part B Recv Date: 870311 MIG000006010 Generator EPA ID: Trans1 EPA ID: MID000820365 Trans2 EPA ID:

NYD049836679 B007 - OTHER MISCELLANEOUS PCB WASTES Waste Code:

Not reported

Quantity: 32880 P - Pounds Units: Number of Containers: 001

Container Type: DT - Dump trucks

L Landfill. Handling Method: 100 Specific Gravity: Year: 87

TSDF ID:

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

EDR ID Number

Mgmt Method Type Code: Not reported

Document ID: NYA3178978 Manifest Status: Completed copy Trans1 State ID: MICH60026 Not reported Trans2 State ID: Generator Ship Date: 861112 Trans1 Recv Date: 861112 Trans2 Recv Date: Not reported TSD Site Recv Date: 861113 Part A Recv Date: 861124 Part B Recv Date: 861120 Generator EPA ID:

Generator EPA ID: MIG000006010
Trans1 EPA ID: MID000820365
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 27040 Units: P - Pounds

Number of Containers: 001

Container Type: DT - Dump trucks

Handling Method: L Landfill.
Specific Gravity: 100
Year: 86

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code:

Document ID: NYA3178923 Manifest Status: Completed copy Trans1 State ID: MICH60221 Trans2 State ID: Not reported Generator Ship Date: 861111 Trans1 Recv Date: 861111 Trans2 Recv Date: Not reported TSD Site Recv Date: 861112 Part A Recv Date: 861124 Part B Recv Date: 861118 Generator EPA ID: MIG000006010

 Generator EPA ID:
 MIG000006010

 Trans1 EPA ID:
 MID000820365

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD049836679

Waste Code: B006 - PCB TRANSFORMERS WITH 500 PPM OR > PCB

Quantity: 39640
Units: P - Pounds
Number of Containers: 003

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

Container Type: CM - Metal boxes, cases, roll-offs

Handling Method: L Landfill. Specific Gravity: 100 Year: 86 Manifest Tracking Num:

Not reported Not reported Import Ind: Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYA5585463 Manifest Status: Completed copy Trans1 State ID: MICH44007 Trans2 State ID: Not reported Generator Ship Date: 870625 Trans1 Recv Date: 870625 Trans2 Recv Date: Not reported TSD Site Recv Date: 870626 Part A Recy Date: 870707 Part B Recv Date: 870701

Generator EPA ID: MIG000006010 Trans1 EPA ID: MID000820365 Trans2 EPA ID: Not reported TSDF ID: NYD049836679

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 34680 P - Pounds Units: 001 Number of Containers:

CM - Metal boxes, cases, roll-offs Container Type:

Handling Method: L Landfill. Specific Gravity: 100 Year: 87

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Not reported Discr Quantity Ind: Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYA5215347 Manifest Status: Completed copy

Trans1 State ID: MICH

Direction Distance Elevation

ion Site Database(s) EPA ID Number

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

EDR ID Number

Trans2 State ID: Not reported 870514 Generator Ship Date: Trans1 Recv Date: 870514 Trans2 Recv Date: Not reported TSD Site Recv Date: 870515 Part A Recv Date: 870527 Part B Recv Date: 870520 Generator EPA ID: MIG000006010

Trans1 EPA ID: MID000820365
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 07320
Units: P - Pounds
Number of Containers: 001

Container Type: CM - Metal boxes, cases, roll-offs

Handling Method: L Landfill.

Specific Gravity: 100

Year: 87

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Not reported Discr Residue Ind: Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYA3834887 Completed copy Manifest Status: MICH60415 Trans1 State ID: Not reported Trans2 State ID: Generator Ship Date: 870121 Trans1 Recv Date: 870121 Trans2 Recv Date: Not reported TSD Site Recv Date: 870122 Part A Recv Date: 870130 Part B Recv Date: 870130 Generator EPA ID: MIG000006010

 Trans1 EPA ID:
 MID000820365

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD049836679

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 33680
Units: P - Pounds
Number of Containers: 001

Container Type: DT - Dump trucks

Handling Method: L Landfill.
Specific Gravity: 100
Year: 87

Manifest Tracking Num: Not reported Import Ind: Not reported

Direction Distance Elevation

Site Database(s) **EPA ID Number**

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

EDR ID Number

Export Ind: Not reported Not reported Discr Quantity Ind: Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NYA3178945 Document ID: Manifest Status: Completed copy Trans1 State ID: MICH43751 Trans2 State ID: Not reported Generator Ship Date: 861110 Trans1 Recv Date: 861110 Trans2 Recv Date: Not reported TSD Site Recv Date: 861111 Part A Recv Date: 861124 Part B Recv Date: 861118 Generator EPA ID: MIG000006010 Trans1 EPA ID: MID000820365 Trans2 EPA ID: Not reported

NYD049836679 Waste Code: **B007 - OTHER MISCELLANEOUS PCB WASTES**

Quantity: 17640 P - Pounds Units: Number of Containers: 001

DT - Dump trucks Container Type:

Handling Method: L Landfill. Specific Gravity: Year: 86

TSDF ID:

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYA3178967 Manifest Status: Completed copy MICH74881 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 861111 Trans1 Recv Date: 861111 Trans2 Recy Date: Not reported TSD Site Recy Date: 861112 Part A Recv Date: 861124

Direction Distance

Elevation Site Database(s) EPA ID Number

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

EDR ID Number

 Part B Recv Date:
 861118

 Generator EPA ID:
 MIG000006010

 Trans1 EPA ID:
 MID000820365

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD049836679

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 38400 Units: P - Pounds Number of Containers: 001

Container Type: DT - Dump trucks

Handling Method: L Landfill.
Specific Gravity: 100
Year: 86

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYA3178890 Manifest Status: Completed copy Trans1 State ID: MICH60221 Not reported Trans2 State ID: Generator Ship Date: 861219 Trans1 Recv Date: 861219 Trans2 Recv Date: Not reported TSD Site Recv Date: 861222 Part A Recv Date: 870106 861230 Part B Recv Date: Generator EPA ID: MIG000006010 Trans1 EPA ID: MID000820365 Trans2 EPA ID: Not reported TSDF ID: NYD049836679

Waste Code: B006 - PCB TRANSFORMERS WITH 500 PPM OR > PCB

Quantity: 32040 Units: P - Pounds

Number of Containers: 003

Container Type: CM - Metal boxes, cases, roll-offs

Handling Method: L Landfill.
Specific Gravity: 100
Year: 86

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported

Direction Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYA3178956 Completed copy Manifest Status: Trans1 State ID: MICH60415 Trans2 State ID: Not reported Generator Ship Date: 861111 Trans1 Recv Date: 861111 Trans2 Recv Date: Not reported TSD Site Recv Date: 861112 Part A Recv Date: 861124 Part B Recv Date: 861118 MIG000006010 Generator EPA ID: Trans1 EPA ID: MID000820365

Trans2 EPA ID: Not reported TSDF ID: NYD049836679

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 28980 Units: P - Pounds

Number of Containers: 001

Container Type: DT - Dump trucks

Handling Method: L Landfill. Specific Gravity: 100 Year: 86

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYA3179103 Manifest Status: Completed copy MICH43773 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 870113 Trans1 Recv Date: 870113 Trans2 Recv Date: Not reported TSD Site Recy Date: 870114 870121 Part A Recv Date: Part B Recv Date: 870116 MIG000006010 Generator EPA ID: Trans1 EPA ID: MID000820365 Trans2 EPA ID: Not reported

TSDF ID:

NYD049836679 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Direction Distance

Elevation Site Database(s) **EPA ID Number**

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

EDR ID Number

Quantity: 30800 P - Pounds Units: Number of Containers: 001

Container Type: DT - Dump trucks

Handling Method: L Landfill. 100 Specific Gravity: Year: 87

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYA5432679 Manifest Status: Completed copy Trans1 State ID: MICH43787 Trans2 State ID: Not reported Generator Ship Date: 870129 Trans1 Recv Date: 870129 Trans2 Recv Date: Not reported 870130 TSD Site Recv Date: 870204 Part A Recv Date: Part B Recv Date: 870206 Generator EPA ID: MIG000006010 Trans1 EPA ID: MID000820365 Trans2 EPA ID: Not reported

NYD049836679 Waste Code: **B007 - OTHER MISCELLANEOUS PCB WASTES**

34880 Quantity: Units: P - Pounds Number of Containers: 001

DT - Dump trucks Container Type:

Handling Method: L Landfill. Specific Gravity: 100 Year: 87

TSDF ID:

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DETROIT CITY OF-HUBER FOUNDRY (Continued)

1009224110

Document ID: NYA5694867 Manifest Status: Completed copy Trans1 State ID: MICH43858 Not reported Trans2 State ID: Generator Ship Date: 870121 Trans1 Recv Date: 870121 Trans2 Recv Date: Not reported TSD Site Recy Date: 870122 Part A Recv Date: 870130 Part B Recv Date: 870130 MIG000006010 Generator EPA ID: Trans1 EPA ID: MID000820365 Trans2 EPA ID: Not reported TSDF ID: NYD049836679

Waste Code: **B007 - OTHER MISCELLANEOUS PCB WASTES**

Quantity: 37040 P - Pounds Units:

Number of Containers: 001

Container Type: DT - Dump trucks

L Landfill. Handling Method: Specific Gravity: 100 Year: 87

Manifest Tracking Num: Not reported Import Ind: Not reported Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

> Click this hyperlink while viewing on your computer to access 150 additional NY_MANIFEST: record(s) in the EDR Site Report.

C15 FIRST FEDERAL BLDG **FINDS** 1000865631 **ESE 1001 WOODWARD AVE** MI0000113274 RCRA-NonGen

0.083 mi.

< 1/8

439 ft. Site 4 of 4 in cluster C

DETROIT, MI 48226

Relative:

Other Pertinent Environmental Activity Identified at Site Higher

Actual: RCRAInfo is a national information system that supports the Resource 601 ft. Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 05/15/1999

Direction Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

FIRST FEDERAL BLDG (Continued)

1000865631

Facility name: FIRST FEDERAL BLDG Facility address: 1001 WOODWARD AVE

DETROIT, MI 48226

EPA ID: MI0000113274 Contact: JOSEPH DENNISON 1001 WOODWARD AVE Contact address:

DETROIT, MI 48226

Contact country: Not reported (313) 965-5757 Contact telephone: Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

NO ACTIVE O/OP AS NOT GENERATING WASTE Owner/operator name:

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Private Legal status: Owner/Operator Type: Operator Owner/Op start date: 05/16/1999 Owner/Op end date: Not reported

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Private Legal status: Owner/Operator Type: Owner Owner/Op start date: 05/16/1999 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: Nο Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter:

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

FIRST FEDERAL BLDG (Continued)

1000865631

Generated waste on-site: No

MERCURY THERMOMETERS Waste type:

Accumulated waste on-site: No Generated waste on-site: No

MERCURY SWITCHES Waste type:

Accumulated waste on-site: Nο Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: No Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Waste type: Pesticides Accumulated waste on-site: No Generated waste on-site: No

Thermostats Waste type:

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 01/07/1994

Facility name: FIRST FEDERAL BLDG Classification: Not a generator, verified

Violation Status: No violations found

16 YOUNGBLOOD S CLEANERS AND DYERS

NNW **131 GRAND RIVER AVE**

< 1/8 **DETROIT, MI**

0.094 mi. 497 ft.

EDR Historical Cleaners: Relative:

YOUNGBLOOD S CLEANERS AND DYERS Name: Lower

Year: 1921

Actual: Type: **CLEANERS AND DYERS** 598 ft.

BLUE BIRD CLEANERS AND TAILORS F17 **EDR Historical Cleaners**

832 WOODWARD AVE **ESE**

DETROIT, MI < 1/8

0.096 mi.

506 ft. Site 1 of 2 in cluster F

EDR Historical Cleaners: Relative:

BLUE BIRD CLEANERS AND TAILORS Name: Higher

Year: 1964

Actual: Type: **CLEANERS AND DYERS**

601 ft.

1009476579

1009483232

N/A

N/A

EDR Historical Cleaners

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

F18 **DETROIT ECONOMIC GROWTH CO RCRA-NonGen** 1007101533 MIK987879228

ESE 731 WOODWARD DETROIT, MI 48226 < 1/8

0.101 mi.

533 ft. Site 2 of 2 in cluster F

Relative:

RCRA-NonGen:

Date form received by agency: 09/30/2003 Higher

DETROIT ECONOMIC GROWTH CO Facility name: Facility address:

Actual: 600 ft.

731 WOODWARD DETROIT, MI 48226

EPA ID: MIK987879228 Mailing address: 211 W FORT ST

DETROIT, MI 48226

Contact: JAMES RIGGS Contact address: 731 WOODWARD

DETROIT, MI 48226

Contact country: Not reported Contact telephone: (313) 237-4621 Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator country:

CITY OF DETROIT Owner/operator name:

Owner/operator address: Not reported

Not reported Not reported

Owner/operator telephone: Not reported Legal status: Municipal Operator Owner/Operator Type: Owner/Op start date: 10/01/2001 Owner/Op end date: Not reported

CITY OF DETROIT Owner/operator name:

Owner/operator address: Not reported Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Municipal Owner Owner/Operator Type: Owner/Op start date: 10/01/2001 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No No Treater, storer or disposer of HW: Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DETROIT ECONOMIC GROWTH CO (Continued)

1007101533

Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: No Generated waste on-site: Nο

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Pesticides Waste type: Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Thermostats**

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 09/06/2002

Facility name: DETROIT ECONOMIC GROWTH CO

Classification: Not a generator, verified

Violation Status: No violations found

G19 BEA S105768274

wsw 1132 WASHINGTON BLVD < 1/8 DETROIT, MI 48226

0.104 mi.

551 ft. Site 1 of 3 in cluster G

BEA: Relative:

Secondary Address: Not reported Equal

BEA Number: 1624

Actual: District: Southeast MI 599 ft.

2/21/2002 12:59:00 AM Date Received:

> Submitter Name: **Downtown Development Authority**

Petition Determination: No Request

Petition Disclosure:

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: williakt

N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

(Continued) S105768274

Division Assigned: **Environmental Response Division**

H20 **CHRISTY JOHN EDR Historical Cleaners** 1009478375

N/A

< 1/8 **DETROIT, MI**

0.107 mi.

SSW

567 ft. Site 1 of 4 in cluster H

EDR Historical Cleaners: Relative:

200 W LAFAYETTE AVE

CHRISTY JOHN Higher Name: Year: 1940

Actual: Type: HAT CLEANERS AND BLOCKERS

604 ft.

S106096734 G21 **BOOK-CADILLAC HOTEL** BEA wsw 1114 WASHINGTON BLVD N/A

< 1/8 DETROIT, MI 48226

0.108 mi.

572 ft. Site 2 of 3 in cluster G

Relative:

Secondary Address: Not reported Equal BEA Number: 2177 Actual: District: Southeast MI

599 ft. Date Received: 10/22/2003 12:59:00 AM

Submitter Name: Cadillac Development Company, LLC

Petition Determination: No Request

Petition Disclosure:

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: williakt

Division Assigned: **Environmental Response Division**

G22 CADILLAC DEVELOPMENT COMPANY LLC RCRA-SQG 1007096111 **WSW MANIFEST** 1114 WASHINGTON BLVD MIK145781688

< 1/8 DETROIT, MI 48226

0.108 mi.

Site 3 of 3 in cluster G 572 ft.

RCRA-SQG: Relative:

Date form received by agency: 06/25/2008 Equal

Facility name: CADILLAC DEVELOPMENT COMPANY LLC

Actual: 1114 WASHINGTON BLVD Facility address:

599 ft. DETROIT, MI 48226

> EPA ID: MIK145781688 Mailing address: 234 STATE ST DETROIT, MI 48226

UNKNOWN UNKNOWN Contact: Contact address: 1114 WASHINGTON BLVD DETROIT, MI 48226

Contact country: Not reported Contact telephone: (313) 963-3916 Contact email: Not reported

EPA Region: 05

Classification: Small Small Quantity Generator

Description: Handler: generates more than 100 and less than 1000 kg of hazardous

Direction Distance Elevation

Site Database(s) EPA ID Number

CADILLAC DEVELOPMENT COMPANY LLC (Continued)

1007096111

EDR ID Number

waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: CADILLAC DEVELOPMENT COMPANY LLC

Owner/operator address: Not reported Not reported Owner/operator country: Not reported Owner/operator telephone: Not reported

Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 04/07/2003
Owner/Op end date: Not reported

Owner/operator name: WESTIN BOOK CADILLAC HOTEL

Owner/operator address: Not reported

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Owner/Op start date: 09/30/2006 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Direction Distance

Elevation Site Database(s) EPA ID Number

CADILLAC DEVELOPMENT COMPANY LLC (Continued)

1007096111

EDR ID Number

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 03/31/2005

Facility name: CADILLAC DEVELOPMENT COMPANY LLC

Classification: Small Quantity Generator

Date form received by agency: 09/22/2003

Facility name: CADILLAC DEVELOPMENT COMPANY LLC

Classification: Small Quantity Generator

Violation Status: No violations found

WI MANIFEST:

Year: 04

EPA ID: MIK145781688

FID: 0
ACT Code: 202
ACT Status: A
ACT Code 1: 202

ACT Name: HW Generator - Small

Contact First Name: Not reported Not reported Contact Last Name: Contact Title: Not reported Contact Address: Not reported Contact State: Not reported Contact City: Not reported Contact Zip: Not reported Contact Telephone: Not reported Contact Extention: Not reported Contact Email Address: Not reported

WI MANIFEST SHIP: Manifest DOC ID: 0
Copy Type: 3

Gen EPA ID: MIK145781688 Gen Date: 08/31/2004 TSD Date: 09/08/2004 TSD EPA ID: WID003967148 GEN Copy Revd Date: Not reported TSG Copy Revd Date: 09/22/2004 Not reported Manifest DOC ID: Waste Page No: Not reported Waste Line No: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CADILLAC DEVELOPMENT COMPANY LLC (Continued)

1007096111

Waste Code: Not reported Waste Amount: Not reported Unit of Measure: Not reported Waste LBS: Not reported

Manifest DOC ID: 0 Copy Type: 3

Gen EPA ID: MIK145781688 Gen Date: 07/28/2004 TSD Date: 07/29/2004 TSD EPA ID: WID988566543 GEN Copy Revd Date: 9/3/2004 TSG Copy Revd Date: 08/19/2004 Manifest DOC ID: Not reported Waste Page No: Not reported Waste Line No: Not reported Waste Code: Not reported Waste Amount: Not reported Unit of Measure: Not reported Waste LBS: Not reported

WI MANIFEST TRANS: -

Mifest DOC ID: Not reported TRAN EPA ID: Not reported TRAN ORDER NO: Not reported TRAN Date: Not reported

Manifest DOC ID: Not reported Waste Page No: Not reported Waste Line No: Not reported Waste Code: Not reported Waste Amount: Not reported Unit of Measure: Not reported Waste LBS: Not reported

123 ARCHDIOCESE OF DETROIT West 1209 WASHINGTON BLVD < 1/8 DETROIT, MI 48226

0.118 mi.

621 ft. Site 1 of 6 in cluster I

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Lower

Actual: RCRAInfo is a national information system that supports the Resource 598 ft. Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 09/17/1998

Facility name: ARCHDIOCESE OF DETROIT Facility address: 1209 WASHINGTON BLVD

FINDS

RCRA-NonGen

1000865600

MI0000083667

Direction Distance Elevation

tance EDR ID Number vation Site Database(s) EPA ID Number

ARCHDIOCESE OF DETROIT (Continued)

1000865600

DETROIT, MI 48226 MI0000083667

EPA ID: MI000083667
Contact: DONALD SCHEIBLE
Contact address: 1209 WASHINGTON BLVD

DETROIT, MI 48226

Contact country: Not reported
Contact telephone: (313) 237-5845
Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: ARCHDIOCESE OF DETROIT

Owner/operator address: Not reported Not reported

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Owner/Op start date:

Owner/Op end date:

Not reported

Private

Operator

Operator

Othor/1970

Not reported

Owner/operator name: ARCHDIOCESE OF DETROIT

Owner/operator address: Not reported

Not reported

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Owner

Owner/Op start date:

Owner/Op end date:

Not reported

Not reported

Owner

Not reported

Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ARCHDIOCESE OF DETROIT (Continued)

1000865600

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Batteries Waste type: Accumulated waste on-site: No Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Pesticides Waste type: Accumulated waste on-site: No Generated waste on-site: No

Thermostats Waste type:

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 12/20/1993

ARCHDIOCESE OF DETROIT Facility name: Classification: Not a generator, verified

Violation Status: No violations found

WASHINGTON CLEANERS AND DYERS EDR Historical Cleaners 1009479662 124 N/A

West **309 STATE** < 1/8 **DETROIT, MI**

0.122 mi.

644 ft. Site 2 of 6 in cluster I

EDR Historical Cleaners: Relative:

Name: WASHINGTON CLEANERS AND DYERS Lower

Year: 1921

Actual: Type: **CLEANERS AND DYERS** 598 ft.

H25 **CARRIER SERVICE CTR FINDS** 1000361706 231 W LAFAYETTE BLVD RCRA-NonGen MID982071805

SSW < 1/8 DETROIT, MI 48226 0.123 mi.

648 ft. Site 2 of 4 in cluster H

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Higher

Actual: RCRAInfo is a national information system that supports the Resource 605 ft. Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

Direction Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

CARRIER SERVICE CTR (Continued)

1000361706

RCRA-NonGen:

Date form received by agency: 12/31/2001

Facility name: CARRIER SERVICE CTR Facility address: 231 W LAFAYETTE BLVD

DETROIT, MI 48226

EPA ID: MID982071805 TOM PETERSON Contact: 231 W LAFAYETTE BLVD Contact address:

DETROIT, MI 48226

Contact country: Not reported Contact telephone: (312) 986-4225 Contact email: Not reported EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

NO ACTIVE O/OP AS NOT GENERATING WASTE Owner/operator name:

Owner/operator address: Not reported Not reported Owner/operator country: Not reported

Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 01/01/2002 Owner/Op end date: Not reported

NO ACTIVE O/OP AS NOT GENERATING WASTE Owner/operator name:

Not reported Owner/operator address: Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Private Operator Owner/Operator Type: Owner/Op start date: 01/01/2002 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: Nο

Commercial status unknown Off-site waste receiver:

Direction Distance

Elevation Site Database(s) EPA ID Number

CARRIER SERVICE CTR (Continued)

1000361706

EDR ID Number

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 11/19/1987

Facility name: CARRIER SERVICE CTR
Classification: Not a generator, verified

Violation Status: No violations found

 H26
 US DEPT/JUSTICE
 FINDS
 1000185706

 SSW
 231 W LAFAYETTE
 RCRA-NonGen
 MI0150090215

 < 1/8</td>
 DETROIT, MI 48226

0.123 mi.

648 ft. Site 3 of 4 in cluster H

Relative: FINDS:

Higher Other Pertinent Environmental Activity Identified at Site

Actual: RCRAInfo is a national information system that supports the Resource 605 ft. Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 04/26/1999 Facility name: US DEPT/JUS

Facility name: US DEPT/JUSTICE Facility address: 231 W LAFAYETTE

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

US DEPT/JUSTICE (Continued)

1000185706

DETROIT, MI 48226

EPA ID: MI0150090215 Mailing address:

231 W LAFAYETTE BLVD DETROIT, MI 48226

Contact: JOSEPH RANNADISSI Contact address: 231 W LAFAYETTE

DETROIT, MI 48226

Contact country: Not reported (313) 226-7290 Contact telephone: Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

US DEPT/JUSTICE-DEA Owner/operator name:

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Federal Legal status: Owner/Operator Type: Owner Owner/Op start date: 01/01/1970 Owner/Op end date: Not reported

Owner/operator name: US DEPT/JUSTICE-DEA

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Federal Owner/Operator Type: Operator Owner/Op start date: 01/01/1970 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: Nο Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter:

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

US DEPT/JUSTICE (Continued)

1000185706

Generated waste on-site: No

MERCURY THERMOMETERS Waste type:

Accumulated waste on-site: No Generated waste on-site: No

MERCURY SWITCHES Waste type:

Accumulated waste on-site: Nο Generated waste on-site: No

Batteries Waste type: Accumulated waste on-site: No Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Waste type: Pesticides Accumulated waste on-site: No Generated waste on-site: No

Thermostats Waste type:

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 04/09/1990

Facility name: US DEPT/JUSTICE Classification: Not a generator, verified

Violation Status: No violations found

H27 **US GENERAL SERVICES ADMINISTRATION**

SSW 231 W LAFAYETTE BLVD DETROIT, MI 48226

< 1/8 0.123 mi.

648 ft. Site 4 of 4 in cluster H

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Higher

Actual: RCRAInfo is a national information system that supports the Resource 605 ft. Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 09/17/1998

Facility name: US GENERAL SERVICES ADMINISTRATION

Facility address: 231 W LAFAYETTE BLVD

DETROIT, MI 48226

EPA ID: MI3470000131

1084 PVM 477 MICHIGAN AVE Mailing address:

DETROIT, MI 48226

FINDS 1000466149

MI3470000131

RCRA-NonGen

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

US GENERAL SERVICES ADMINISTRATION (Continued)

1000466149

Contact: JAMES BATTEY

Contact address: 231 W LAFAYETTE BLVD

DETROIT, MI 48226

Contact country: Not reported Contact telephone: (313) 226-7856 Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

US GENERAL SERVICES ADMINISTRATION Owner/operator name:

Owner/operator address: Not reported Not reported Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Federal Owner/Operator Type: Owner Owner/Op start date: 01/01/1970 Owner/Op end date: Not reported

Owner/operator name: US GENERAL SERVICES ADMINISTRATION

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Federal Legal status: Owner/Operator Type: Operator Owner/Op start date: 01/01/1970 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: Nο

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

US GENERAL SERVICES ADMINISTRATION (Continued)

1000466149

Generated waste on-site: No

MERCURY SWITCHES Waste type:

Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: Nο Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Waste type: Pesticides Accumulated waste on-site: No Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 02/07/1991

US GENERAL SERVICES ADMINISTRATION Facility name:

Classification: Not a generator, verified

Violation Status: No violations found

128 YALE CLEANERS AND TAILORS **EDR Historical Cleaners** 1009479711

West **314 STATE DETROIT, MI**

1/8-1/4

0.126 mi.

663 ft. Site 3 of 6 in cluster I

EDR Historical Cleaners: Relative:

Name: YALE CLEANERS AND TAILORS Lower

> Year: 1940

Actual: Type: **CLOTHES PRESSERS AND CLEANERS**

598 ft.

129 **BOOK TOWER GARAGE** EDR Historical Auto Stations 1009490909 N/A

West **320 STATE** 1/8-1/4 **DETROIT, MI**

0.129 mi.

681 ft. Site 4 of 6 in cluster I

EDR Historical Auto Stations: Relative:

Name: **BOOK TOWER GARAGE** Lower

Year: 1956

Actual: Type: **AUTOMOBILE GARAGES**

598 ft.

N/A

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

130 **BOOK TOWER GARAGE INC EDR Historical Auto Stations** 1009491006

330 STATE N/A

1/8-1/4 **DETROIT, MI**

0.135 mi.

West

Site 5 of 6 in cluster I 713 ft.

EDR Historical Auto Stations: Relative:

BOOK TOWER GARAGE INC Name: Lower

Year: 1940

Actual: Type: **AUTOMOBILE GARAGES**

598 ft.

J31 **DOWN-TOWN CLEANERS AND DYERS EDR Historical Cleaners** 1009477055

NNW 1426 GRISWOLD 1/8-1/4 **DETROIT, MI**

0.136 mi.

Site 1 of 3 in cluster J 715 ft.

Relative: DOWN-TOWN CLEANERS AND DYERS Name: Lower

EDR Historical Cleaners: Year: 1926

Actual: Type: **CLEANERS AND DYERS**

598 ft.

J32 MANHATTAN HAT AND CLEANING CO **EDR Historical Cleaners** 1009477064

NNW 1429 GRISWOLD N/A

DETROIT, MI 1/8-1/4

0.136 mi.

719 ft. Site 2 of 3 in cluster J

EDR Historical Cleaners: Relative:

MANHATTAN HAT AND CLEANING CO Name: Lower

Year:

Actual: CLOTHES PRESSERS AND CLEANERS Type:

598 ft.

Name: MANHATTAN HAT CLNG CO

1931 Year:

Type: HAT CLEANERS AND BLOCKERS

DETROIT PUBLIC LIBRARY 1007098221 33 **RCRA-CESQG**

ENE 121 GRATIOT

1/8-1/4 DETROIT, MI 48226

0.137 mi. 723 ft.

RCRA-CESQG: Relative:

Date form received by agency: 12/02/2002 Higher

DETROIT PUBLIC LIBRARY Facility name:

Actual: Facility address: 601 ft.

DETROIT, MI 48226 EPA ID: MIK478487267

Contact: CLEDOS POWELL Contact address: 121 GRATIOT DETROIT, MI 48226

Contact country: Not reported Contact telephone: (313) 833-1685 Contact email: Not reported

EPA Region: 05

Classification: Conditionally Exempt Small Quantity Generator

121 GRATIOT

MIK478487267

N/A

Map ID MAP FINDINGS
Direction

Distance Elevation Sit

Site Database(s) EPA ID Number

DETROIT PUBLIC LIBRARY (Continued)

1007098221

EDR ID Number

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

hazardous waste

Owner/Operator Summary:

Owner/operator name: DETROIT LIBRARY COMMISSION

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Municipal Owner/Operator Type: Operator

Owner/Operator Type: Operator
Owner/Op start date: 01/01/1932
Owner/Op end date: Not reported

Owner/operator name: DETROIT LIBRARY COMMISSION

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1932
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: Nο Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

DETROIT PUBLIC LIBRARY (Continued)

1007098221

1009479893

1009477129

N/A

N/A

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Violation Status: No violations found

134 STATE CLEANERS AND DYERS

West 340 STATE 1/8-1/4 DETROIT, MI

1/8-1/4 0.141 mi.

744 ft. Site 6 of 6 in cluster I

Relative: EDR Historical Cleaners:

Lower Name: STATE CLEANERS AND DYERS

Year: 1921

Actual: Type: CLEANERS AND DYERS 598 ft.

J35 GRISWOLD HAT CLEANING AND SHOE REPAIR EDR Historical Cleaners

NNW 1445 GRISWOLD 1/8-1/4 DETROIT, MI

0.142 mi.

749 ft. Site 3 of 3 in cluster J

Relative: EDR Historical Cleaners:

Lower Name: GRISWOLD HAT CLEANING AND SHOE REPAIR

Year: 1940

Actual: Type: HAT CLEANERS AND BLOCKERS

598 ft.

EDR Historical Cleaners

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

36 KENNFDY SQUARE GARAGE EDR Historical Auto Stations 1009494398
SSE 700 GRISWOLD ST N/A

SSE 700 GRISWOLD ST 1/8-1/4 DETROIT, MI

0.145 mi. 765 ft.

Relative: EDR Historical Auto Stations:

Higher Name: KENNFDY SQUARE GARAGE

Year: 1970

Actual: Type: AUTOMOBILE REPAIRING

600 ft.

37 HERTZ RENT-A-CAR LUST U002303364 SW 1041 WASHINGTON BLVD UST N/A 1/8-1/4 DETROIT, MI 48226

1/8-1/4 0.147 mi. 776 ft.

Relative: Higher

Actual:

604 ft.

LUST:

Facility ID: 00034322

Source: STATE OF MICHIGAN Owner Name: The Hertz Corp

Owner Address: 225 Brae Blvd Owner City,St,Zip: Park Ridge, NJ 07656-1870

Owner Contact: Not reported
Owner Phone: (201) 307-2423

Country: USA

District: SE Michigan District Office

 Site Name:
 Hertz Car Rental

 Latitude:
 42.3309960000

 Longitude:
 -83.0512530000

 Date of Collection:
 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83
Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-0792-94
Release Date: Jul 29 1994
Substance Released: Gasoline,Unknown

Release Status: Closed
Release Closed Date: Aug 3 1998

UST:

Facility ID: 00034322
Facility Type: CLOSED
Latitude: 42.3309960000
Longitude: -83.0512530000
Owner Name: The Hertz Corp
Owner Address: 225 Brae Blvd

Owner City, St, Zip: Park Ridge, NJ 07656-1870

Owner Country: USA
Owner Contact: Not reported
Owner Phone: (201) 307-2423
Contact: MR DENNIS BAJOR
Contact Phone: (734) 941-7920
Date of Collection: 01-11-2001

Accuracy: 100 Accuracy Value Unit: FEET

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HERTZ RENT-A-CAR (Continued)

Horizontal Datum: NAD83

STATE OF MICHIGAN Source:

POINT Point Line Area:

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID:

Tank Status: **Removed from Ground**

Capacity: 8000 Install Date: Jan 1 1987 Product: Gasoline Jul 27 1994 Remove Date:

Tank Release Detection: Inter Monitoring Double Walled Tank, Inventory Control, Manual Tank

Gauging

Pipe Realease Detection: Not reported

Piping Material: Fiberglass reinforced plastic Piping Type: Suction: No Valve At Tank

Constr Material: Double Walled, Fiberglass Reinforced plastic

Impressed Device:

38 **BROSSY L C DYEING CO EDR Historical Cleaners** 1009479728 N/A

WNW 316 GRAND RIVER AVE 1/8-1/4 **DETROIT, MI**

0.150 mi. 792 ft.

EDR Historical Cleaners: Relative:

Name: BROSSY L C DYEING CO Lower

Year: 1926

Actual: **CLEANERS AND DYERS** Type:

598 ft.

39 **FEDERAL RESERVE BANK** LUST U003868060 UST N/A

SSE 160 W FORT ST 1/8-1/4 DETROIT, MI 48226

0.151 mi. 798 ft.

LUST: Relative: Facility ID: 00036654 Higher

Source: STATE OF MICHIGAN Actual:

Owner Name: Belmar Development / FRBD LLC

603 ft. Owner Address: 78 Watson St Owner City,St,Zip: Detroit, MI 48201 Owner Contact: Not reported

Owner Phone: (313) 831-8505 Country: USA

District: SE Michigan District Office Federal Reserve Bank Site Name: Latitude: 42.3305300000 Longitude: -83.0484670000 Date of Collection: 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100 Accuracy Value Unit: **FEET** Horizontal Data: NAD83 Point Line Area: **POINT**

U002303364

Direction Distance

Elevation Site Database(s) EPA ID Number

FEDERAL RESERVE BANK (Continued)

U003868060

EDR ID Number

Desc Category: Plant Entrance (Freight)

Leak Number:C-0204-93Release Date:Jan 29 1993Substance Released:DieselRelease Status:ClosedRelease Closed Date:Mar 10 2005

UST:

 Facility ID:
 00036654

 Facility Type:
 CLOSED

 Latitude:
 42.3305300000

 Longitude:
 -83.0484670000

Owner Name: Belmar Development / FRBD LLC

Owner Address: 78 Watson St Owner City,St,Zip: Detroit, MI 48201

Owner Country: USA
Owner Contact: Not reported
Owner Phone: (313) 831-8505
Contact: Mike Finn
Contact Phone: (253) 852-6400
Date of Collection: 01-11-2001
Accuracy: 100

Accuracy Value Unit: FEET
Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID: 1

Tank Status: Removed from Ground

Capacity: 4000
Install Date: Not reported
Product: Diesel
Remove Date: Oct 24 1993
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Bare Steel

Piping Type: Gravity Fed?,Suction: No Valve At Tank
Constr Material: Asphalt Coated or Bare Steel,Concrete

Impressed Device: No

Tank ID: 2

Tank Status: Removed from Ground

Capacity: 4000
Install Date: Nov 30 1993
Product: Diesel
Remove Date: Jan 9 2008

Tank Release Detection: Automatic Tank Gauging, Interstitial Monitoring Double Walled Tank

Pipe Realease Detection: Interstitial Monitoring Double Walled Piping Piping Material: Fiberglass Reinforced Plastic, Double Walled

Piping Type: Suction: No Valve At Tank
Constr Material: Composite (Steel with Fiberglass)

Impressed Device: No

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

40 OTTO THE HATTER **EDR Historical Cleaners** 1009480220 West N/A

371 STATE DETROIT, MI

1/8-1/4 0.159 mi. 837 ft.

EDR Historical Cleaners: Relative:

Name: OTTO THE HATTER Lower

Year: 1956

Actual: Type: HAT CLEANERS AND BLOCKERS

598 ft.

211 FORT WASHINGTON ASSOC 1000114367 41 **FINDS** 211 W FORT ST MID985578970 South RCRA-NonGen

1/8-1/4 DETROIT, MI 48226

0.167 mi. 882 ft.

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Higher

Actual: RCRAInfo is a national information system that supports the Resource 606 ft.

Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 06/18/2003

211 FORT WASHINGTON ASSOC Facility name:

Facility address: 211 W FORT ST

DETROIT, MI 48226

EPA ID: MID985578970 ALFRED DEACON Contact: 211 W FORT ST Contact address:

DETROIT, MI 48226

Contact country: Not reported Contact telephone: (313) 965-5120 Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

MINSKOFF ORGANIZATION Owner/operator name:

Owner/operator address: Not reported

Not reported Not reported

Owner/operator country: Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 01/01/1970 Owner/Op end date: Not reported

Owner/operator name: MINSKOFF ORGANIZATION

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported

Direction Distance Elevation

ce EDR ID Number ion Site Database(s) EPA ID Number

211 FORT WASHINGTON ASSOC (Continued)

1000114367

Owner/operator telephone: Not reported Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1970
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 08/16/2002

Facility name: 211 FORT WASHINGTON ASSOC

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

211 FORT WASHINGTON ASSOC (Continued)

1000114367

Classification: Not a generator, verified

Date form received by agency: 12/31/2001

Facility name: 211 FORT WASHINGTON ASSOC

Classification: Not a generator, verified

Date form received by agency: 04/27/1990

211 FORT WASHINGTON ASSOC Facility name:

Classification: Not a generator, verified

Violation Status: No violations found

K42 **BROSSY L C DYEING CO EDR Historical Cleaners** 1009476044 119 E GRAND RIVER AVE NNE N/A

1/8-1/4 **DETROIT, MI**

0.168 mi.

885 ft. Site 1 of 2 in cluster K

EDR Historical Cleaners: Relative:

Equal Name: BROSSY L C DYEING CO

Year: 1921

Actual: CARPET CLEANING WORKS Type:

599 ft.

BROSSY L C DYEING CO Name:

1921 Year:

Type: **CLEANERS AND DYERS**

Name: BROSSY L C DYEING CO

Year: 1926

CLEANERS AND DYERS Type:

Name: BROSSY L C DYEING CO

Year: 1931

DYERS AND CLEANERS Type:

Name: BROSSY L C DYEING CO

Year: 1931

Type: **CLEANERS AND DYERS**

K43 **BROSSY L C DYEING CO EDR Historical Cleaners** 1009476043 NNE 119 E GRAND RIVER N/A

1/8-1/4 **DETROIT, MI**

0.168 mi.

885 ft. Site 2 of 2 in cluster K

EDR Historical Cleaners: Relative:

Equal Name: BROSSY L C DYEING CO

Year: 1921

Actual: **DYERS AND CLEANERS** Type:

599 ft.

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

L44 **DOLLAR DAY CLEANERS EDR Historical Cleaners** 1009478164

N/A

North 19 CLIFFORD ST **DETROIT, MI**

1/8-1/4 0.168 mi.

889 ft. Site 1 of 3 in cluster L

EDR Historical Cleaners: Relative:

Lower Name: DOLLAR DAY CLEANERS

> Year: 1970

Actual: Type: **CLEANERS AND DYERS** 598 ft.

DOLLAR DRY CLEANERS EDR Historical Cleaners 1009478161

L45

19 CLIFFORD North 1/8-1/4 **DETROIT, MI**

0.168 mi.

889 ft. Site 2 of 3 in cluster L

EDR Historical Cleaners: Relative:

RADEFF STEVE Name: Lower

Year: 1931

Actual: Type: **CLEANERS-GARMENTS CURTAINS AND DRAPERIES** 598 ft.

DOLLAR DRY CLEANERS Name:

Year:

CLEANERS AND DYERS Type:

46 **DETROIT FREE PRESS FINDS** 1004722593 RCRA-CESQG MID005352034

SSW **321 W LAFAYETTE** DETROIT, MI 48226 1/8-1/4

0.169 mi. 890 ft.

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Higher

Actual: RCRAInfo is a national information system that supports the Resource 605 ft. Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-CESQG:

Date form received by agency: 03/06/1986

Facility name: **DETROIT FREE PRESS** Facility address: 321 W LAFAYETTE

DETROIT, MI 48226

EPA ID: MID005352034 Contact: JIM SPEARS Contact address: 321 W LAFAYETTE DETROIT, MI 48226

Contact country: Not reported Contact telephone: (313) 222-6461 Contact email: Not reported

EPA Region: 05

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar N/A

Direction Distance Elevation

Site Database(s) EPA ID Number

DETROIT FREE PRESS (Continued)

1004722593

EDR ID Number

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: DETROIT NEWSPAPERS

Owner/operator address: Not reported

Not reported

Owner/operator country:
Owner/operator telephone:
Legal status:
Owner/Operator Type:
Owner/Op start date:
Owner/Op end date:
Not reported
Not reported
12/01/1989
Not reported

Owner/operator name: DETROIT NEWSPAPERS

Owner/operator address: Not reported

Not reported

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Owner

Owner/Op start date:

Owner/Op end date:

Not reported

Not reported

12/01/1989

Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: Nο Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter:

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DETROIT FREE PRESS (Continued)

1004722593

Generated waste on-site: No

MERCURY THERMOMETERS Waste type:

Accumulated waste on-site: No Generated waste on-site: No

MERCURY SWITCHES Waste type:

Accumulated waste on-site: Nο Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: No Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Waste type: Pesticides Accumulated waste on-site: No Generated waste on-site: No

Thermostats Waste type:

Accumulated waste on-site: No Generated waste on-site: No

Violation Status: No violations found

HENRY THE HATTER 1009478500 47 **EDR Historical Cleaners**

ΝE **205 GRATIOT AVE**

1/8-1/4 **DETROIT, MI**

0.175 mi. 923 ft.

EDR Historical Cleaners: Relative:

Name: HENRY THE HATTER Higher

Year: 1931

Actual: Type: HAT CLEANERS AND BLOCKERS 601 ft.

M48 FIRST NATIONAL BUILDING LUST 1001026042 SE 660 WOODWARD AVE UST MIR000004184

1/8-1/4 DETROIT, MI 48226 RFΔ 0.179 mi. **RCRA-NonGen**

947 ft. Site 1 of 2 in cluster M

LUST: Relative: Equal Facility ID: 00011133

Source: STATE OF MICHIGAN

Actual: Owner Name: The Equitable Life Assurance Of

599 ft. Owner Address: U.S % EQUITABLE REAL ESTATE 455 N CITYFRONT PLAZA SUITE 3200

> Owner City, St, Zip: CHICAGO, IL 60611 Owner Contact: Not reported Owner Phone: (312) 527-5000

Country: USA

District: SE Michigan District Office Site Name: First National Building Garage

42.3309340000 Latitude:

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

FIRST NATIONAL BUILDING (Continued)

1001026042

EDR ID Number

Longitude: -83.0461160000 Date of Collection: 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83
Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-1193-91
Release Date: Jun 4 1991
Substance Released: Unknown
Release Status: Closed
Release Closed Date: Aug 5 1996

UST:

 Facility ID:
 00011133

 Facility Type:
 CLOSED

 Latitude:
 42.3309340000

 Longitude:
 -83.0461160000

Owner Name: The Equitable Life Assurance Of

Owner Address: U.S % EQUITABLE REAL ESTATE 455 N CITYFRONT PLAZA SUITE 3200

Owner City, St, Zip: CHICAGO, IL 60611

Owner Country: USA Not reported Owner Contact: (312) 527-5000 Owner Phone: Contact: JEFF CLEMENTS Contact Phone: (313) 962-0056 Date of Collection: 01-11-2001 Accuracy: 100 Accuracy Value Unit: **FEET** Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID:

Tank Status: Closed in Ground

Capacity: 2000
Install Date: May 7 1951
Product: Gasoline
Remove Date: Jun 14 1995
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Bare Steel, BIT #50
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID: 2

Tank Status: Closed in Ground

Capacity: 2000
Install Date: May 7 1951
Product: Gasoline
Remove Date: Jun 14 1995
Tank Release Detection: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

FIRST NATIONAL BUILDING (Continued)

1001026042

EDR ID Number

Pipe Realease Detection: Not reported
Piping Material: Bare Steel,BIT #50
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID: 3

Tank Status: Closed in Ground

Capacity: 2000
Install Date: May 7 1951
Product: Gasoline
Remove Date: Jun 14 1995
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Bare Steel,BIT #50
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

BEA:

Secondary Address: Not reported

BEA Number: 614

District: Southeast MI
Date Received: 5/11/1998

Submitter Name: M.C. OFFICE INVESTMENTS LLC

Petition Determination: Affirmed Petition Disclosure: 1

Category: Different Hazardous Substance(s)

Determination 20107A: Affirmed Reviewer: temppm

Division Assigned: Storage Tank Division

Secondary Address: Not reported

BEA Number: 52

District: Southeast MI
Date Received: 1/24/1996

Submitter Name: WOODWARD FIRST NATIONAL L.L.C.

Petition Determination: Affirmed

Petition Disclosure:

Category: Same Hazardous Substance(s)

Determination 20107A: Denied Reviewer: temppm

Division Assigned: Storage Tank Division

RCRA-NonGen:

EPA ID:

Date form received by agency: 07/25/1995

Facility name: FIRST NATIONAL BUILDING
Facility address: 660 WOODWARD AVE
DETROIT, MI 48226

MIR000004184

Mailing address: 1600 FIRST NATIONAL BLDG

DETROIT, MI 48226

Contact: FRED PETTY
Contact address: 660 WOODWARD AVE

DETROIT, MI 48226

Direction Distance

Elevation Site Database(s) EPA ID Number

FIRST NATIONAL BUILDING (Continued)

1001026042

EDR ID Number

Contact country: Not reported
Contact telephone: (313) 962-0056
Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE

Owner/operator address: Not reported Not reported Not reported Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Private

Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 07/26/1995
Owner/Op end date: Not reported

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE

Owner/operator address: Not reported

Not reported

Owner/operator country:
Owner/operator telephone:
Legal status:
Owner/Operator Type:
Owner
Owner/Op start date:
Owner/Op end date:
Not reported
Not reported
Not reported
Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Direction Distance

Elevation Site Database(s) **EPA ID Number**

FIRST NATIONAL BUILDING (Continued)

1001026042

EDR ID Number

Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: No Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Pesticides Waste type: Accumulated waste on-site: No Generated waste on-site:

Waste type: **Thermostats**

Accumulated waste on-site: Nο Generated waste on-site: No

Historical Generators:

Date form received by agency: 06/08/1995

Facility name: FIRST NATIONAL BUILDING Classification: Not a generator, verified

Violation Status: No violations found

M49 FIRST NATIONAL BUILDING **FINDS** 1000530176 SE 660 WOODWARD **FTTS** MID985626720

1/8-1/4 0.179 mi.

DETROIT, MI 48226

947 ft. Site 2 of 2 in cluster M

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Equal

Actual: NCDB (National Compliance Data Base) supports implementation of the 599 ft. Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the

Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions,

and settlements.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

FTTS INSP:

Inspection Number: Not reported

Region: 05

Not reported Inspection Date: COOPER Inspector: Violation occurred:

Section 6 PCB State Conducted Investigation Type:

Investigation Reason: Neutral Scheme, State

Legislation Code: **TSCA** **HIST FTTS**

RCRA-NonGen

Direction Distance

Elevation Site Database(s) EPA ID Number

FIRST NATIONAL BUILDING (Continued)

1000530176

EDR ID Number

Facility Function: User

HIST FTTS INSP:

Inspection Number: 19881130MI013 1

Region: 05

Inspection Date: Not reported Inspector: COOPER

Violation occurred: No

Investigation Type: Section 6 PCB State Conducted

Investigation Reason: Neutral Scheme, State

Legislation Code: TSCA Facility Function: User

RCRA-NonGen:

Date form received by agency: 11/13/2000

Facility name: FIRST NATIONAL BUILDING

Facility address: 660 WOODWARD

DETROIT, MI 48226

EPA ID: MID985626720

Mailing address: 660 WOODWARD AVE

DETROIT, MI 48226 FRED PETTY

Contact: FRED PETTY
Contact address: 660 WOODWARD

DETROIT, MI 48226

Contact country: Not reported
Contact telephone: (313) 962-0056
Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE

Owner/operator address: Not reported Not reported Not reported Owner/operator country: Not reported Owner/operator telephone: Not reported

Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 11/14/2000
Owner/Op end date: Not reported

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE

Owner/operator address: Not reported

Not reported

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Not reported

Not reported

Private

Operator

Owner/Operator Type: Operator
Owner/Op start date: 11/14/2000
Owner/Op end date: Not reported

Handler Activities Summary:

Direction Distance

Elevation Site Database(s) EPA ID Number

FIRST NATIONAL BUILDING (Continued)

1000530176

EDR ID Number

U.S. importer of hazardous waste: Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 12/31/1991

Facility name: FIRST NATIONAL BUILDING Classification: Not a generator, verified

Violation Status: No violations found

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

L50 **ESTERSOHM GDAL FUR EDR Historical Cleaners** 1009477353 N/A

North **1514 WOODWARD AVE DETROIT, MI**

1/8-1/4

0.182 mi.

Site 3 of 3 in cluster L 959 ft.

EDR Historical Cleaners: Relative:

Equal Name: ESTERSOHM GDAL FUR

Year: 1940 Actual: Type: **DYERS AND CLEANERS**

599 ft.

CITY OF DETROIT RCRA-CESQG 1010320380 N51

350 MICHIGAN AVENUE WSW 1/8-1/4 DETROIT, MI 48231

0.183 mi.

964 ft. Site 1 of 4 in cluster N

RCRA-CESQG: Relative:

Date form received by agency: 08/24/2006 Lower

> Facility name: CITY OF DETROIT 350 MICHIGAN AVENUE Facility address:

Actual: 598 ft. DETROIT, MI 48231

EPA ID: MIK565585163

Mailing address: 500 GRISWALD ST

DETROIT, MI 48226

TIMOTHY MILES Contact: Contact address: 350 MICHIGAN AVENUE

DETROIT, MI 48231

Contact country: Not reported Contact telephone: (313) 237-4621 Contact email: Not reported

EPA Region: 05

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from

the cleanup of a spill, into or on any land or water, of acutely

hazardous waste

Not reported

Owner/Operator Summary:

CITY OF DETROIT Owner/operator name:

Owner/operator address: Not reported Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Municipal Owner/Operator Type: Owner Owner/Op start date: 12/31/2005 Owner/Op end date:

TC2415587.2s Page 70

MIK565585163

Direction Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

CITY OF DETROIT (Continued)

1010320380

Owner/operator name: CITY OF DETROIT

Owner/operator address: Not reported

Not reported Not reported

Owner/operator country: Owner/operator telephone: Not reported Legal status: Municipal Owner/Operator Type: Operator Owner/Op start date: 12/31/2005 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: Nο

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

DEVICES CONTAINING ELEMENTAL MERCURY Waste type:

Accumulated waste on-site: Nο Generated waste on-site: No

MERCURY THERMOMETERS Waste type:

Accumulated waste on-site: No Generated waste on-site: No

MERCURY SWITCHES Waste type:

Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: Nο Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Pesticides** Accumulated waste on-site: Generated waste on-site: No

Waste type: **Thermostats**

Accumulated waste on-site: No Generated waste on-site: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CITY OF DETROIT (Continued)

DETROIT, MI 48226

1010320380

RCRA-CESQG

Violation Status: No violations found

DETROIT PEOPLE MOVERS FINDS 1001124089 52 WNW 1250 PARK PLACE UST MIR000019976

1/8-1/4 0.185 mi. 977 ft.

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Equal

Actual: RCRAInfo is a national information system that supports the Resource 599 ft.

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

UST:

Facility ID: 00040512 Facility Type: ACTIVE Latitude: 42.3324217100 Longitude: -83.0521270500

Owner Name: **Detroit Transportation Corp** Owner Address: 1420 Washington Blvd 3rd Floor

Owner City, St, Zip: Detroit, MI 48226

Owner Country: USA Not reported Owner Contact: (313) 224-2160 Owner Phone: JITERDRA PATEL Contact: Contact Phone: (313) 963-0171 Date of Collection: Not reported

Accuracy: 15 Accuracy Value Unit: **METERS** Horizontal Datum: NAD83

STATE OF MICHIGAN Source:

Point Line Area: **POINT** Desc Category: Not reported Method of Collection: Interpolation-Map

Tank ID:

Tank Status: **Currently In Use**

Capacity: 4000 Install Date:

May 31 1984 Product: Diesel Remove Date: Not reported Tank Release Detection: Not reported

Pipe Realease Detection: Automatic Line Leak Detectors

Piping Material: Cathodically Protected, Copper, Double Walled, OPW PISCES

Piping Type: Pressure

Constr Material: Composite(Steel w/Fiberglass)

Impressed Device:

RCRA-CESQG:

Date form received by agency: 09/30/2002

DETROIT PEOPLE MOVERS Facility name:

Facility address: 1250 PARK PLACE

Direction Distance Elevation

vation Site Database(s) EPA ID Number

DETROIT PEOPLE MOVERS (Continued)

1001124089

EDR ID Number

DETROIT, MI 48226
EPA ID: MIR000019976
Contact: CHARLES GOODWIN
Contact address: 1250 PARK PLACE
DETROIT, MI 48226

Not reported

Contact country: Not reported
Contact telephone: (313) 963-0171
Contact email: Not reported

EPA Region: 05

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

The cleanup of a spill, lifto of off arry land of water, of

hazardous waste

Owner/Operator Summary:

Owner/operator name: DETROIT TRANSPORTATION CORP

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Municipal
Owner/Operator Type: Operator

Owner/Operator Type: Operator
Owner/Op start date: 10/01/1985
Owner/Op end date: Not reported

Owner/operator name: DETROIT TRANSPORTATION CORP

Owner/operator address: Not reported Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Municipal Owner/Operator Type: Owner Owner/Op start date: 10/01/1985 Owner/Op end date: Not reported

Owner/operator name: DETROIT TRANSPORTATION CORP

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Municipal
Owner/Operator Type: Owner

Owner/Op start date: 01/01/1901
Owner/Op end date: Not reported

Direction Distance Elevation

tance EDR ID Number vation Site Database(s) EPA ID Number

DETROIT PEOPLE MOVERS (Continued)

1001124089

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: Nο Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 07/05/2002

Facility name: DETROIT PEOPLE MOVERS

Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 10/23/2000

Facility name: DETROIT PEOPLE MOVERS

Classification: Conditionally Exempt Small Quantity Generator

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DETROIT PEOPLE MOVERS (Continued)

1001124089

Date form received by agency: 11/12/1996

DETROIT PEOPLE MOVERS Facility name:

Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

O53 DETROIT METROPOLITAN BUILDING SHWS S105225063

North 33 JOHN R **BROWNFIELDS** N/A

1/8-1/4 DETROIT, MI 48226

0.193 mi.

1020 ft. Site 1 of 3 in cluster O

SHWS: Relative:

Equal Facility ID: 82000133

Industrial Bldgs & Warehouses Source: Actual:

SAM Score: 22 out of 48 599 ft. SAM Score Date: 09/06/1990

Township: 02S Range: 12E Section: 80 SE Quarter: Quarter/Quarter: NE

Facility Status: Interim Response in progress

Pollutant(s): Radium (radioactive)

BROWNFIELD:

Facility ID: Not reported

Region:

Status: Closed Properry Use: Not reported

BEA: Ernie Id Number: 82000133 Not reported Redevelop Status: Before Redevelopment: Not reported After Redevelopment: Not reported

O54 MI DEPT/ENVIRONMENTAL QUALITY **FINDS** 1001117655 North 33 JOHN R **CERC-NFRAP** MIR000016873

1/8-1/4 DETROIT, MI 48226

0.193 mi.

1020 ft. Site 2 of 3 in cluster O

Relative:

Equal Other Pertinent Environmental Activity Identified at Site

Actual: RCRAInfo is a national information system that supports the Resource 599 ft.

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

CERC-NFRAP:

Site ID: 0506179 **RCRA-NonGen**

Direction Distance

Elevation Site Database(s) EPA ID Number

MI DEPT/ENVIRONMENTAL QUALITY (Continued)

1001117655

EDR ID Number

Federal Facility: Not a Federal Facility
NPL Status: Not on the NPL
Non NPL Status: NFRAP

CERCLIS-NFRAP Site Alias Name(s):

Alias Name: METROPOLITAN BUILDING

Alias Address: Not reported WAYNE, MI

Site Description: Not reported

CERCLIS-NFRAP Assessment History:

Action: DISCOVERY
Date Started: Not reported
Date Completed: 08/08/1989
Priority Level: Not reported

Action: ARCHIVE SITE
Date Started: Not reported
Date Completed: 10/24/1991
Priority Level: Not reported

Action: PRELIMINARY ASSESSMENT

Date Started: Not reported
Date Completed: 10/24/1991

Priority Level: NFRAP (No Futher Remedial Action Planned

RCRA-NonGen:

Date form received by agency: 09/30/2003

Facility name: MI DEPT/ENVIRONMENTAL QUALITY

Facility address: 33 JOHN R

DETROIT, MI 48226

EPA ID: MIR000016873
Mailing address: 27700 DONALD COURT

WARREN, MI 48092

Contact: KEVIN LUND Contact address: 33 JOHN R

DETROIT, MI 48226

Contact country: Not reported
Contact telephone: (734) 953-1530
Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE

Owner/operator address: Not reported Not reported Owner/operator country: Not reported Owner/operator telephone: Not reported

Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 10/01/2003
Owner/Op end date: Not reported

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MI DEPT/ENVIRONMENTAL QUALITY (Continued)

1001117655

Owner/operator address: Not reported Not reported Not reported Owner/operator country: Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 10/01/2003 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

DEVICES CONTAINING ELEMENTAL MERCURY Waste type:

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: No Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Pesticides Waste type: Accumulated waste on-site: No Generated waste on-site:

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MI DEPT/ENVIRONMENTAL QUALITY (Continued)

1001117655

Historical Generators:

Date form received by agency: 09/26/2003

MI DEPT/ENVIRONMENTAL QUALITY Facility name:

Classification: Not a generator, verified

Date form received by agency: 04/26/1999

MI DEPT/ENVIRONMENTAL QUALITY Facility name:

Classification: Not a generator, verified

Date form received by agency: 08/01/1996

Facility name: MI DEPT/ENVIRONMENTAL QUALITY

Classification: Not a generator, verified

Violation Status: No violations found

MICHIGAN SITE NETWORK O55 BROWNFIELDS S108419433

N/A

North 33 JOHN R. 1/8-1/4 DETROIT, MI 48226

0.193 mi.

1020 ft. Site 3 of 3 in cluster O

Relative: Equal

Actual:

599 ft. P56 YEE LEE **EDR Historical Cleaners** 1009475490

SW 1051 CASS N/A

1/8-1/4 **DETROIT, MI**

0.195 mi.

1028 ft. Site 1 of 6 in cluster P

EDR Historical Cleaners: Relative:

Name: YEE LEE Higher

Year: 1921

Actual: LAUNDRIES Type: 602 ft.

P57 **EDR Historical Cleaners** 1009475491 YEE LEE N/A

1051 CASS AVE SW 1/8-1/4 **DETROIT, MI**

0.195 mi.

1028 ft. Site 2 of 6 in cluster P

EDR Historical Cleaners: Relative:

Name: YEE LEE Higher

Year: 1926 **LAUNDRIES** Type:

Actual: 602 ft.

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

N58 **DOWNTOWN AUTO SERVICE EDR Historical Auto Stations** 1009485842

WSW 1200 CASS AVE **DETROIT, MI** 1/8-1/4

0.195 mi.

1029 ft. Site 2 of 4 in cluster N

EDR Historical Auto Stations: Relative:

DOWNTOWN AUTO SERVICE Lower Name:

> Year: 1970

Actual: Type: **AUTOMOBILE REPAIRING**

598 ft.

N59 DOWNTOWN AUTO SERVICE INC **FINDS** 1000322694 1200 CASS AVE **WSW** RCRA-NonGen MID163892789

1/8-1/4 DETROIT, MI 48226

0.195 mi.

1029 ft. Site 3 of 4 in cluster N

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Lower

Actual: RCRAInfo is a national information system that supports the Resource 598 ft.

Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 09/17/1998

DOWNTOWN AUTO SERVICE INC Facility name:

Facility address: 1200 CASS AVE

DETROIT, MI 48226

EPA ID: MID163892789 Contact: JOHN CARTER 1200 CASS AVE Contact address: DETROIT, MI 48226

Contact country: Not reported Contact telephone: (313) 961-4546 Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

NAME NOT REPORTED Owner/operator name:

Owner/operator address: Not reported

> Not reported Not reported

Owner/operator country: Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Operator Owner/Op start date: 01/01/1970 Owner/Op end date: Not reported

Owner/operator name: DMR PROPERTIES INC

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DOWNTOWN AUTO SERVICE INC (Continued)

1000322694

Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 01/01/1970 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: **DEVICES CONTAINING ELEMENTAL MERCURY**

Accumulated waste on-site: No Generated waste on-site: No

MERCURY THERMOMETERS Waste type:

Accumulated waste on-site: No Generated waste on-site:

MERCURY SWITCHES Waste type:

Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: No Generated waste on-site: Nο

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Waste type: Pesticides Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Thermostats**

Accumulated waste on-site: Generated waste on-site: No

Historical Generators:

Date form received by agency: 01/09/1989

DOWNTOWN AUTO SERVICE INC Facility name:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DOWNTOWN AUTO SERVICE INC (Continued)

1000322694

Classification: Not a generator, verified

Violation Status: No violations found

P60 **ROYAL HAND LAUNDRY EDR Historical Cleaners** 1009475424 N/A

SW 1038 CASS AVE 1/8-1/4 **DETROIT, MI**

0.195 mi.

1030 ft. Site 3 of 6 in cluster P

EDR Historical Cleaners: Relative:

ROYAL HAND LAUNDRY Higher Name:

Year: 1921

Actual: Type: **LAUNDRIES** 602 ft.

ROYAL HAND LAUNDRY Name:

> Year: 1926 **LAUNDRIES** Type:

Name: ROYAL HAND LAUNDRY

Year: 1931

LAUNDRIES-HAND Type:

Q61 AT&T CORP **FINDS** 1000151740 West **445 STATE ST** RCRA-CESQG MID108426230

1/8-1/4 DETROIT, MI 48226

0.195 mi.

1030 ft. Site 1 of 3 in cluster Q

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Lower

Actual: RCRAInfo is a national information system that supports the Resource 598 ft.

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-CESQG:

Date form received by agency: 08/08/2006 AT&T CORP Facility name: 445 STATE ST Facility address:

DETROIT, MI 48226

EPA ID: MID108426230 Mailing address: ONE AT & T WAY

BEDMINSTER, NJ 07921

KIM KANTER Contact: Contact address: 445 STATE ST

DETROIT, MI 48226

Contact country: Not reported Contact telephone: (800) 566-9347 Contact email: Not reported

EPA Region: 05

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar Map ID MAP FINDINGS
Direction

Direction Distance Elevation

Site Database(s) EPA ID Number

AT&T CORP (Continued)

1000151740

EDR ID Number

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator country:

Owner/operator name: AMERITECH CORP

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1970
Owner/Op end date: Not reported

Owner/operator name: AMERITECH CORP

Owner/operator address: Not reported

Not reported Not reported

Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Operator Owner/Op start date: 01/01/1970 Owner/Op end date: Not reported

Owner/operator name: AT&T CORP
Owner/operator address: Not reported
Not reported

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Owner

Owner/Op start date:

Owner/Op end date:

Not reported

Not reported

Owner

Not reported

Not reported

Owner/operator name: AT&T CORP Owner/operator address: Not reported

Not reported Not reported

Owner/operator country:
Owner/operator telephone:
Legal status:
Owner/Operator Type:
Owner/Op start date:
Owner/Op end date:
Not reported
Not reported
Operator
Operator
Othorized
Not reported

Handler Activities Summary:

Direction Distance

Elevation Site Database(s) EPA ID Number

AT&T CORP (Continued) 1000151740

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 09/08/1997
Facility name: AT&T CORP

Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 10/21/1987 Facility name: AT&T CORP

Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 01/01/1980

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

AT&T CORP (Continued) 1000151740

Facility name: AT&T CORP

Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

Q62 UST U003878179 AT&T West N/A

445 STATE ST 1/8-1/4 DETROIT, MI 75202

0.195 mi.

1030 ft. Site 2 of 3 in cluster Q

UST: Relative:

00040973 Facility ID: Lower Facility Type: **ACTIVE** Actual: Latitude: 42.3330591100 598 ft. Longitude: -83.0536168400

> Owner Name: AT&T Michigan Owner Address: 308 S Akard Ste 1700 Owner City, St, Zip: Dallas, TX 75202-5399

Owner Country: USA

Derrick Taylor Owner Contact: (887) 648-2073 Owner Phone: Contact: Douglas G Frey (908) 234-4675 Contact Phone: Not reported Date of Collection:

Accuracy: 15 Accuracy Value Unit: **METERS** Horizontal Datum: NAD83

STATE OF MICHIGAN Source:

Point Line Area: **POINT** Desc Category: Not reported Method of Collection: Interpolation-Map

Tank ID:

Tank Status: **Currently In Use**

10000 Capacity: Install Date: Oct 1 2001 Product: Diesel Remove Date: Not reported

Tank Release Detection: Automatic Tank Gauging, Inter Monitoring Double Walled Tank

Pipe Realease Detection: Interstitial Monitoring Double Walled Piping Piping Material: Bare Steel, Fiberglass reinforced plastic

Piping Type: Suction: Valve at Tank

Constr Material: Cathodically Protected Steel, Epoxy Coated Steel, STIP-3

Impressed Device: Nο

Tank ID:

Currently In Use Tank Status:

Capacity: 10000 Install Date: Oct 1 2001 Product: Diesel Remove Date: Not reported

Tank Release Detection: Automatic Tank Gauging, Interstitial Monitoring Double Walled Tank

Pipe Realease Detection: Interstitial Monitoring Double Walled Piping Piping Material: Bare Steel, Fiberglass Reinforced Plastic

Piping Type: Suction: Valve at Tank

Constr Material: STIP-3, Cathodically Protected Steel, Epoxy Coated Steel

Impressed Device: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

P63 **GENERAL AUTO SERVICE REAR EDR Historical Auto Stations** 1009485040 N/A

SW 1033 CASS AVE 1/8-1/4 **DETROIT, MI**

0.195 mi.

Site 4 of 6 in cluster P 1030 ft.

EDR Historical Auto Stations: Relative:

Higher Name: GENERAL AUTO SERVICE REAR

Year: 1921

Actual: Type: **AUTOMOBILE GARAGES** 603 ft.

Name: GENERAL AUTO SERVICE REAR

> Year: 1926

AUTOMOBILE GARAGES Type:

DOHERTY RAY REPAIR C COLLISION SERVICE P64 **EDR Historical Auto Stations** 1009484823 N/A

SW 1009 CASS AVE **DETROIT, MI** 1/8-1/4

0.196 mi.

Site 5 of 6 in cluster P 1034 ft.

EDR Historical Auto Stations: Relative:

Name: **DETROIT GARAGES** Higher

Year:

Actual: Type: **AUTOMOBILE GARAGES**

603 ft.

Name: **DETROIT GARAGES INC** Year: 1940

> Type: **AUTOMOBILE GARAGES**

DOHERTY RAY REPAIR C COLLISION SERVICE Name:

Year: 1970

Type: AUTOMOBILE REPAIRING

P65 **METRO GARAGE FINDS** 1000979900 SW 1009 CASS AVE LUST MI0000980797

DETROIT, MI 48226 1/8-1/4 0.196 mi.

1034 ft. Site 6 of 6 in cluster P

Relative:

Higher Other Pertinent Environmental Activity Identified at Site

Actual: RCRAInfo is a national information system that supports the Resource 603 ft.

Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

LUST:

Facility ID: 00013657

Source: STATE OF MICHIGAN Owner Name: Metro Garage Inc

Owner Address: 20630 Harper Ave Ste 112 Owner City, St, Zip: Harper Woods, MI 48225-1448

Owner Contact: Not reported UST

RCRA-NonGen

Direction Distance Elevation

evation Site Database(s) EPA ID Number

METRO GARAGE (Continued)

1000979900

EDR ID Number

Owner Phone: (313) 886-3490

Country: USA

District: SE Michigan District Office

 Site Name:
 Metro Garage Inc.

 Latitude:
 42.3302490000

 Longitude:
 -83.0517710000

 Date of Collection:
 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83
Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-0150-95
Release Date: Feb 9 1995
Substance Released: Gasoline
Release Status: Closed
Release Closed Date: Jun 13 1995

Leak Number: C-1541-94
Release Date: Dec 4 1994
Substance Released: Gasoline
Release Status: Closed
Release Closed Date: Mar 7 1996

UST:

 Facility ID:
 00013657

 Facility Type:
 CLOSED

 Latitude:
 42.3302490000

 Longitude:
 -83.0517710000

 Owner Name:
 Metro Garage Inc

Owner Address: 20630 Harper Ave Ste 112
Owner City, St, Zip: Harper Woods, MI 48225-1448

Owner Country: USA
Owner Contact: Not reported
Owner Phone: (313) 886-3490

Contact: GEORGE A HAGGARTY

Contact Phone: (313) 886-3490
Date of Collection: 01-11-2001
Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID:

Tank Status: Removed from Ground

Capacity: 6000
Install Date: May 8 1980
Product: Gasoline
Remove Date: Apr 25 1995

Tank Release Detection: Inventory Control, Tank Tightness Testing

Pipe Realease Detection: Line Tightness Testing

Piping Material: Fiberglass reinforced plastic, Unknown

Piping Type: Suction: No Valve At Tank

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

METRO GARAGE (Continued)

1000979900

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID:

Tank Status: Removed from Ground

6000 Capacity: Install Date: May 8 1980 Product: Gasoline Remove Date: Apr 25 1995

Tank Release Detection: Inventory Control, Tank Tightness Testing

Pipe Realease Detection: Automatic Line Leak Detectors Fiberglass reinforced plastic Piping Material: Piping Type: Suction: No Valve At Tank Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID:

Closed in Ground Tank Status:

Capacity: 2000

Install Date: May 8 1956 Product: Gasoline Remove Date: Dec 9 1994 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported Constr Material: Unknown Impressed Device: No

Tank ID:

Tank Status: **Closed in Ground**

Capacity: 2000 Install Date: May 8 1956 Product: Gasoline Remove Date: Oct 17 1984 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported Constr Material: Unknown Impressed Device: No

Tank ID:

Tank Status: **Closed in Ground**

Capacity: 2000

Install Date: May 8 1956 Gasoline Product: Remove Date: Jan 1 1977 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported Constr Material: Unknown

Direction Distance

Elevation Site Database(s) EPA ID Number

METRO GARAGE (Continued)

1000979900

EDR ID Number

Impressed Device: No

RCRA-NonGen:

Date form received by agency: 03/19/1996

Facility name: METRO GARAGE
Facility address: 1009 CASS AVENUE

DETROIT, MI 482260000

EPA ID: MI0000980797

Mailing address: 20630 HARPER AVENUE

SUITE 112

HARPER WOODS, MI 482250000

Contact: GEORGE A HAGGARTY

Contact address: Not reported Not reported

Contact country: Not reported
Contact telephone: (313) 886-3490
Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: METRO GARAGE INC

Owner/operator address: Not reported Not reported Owner/operator country: Not reported

Owner/operator telephone: Not reported Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1970
Owner/Op end date: Not reported

Owner/operator name: METRO GARAGE INC

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1970

Owner/Op end date: 01/01/19/0

Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: Unknown Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: Unknown On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: Unknown Used oil processor: Unknown User oil refiner: Unknown Used oil fuel marketer to burner: Unknown Used oil Specification marketer: Unknown

Direction Distance

Elevation Site Database(s) **EPA ID Number**

METRO GARAGE (Continued) 1000979900

Used oil transfer facility: Unknown Used oil transporter: Unknown

Commercial status unknown Off-site waste receiver:

Universal Waste Summary:

DEVICES CONTAINING ELEMENTAL MERCURY Waste type:

Accumulated waste on-site: Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: No Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: Generated waste on-site: No

Waste type: **Pesticides** Accumulated waste on-site: No Generated waste on-site: No

Thermostats Waste type:

Accumulated waste on-site: Nο Generated waste on-site: No

Historical Generators:

Date form received by agency: 01/20/1995 Facility name: METRO GARAGE Classification: Not a generator, verified

Date form received by agency: 12/15/1994 Facility name: METRO GARAGE Classification: Not a generator, verified

Violation Status: No violations found

R66 **TROLLEY PLAZA GARAGE** RCRA-CESQG 1010320088 MIK452543895

WNW 1426 TIMES SQ 1/8-1/4 DETROIT, MI 48226

0.197 mi.

1038 ft. Site 1 of 3 in cluster R

RCRA-CESQG: Relative:

Equal Date form received by agency: 01/19/2007

> Facility name: TROLLEY PLAZA GARAGE

Actual: Facility address: 1426 TIMES SQ 599 ft. DETROIT, MI 48226

MIK452543895 MICHAEL AUBREY

EPA ID: Contact: Contact address: 1426 TIMES SQ **EDR ID Number**

Direction Distance Elevation

ation Site Database(s) EPA ID Number

TROLLEY PLAZA GARAGE (Continued)

1010320088

EDR ID Number

DETROIT, MI 48226
Contact country: Not reported
Contact telephone: (313) 477-2013
Contact email: Not reported

EPA Region: 05

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

hazardous waste

Owner/Operator Summary:

Owner/operator name: TROLLEY PLAZA GARAGE LLC

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator

Owner/Operator Type: Operator
Owner/Op start date: 09/27/1997
Owner/Op end date: Not reported

Owner/operator name: TROLLEY PLAZA GARAGE LLC Owner/operator address: Not reported

Owner/operator country:
Owner/operator telephone:
Legal status:
Owner/Operator Type:
Owner
Owner/Operator detay:
Owner

Owner/Op start date: 09/27/1997 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

TROLLEY PLAZA GARAGE (Continued)

1010320088

Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

DEVICES CONTAINING ELEMENTAL MERCURY Waste type:

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: No Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Pesticides** Accumulated waste on-site: No Generated waste on-site: No

Thermostats Waste type:

Accumulated waste on-site: No Generated waste on-site: No

Violation Status: No violations found

67 **NATIONAL GARAGES INC**

ENE 132 MONROE AVE 1/8-1/4 **DETROIT, MI**

0.197 mi. 1038 ft.

EDR Historical Auto Stations: Relative:

NATIONAL GARAGES INC Higher Name:

Year: 1964

Actual: **AUTOMOBILE GARAGES** Type: 600 ft.

Name: NATIONAL GARAGES INC

> Year: 1970

> **AUTOMOBILE GARAGES** Type:

1009486528

N/A

EDR Historical Auto Stations

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

N68 VALIAN CHAS EDR Historical Cleaners 1009476526 N/A

WSW 1300 CASS AVE 1/8-1/4 **DETROIT, MI**

0.203 mi.

1071 ft. Site 4 of 4 in cluster N

EDR Historical Cleaners: Relative:

Lower Name: VALIAN CHAS Year: 1940

Actual: Type: HAT CLEANERS AND BLOCKERS

598 ft.

EDR Historical Cleaners 1009476565

DC LUXE HAT CLEANERS 69

wsw 1306 CASS AVE 1/8-1/4 **DETROIT, MI**

0.204 mi. 1076 ft.

EDR Historical Cleaners: Relative:

Name: DC LUXE HAT CLEANERS Lower

> Year: 1956

Actual: Type: HAT CLEANERS AND BLOCKERS

598 ft.

Q70 **HAMLIN A T EDR Historical Auto Stations** 1009493055

530 STATE West N/A

1/8-1/4 **DETROIT, MI**

0.204 mi.

1078 ft. Site 3 of 3 in cluster Q

EDR Historical Auto Stations: Relative:

HAMLIN A T Name: Lower

Year: 1921

Actual: **AUTOMOBILE GARAGES** Type: 598 ft.

R71 **GUNDUNAS THEO EDR Historical Cleaners** 1009480668 N/A

WNW **424 W GRAND RIVER AVE**

DETROIT, MI 1/8-1/4

0.206 mi.

1090 ft. Site 2 of 3 in cluster R **EDR Historical Cleaners:**

Relative:

Equal Name: **GUNDUNAS THEO** Year:

Actual:

CLOTHES PRESSERS AND CLEANERS Type: 599 ft.

1009480664 **R72 EDR Historical Cleaners SOLAKIAN GEO**

WNW **424 GRAND RIVER AVE**

1/8-1/4 **DETROIT, MI**

0.206 mi.

1090 ft. Site 3 of 3 in cluster R

Relative: **GUNDUNAS THEO** Name: Equal

Year:

EDR Historical Cleaners:

Actual: Type: **CLOTHES PRESSERS AND CLEANERS**

599 ft.

N/A

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

SOLAKIAN GEO (Continued) 1009480664

Name: SOLAKIAN GEO

Year: 1940

Type: CLOTHES PRESSERS AND CLEANERS

73 DALESSANDRO CONTRACTING GROUP RCRA-NonGen 1008880807 ESE 7700 2ND AVENUE MIK113832851

ESE 7700 2ND AVENUE 1/8-1/4 DETROIT, MI 48202

0.206 mi. 1090 ft.

Relative: RCRA-NonGen:

Higher Date form received by agency: 11/01/2006

Facility name: DALESSANDRO CONTRACTING GROUP

Actual: Facility address: 7700 2ND AVENUE 602 ft. DETROIT MI 48202

DETROIT, MI 48202 EPA ID: MIK113832851

Contact: PAUL MCCLURE
Contact address: 7700 2ND AVENUE
DETROIT, MI 48202

Contact country: Not reported
Contact telephone: (313) 420-1170
Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: ANGELO DALESSANDRO

Owner/operator address: Not reported Not reported

Owner/operator country: Not reported Not reported Not reported Private Owner/Operator Type: Operator Owner/Op start date: 06/01/2004 Owner/Op end date: Not reported

Owner/operator name: ANGELO DALESSANDRO

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 06/01/2004
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No **EDR ID Number**

Direction Distance

Elevation Site Database(s) EPA ID Number

DALESSANDRO CONTRACTING GROUP (Continued)

1008880807

EDR ID Number

Used oil processor:

User oil refiner:

Used oil fuel marketer to burner:

Used oil Specification marketer:

Used oil transfer facility:

No

Used oil transporter:

No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 11/07/2005

Facility name: DALESSANDRO CONTRACTING GROUP

Classification: Not a generator, verified

Violation Status: No violations found

74 YALE CLEANERS AND TAILORS EDR Historical Cleaners 1009476690
West 1330 CASS AVE N/A

West 1330 CASS AVE 1/8-1/4 DETROIT, MI

0.210 mi. 1109 ft.

Relative: EDR Historical Cleaners:

Lower Name: YALE CLEANERS AND TAILORS

Year: 1956

Actual: Type: CLEANERS AND DYERS 598 ft.

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

S75 JP MORGAN CHASE BANK NA **RCRA-NonGen** 1008880994 SE **611 WOODWARD AVENUE** MIK532652377

1/8-1/4 DETROIT, MI 48226

0.215 mi.

Actual:

596 ft.

1137 ft. Site 1 of 2 in cluster S

RCRA-NonGen: Relative:

Date form received by agency: 10/12/2005 Lower

Facility name: JP MORGAN CHASE BANK NA Facility address: 611 WOODWARD AVENUE

DETROIT, MI 48226

EPA ID: MIK532652377 Mailing address: 611 WOODWARD AVE

DETROIT, MI 48226

Contact: WILLIAM KIFER

Contact address: 611 WOODWARD AVENUE

DETROIT, MI 48226

Contact country: Not reported Contact telephone: (313) 225-3031 Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator country:

JP MORGAN CHASE BANK, NA Owner/operator name:

Owner/operator address: Not reported Not reported

Not reported

Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 12/23/1958 Owner/Op end date: Not reported

Owner/operator name: JP MORGAN CHASE BANK, NA

Owner/operator address: Not reported Not reported Owner/operator country: Not reported Owner/operator telephone: Not reported

Private Legal status: Operator Owner/Operator Type: Owner/Op start date: 12/23/1958 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

JP MORGAN CHASE BANK NA (Continued)

1008880994

Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: Generated waste on-site: No

MERCURY SWITCHES Waste type:

Accumulated waste on-site: Nο Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: No Generated waste on-site: Nο

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Waste type: Pesticides Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Thermostats**

Accumulated waste on-site: No Generated waste on-site: No

Violation Status: No violations found

T76 FORMER STATLER HILTON HOTEL SITE CERCLIS 1006812555 NNW 1539-1565 WASHINGTON AVENUE FINDS MIN000508759

DETROIT, MI 48226 1/8-1/4

0.217 mi.

1144 ft. Site 1 of 3 in cluster T

CERCLIS: Relative:

Site ID: 0508759 Equal

Federal Facility: Not a Federal Facility Actual: NPL Status: Not on the NPL

599 ft. Non NPL Status: Removal Only Site (No Site Assessment Work Needed)

CERCLIS Site Contact Name(s):

Contact Name: JEFFREY KIMBLE Contact Tel: (734) 692-7688

Contact Title: On-Scene Coordinator (OSC)

Site Description: The site is the home of the former Statler Hilton Hotel in Detroit, MI. The

building is essentially empty, with the exception of 10 PCB transformer carcases which have been stripped which allowed the PCB-contaminated oil to spill in the building. PCB contamination on the floor in the basement area continues to migrate into water which surcharge in the sub-basement. Spilled

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

FORMER STATLER HILTON HOTEL SITE (Continued)

1006812555

PCB oil was also noted on the 4th floor of the building next to an overturned transformer.

CERCLIS Assessment History:

Action: ISSUE REQUEST LETTERS (104E)

Date Started: Not reported Date Completed: 05/08/2003 Priority Level: Not reported

Action: REMOVAL Date Started: 09/21/2003 Date Completed: 12/15/2003 Priority Level: Cleaned up

FINDS:

Other Pertinent Environmental Activity Identified at Site

CERCLIS (Comprehensive Environmental Response, Compensation, and Liability Information System) is the Superfund database that is used to support management in all phases of the Superfund program. The system contains information on all aspects of hazardous waste sites, including an inventory of sites, planned and actual site activities, and financial information.

77 KLEANQUICK LAUNDRY BR **EDR Historical Cleaners** 1009480811 WNW **443 GRAND RIVER AVE** N/A

1/8-1/4 **DETROIT, MI**

0.217 mi. 1147 ft.

EDR Historical Cleaners: Relative:

KLEANQUICK LAUNDRY BR Name: Equal

Year: 1921

Actual: Type: **LAUNDRIES** 599 ft.

78 YEE LEE **EDR Historical Cleaners** 1009480732 **WSW 432 HOWARD** N/A

1/8-1/4 **DETROIT, MI**

0.219 mi. 1154 ft.

EDR Historical Cleaners: Relative:

Higher Name: YEE LEE Year: 1931

Actual: LAUNDRIES-CHINESE Type:

601 ft.

Name: YEE LEE Year: 1935

Type: LAUNDRIES-CHINESE

Name: YEE LEE Year: 1940

LAUNDRIES-CHINESE Type:

Direction Distance

Elevation Site Database(s) EPA ID Number

79 SACHS WALDMAN PROFESSIONAL CORP RCRA-CESQG 1011489405
East 1000 FARMER ST MIK671471860

East 1000 FARMER ST 1/8-1/4 DETROIT, MI 48226

0.219 mi. 1156 ft.

Relative: RCRA-CESQG:

Higher Date form received by agency: 06/12/2008

Facility address:

Facility name: SACHS WALDMAN PROFESSIONAL CORP

Actual: 601 ft.

1000 FARMER ST DETROIT, MI 48226

EPA ID: MIK671471860
Contact: VICKI RONDEAU
Contact address: 1000 FARMER ST

DETROIT, MI 48226

Contact country: Not reported
Contact telephone: (313) 965-3464
Contact email: Not reported

EPA Region: 05

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from

the cleanup of a spill, into or on any land or water, of acutely

hazardous waste

Owner/Operator Summary:

Owner/operator name: SACHS WALDMAN PROFESSIONAL CORP

Owner/operator address: Not reported Not reported Owner/operator country: Not reported

Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 06/12/2008 Owner/Op end date: Not reported

Owner/operator name: SACHS WALDMAN PROFESSIONAL CORP

Owner/operator address: Not reported Not reported

Owner/operator country:

Owner/operator telephone:
Legal status:

Not reported
Not reported
Private

Owner/Operator Type: Operator
Owner/Op start date: 06/12/2008
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SACHS WALDMAN PROFESSIONAL CORP (Continued)

1011489405

Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: Nο Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: **DEVICES CONTAINING ELEMENTAL MERCURY**

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Batteries Waste type: Accumulated waste on-site: No Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Waste type: Pesticides Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Thermostats**

Accumulated waste on-site: No Generated waste on-site: Nο

Violation Status: No violations found

S80 CUTLER MORRIS I EDR Historical Cleaners 1009477777 SE 17 W CONGRESS N/A

1/8-1/4 **DETROIT, MI**

0.220 mi.

1162 ft. Site 2 of 2 in cluster S

Relative: **CUTLER MORRIS I** Name: Lower

EDR Historical Cleaners:

Year:

Actual: Type: **CLOTHES PRESSERS AND CLEANERS**

595 ft.

Direction Distance

Distance EDR ID Number Elevation Site EDR ID Number Database(s) EPA ID Number

T81 STATLER HILTON HOTEL (FORMER) BROWNFIELDS S107135841
NNW 1539-1565 WASHINGTON BLVD N/A

1539-1565 WASHINGTON BLVD DETROIT, MI

1/8-1/4 D 0.221 mi.

1167 ft. Site 2 of 3 in cluster T

Relative: BROWNFIELD:

Equal Facility ID: Not reported

Region:

Actual: Status: In Progress 599 ft. Property Use: Not reported

BEA: No
Ernie Id Number: 82001619
Redevelop Status: Not reported
Before Redevelopment: Not reported
After Redevelopment: Not reported

T82 MI DEPT/ENVIRONMENTAL QUALITY RCRA-NonGen 1007099257
NNW 1539-1565 WASHINGTON BLVD RCRA-NonGen MIK643656721

1/8-1/4 DETROIT, MI 48226

0.221 mi.

1167 ft. Site 3 of 3 in cluster T

Relative: RCRA-NonGen:

Equal Date form received by agency: 12/31/2004

Facility name: MI DEPT/ENVIRONMENTAL QUALITY

Actual: Facility address: 1539-1565 WASHINGTON BLVD 599 ft. DETROIT, MI 48226

EPA ID: MIK643656721

Mailing address: 1425 KEYSTONE AVE LANSING, MI 48911

Contact: DALE CORSI

Contact address: 1539-1565 WASHINGTON BLVD

DETROIT, MI 48226

Contact country: Not reported
Contact telephone: (517) 393-6800
Contact email: Not reported
EPA Region: 05
Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/Operator Type:

Owner/operator name: MDEQ- ENVIRONMENTAL RESPONSE DIV

Owner/operator address: Not reported Not reported Owner/operator country: Not reported Owner/operator telephone: Not reported

Legal status: State
Owner/Operator Type: Operator
Owner/Op start date: 11/01/2001
Owner/Op end date: Not reported

Owner/operator name: MDEQ- ENVIRONMENTAL RESPONSE DIV

Owner/operator address: Not reported

Not reported

Owner

Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: State

TC2415587.2s Page 100

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MI DEPT/ENVIRONMENTAL QUALITY (Continued)

1007099257

Owner/Op start date: 11/01/2001 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Batteries Waste type: Accumulated waste on-site: No Generated waste on-site: No

Waste type: Lamps Accumulated waste on-site: Nο Generated waste on-site: No

Pesticides Waste type: Accumulated waste on-site: No Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 03/21/2003

Facility name: MI DEPT/ENVIRONMENTAL QUALITY

Classification: Not a generator, verified

Date form received by agency: 03/20/2003

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

MI DEPT/ENVIRONMENTAL QUALITY (Continued)

1007099257

Facility name: MI DEPT/ENVIRONMENTAL QUALITY

Classification: Not a generator, verified

Date form received by agency: 11/01/2001

Facility name: MI DEPT/ENVIRONMENTAL QUALITY

Classification: Not a generator, verified

No violations found Violation Status:

U83 **AMERITECH CORP FINDS** 1000237755 MIT270012958 West 1365 CASS AVE RCRA-NonGen

1/8-1/4 0.225 mi.

1189 ft. Site 1 of 2 in cluster U

DETROIT, MI 48226

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Lower

Actual: 598 ft.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and its Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

RCRA-NonGen:

Date form received by agency: 03/20/1981

Facility name: AMERITECH CORP Facility address: 1365 CASS AVE DETROIT, MI 48226 EPA ID: MIT270012958

Mailing address: 36 SOUTH FAIRVIEW 4TH FLOOR

Contact: KELLY VANKOVERING Contact address: 1365 CASS AVE

DETROIT, MI 48226

PARK RIDGE, IL 60068

Not reported Contact country: Contact telephone: (847) 248-6812 Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Direction Distance Elevation

tance EDR ID Number vation Site Database(s) EPA ID Number

AMERITECH CORP (Continued)

1000237755

Owner/Operator Summary:

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 12/22/2000
Owner/Op end date: Not reported

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE

Owner/operator address:

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Not reported

Not reported

Private

Owner

Owner

Owner/Operator Type: Owner
Owner/Op start date: 12/22/2000
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

AMERITECH CORP (Continued)

1000237755

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Waste type: Pesticides Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Thermostats**

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 01/01/1980

Facility name: AMERITECH CORP Classification: Not a generator, verified

Violation Status: No violations found

AT&T LONG LINES U84 FINDS 1000392779 West 1365 CASS RCRA-NonGen MIT270012743

1/8-1/4 DETROIT, MI 48226

0.225 mi.

1189 ft. Site 2 of 2 in cluster U

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Lower

Actual: RCRAInfo is a national information system that supports the Resource 598 ft.

Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 03/03/1981

Facility name: AT&T LONG LINES

Facility address: 1365 CASS

DETROIT, MI 48226

EPA ID: MIT270012743

Mailing address: 1 S WACKER

> CHICAGO, IL 60606 JOHN DREW

Contact: Contact address: 1365 CASS

DETROIT, MI 48226

Contact country: Not reported Contact telephone: (312) 592-5592 Contact email: Not reported

EPA Region:

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: AT&T CORP Owner/operator address: Not reported

Distance Elevation

on Site Database(s) EPA ID Number

AT&T LONG LINES (Continued)

Owner/operator name:

1000392779

EDR ID Number

Owner/operator country:
Owner/operator telephone:
Legal status:
Owner/Operator Type:
Owner/Operator Type:
Owner/Op start date:
Owner/Op end date:

Not reported
Not reported
Not reported
Not reported
Not reported

Owner/operator address:

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Owner/Op start date:

Not reported

Not reported

Private

Operator

Operator

01/01/1970

AT&T CORP

Not reported

Handler Activities Summary:

Owner/Op end date:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: DEVICES CONTAINING ELEMENTAL MERCURY

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

AT&T LONG LINES (Continued) 1000392779

Waste type: Pesticides Accumulated waste on-site: No Generated waste on-site: No

Waste type: Thermostats

Accumulated waste on-site: No Generated waste on-site: No

Violation Status: No violations found

85 **MERCHANTS FUR CLEANING CO EDR Historical Cleaners** 1009478521 N/A

206 E GRAND RIVER AVE NNE

1/8-1/4 **DETROIT, MI**

0.229 mi. 1209 ft.

EDR Historical Cleaners: Relative:

Name: MERCHANTS FUR CLEANING CO Equal

Year: 1940

Actual: **CLEANERS-GARMENTS CURTAINS AND DRAPERIES** Type: 599 ft.

V86 FORT WASHINGTON GARAGE LUST U000268734 **645 WASHINGTON BLVD** South **UST** N/A

DETROIT, MI 48226 1/8-1/4

0.232 mi.

1224 ft. Site 1 of 2 in cluster V

Relative: Higher

LUST:

Facility ID: 00019367 Source:

STATE OF MICHIGAN Actual: Owner Name: Downtown Prop Inc 602 ft. Owner Address: 333 W FORT ST DETROIT, MI 48226 Owner City, St, Zip:

Owner Contact: Not reported Owner Phone: (313) 961-3615

Country: USA

SE Michigan District Office District: Site Name: Fort-washington Garage

Latitude: 42.3291180000 Longitude: -83.0498120000 Date of Collection: 01-11-2001

Method of Collection: Address Matching-House Number

POINT

Accuracy: 100 Accuracy Value Unit: **FEET** Horizontal Data: NAD83

Point Line Area:

Desc Category: Plant Entrance (Freight)

Leak Number: C-2701-91 Release Date: Dec 22 1991 Substance Released: Unknown Release Status: Open Release Closed Date: Not reported

UST:

00019367 Facility ID: Facility Type: CLOSED Latitude: 42.3291180000

Direction Distance

Elevation Site Database(s) EPA ID Number

FORT WASHINGTON GARAGE (Continued)

U000268734

EDR ID Number

Longitude: -83.0498120000
Owner Name: Downtown Prop Inc
Owner Address: 333 W FORT ST
Owner City,St,Zip: DETROIT, MI 48226

Owner Country: USA
Owner Contact: Not reported
Owner Phone: (313) 961-3615
Contact: JOHN W. CARTER
Contact Phone: (313) 962-0800
Date of Collection: 01-11-2001

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID: 1H/L

Tank Status: Removed from Ground

8000 Capacity: Install Date: Apr 10 1972 Product: Gasoline Remove Date: Sep 7 1994 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported Constr Material: Unknown Impressed Device: No

Tank ID: 2S/M

Tank Status: Removed from Ground

Capacity: 8000 Install Date: Apr 10 1972 Product: Gasoline Remove Date: Sep 7 1994 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported Constr Material: Unknown Impressed Device: Nο

 V87
 DMR PROPERTIES INC
 FINDS
 1000828103

 South
 645 WASHINGTON BLVD
 RCRA-NonGen
 MID985651595

 1/8-1/4
 DETROIT, MI 48226

1/8-1/4 0.232 mi.

1224 ft. Site 2 of 2 in cluster V

Relative: FINDS:

Higher Other Pertinent Environmental Activity Identified at Site

Actual: RCRAInfo is a national information system that supports the Resource 602 ft. Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

Direction Distance Elevation

Site Database(s) **EPA ID Number**

DMR PROPERTIES INC (Continued)

1000828103

EDR ID Number

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 04/26/1999

DMR PROPERTIES INC Facility name: 645 WASHINGTON BLVD Facility address:

DETROIT, MI 48226 EPA ID: MID985651595 Mailing address: 333 W FORT ST DETROIT, MI 48226

Contact: **GREGORY MAILLOUX** Contact address: 645 WASHINGTON BLVD DETROIT, MI 48226

Not reported Contact country: Contact telephone: (313) 962-8330 Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator address:

333 W FORT ST ASSOC LTD Owner/operator name: Not reported

Not reported Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Operator Owner/Op start date: 01/01/1970 Owner/Op end date: Not reported

333 W FORT ST ASSOC LTD Owner/operator name:

Not reported Owner/operator address:

Not reported

Owner/operator country: Not reported Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 01/01/1970 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No No Used oil fuel burner: Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DMR PROPERTIES INC (Continued)

Used oil Specification marketer: No Used oil transfer facility: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Used oil transporter:

Waste type: **DEVICES CONTAINING ELEMENTAL MERCURY**

No

Accumulated waste on-site: No Generated waste on-site: No

Waste type: MERCURY THERMOMETERS

Accumulated waste on-site: Generated waste on-site: No

Waste type: MERCURY SWITCHES

Accumulated waste on-site: No Generated waste on-site: No

Waste type: **Batteries** Accumulated waste on-site: No Generated waste on-site: Nο

Waste type: Lamps Accumulated waste on-site: No Generated waste on-site: No

Pesticides Waste type: Accumulated waste on-site: No Generated waste on-site: No

Thermostats Waste type:

Accumulated waste on-site: No Generated waste on-site: No

Historical Generators:

Date form received by agency: 09/17/1992

Facility name: **DMR PROPERTIES INC** Classification: Not a generator, verified

Violation Status: No violations found

W88 **FIRST NATL HAT CLEANERS** EDR Historical Cleaners 1009479331 **27 E CONGRESS** SF N/A

1/8-1/4 **DETROIT, MI**

0.232 mi.

1226 ft. Site 1 of 3 in cluster W

Relative: Name: FIRST NATL HAT CLEANERS Lower

Year: 1931

EDR Historical Cleaners:

Actual: Type: HAT CLEANERS AND BLOCKERS

597 ft.

1000828103

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

X89 **DUNN GARAGE EDR Historical Auto Stations** 1009489532

South 217 CONGRESS W 1/8-1/4 **DETROIT, MI**

0.234 mi.

1233 ft. Site 1 of 7 in cluster X

EDR Historical Auto Stations: Relative:

Lower Name: DUNN PAUL G CO INC

1921 Year:

Actual: Type: **AUTOMOBILE GARAGES**

596 ft.

Name: **DUNN GARAGE**

Year: 1921

AUTOMOBILE GARAGES Type:

X90 **BERG GARAGE CO EDR Historical Auto Stations** 1009489614

South 221 W CONGRESS 1/8-1/4 **DETROIT, MI**

0.235 mi.

Site 2 of 7 in cluster X 1239 ft.

EDR Historical Auto Stations: Relative:

Name: **BERG GARAGE CO** Lower

Year: 1926

Actual: Type: **AUTOMOBILE GARAGES**

596 ft.

W91 FIRST NATIONAL FILLING STATION **EDR Historical Auto Stations** 1009491876

SE **41 E CONGRESS DETROIT, MI** 1/8-1/4

0.236 mi.

1243 ft. Site 2 of 3 in cluster W

EDR Historical Auto Stations: Relative:

FIRST NATIONAL FILLING STATION Name: Lower

1931 Year:

Actual: GASOLINE AND OIL SERVICE STATIONS Type: 598 ft.

X92 S109094240 **PARKING LOT** BEA N/A

South 225 WEST CONGRESS AVENUE

1/8-1/4 DETROIT, MI 48226

0.236 mi.

Site 3 of 7 in cluster X 1244 ft.

BEA: Relative:

Secondary Address: Not reported Lower

BEA Number: 3874

Actual: District: Southeast MI 596 ft.

Date Received: 4/15/2008 12:59:00 AM Submitter Name: 225 West Congress, LLC

Petition Determination: No Request

Petition Disclosure: 0

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer:

Division Assigned: **Environmental Response Division** N/A

N/A

N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

X93 **BERG GARAGE CO EDR Historical Auto Stations** 1009489761 N/A

South 227 W CONGRESS 1/8-1/4 **DETROIT, MI**

0.236 mi.

Site 4 of 7 in cluster X 1247 ft.

EDR Historical Auto Stations: Relative:

BERG GARAGE CO Lower Name:

Year: 1926

Actual: Type: **AUTOMOBILE GARAGES**

596 ft.

Y94 **CHUNG WILLIE EDR Historical Cleaners**

ENE 1035 RANDOLPH 1/8-1/4 **DETROIT, MI**

0.237 mi.

1252 ft. Site 1 of 2 in cluster Y

EDR Historical Cleaners: Relative:

Name: **CHUNG WILLIE** Higher

Year: 1935

Actual: LAUNDRIES-CHINESE Type:

600 ft.

X95 STERLING GROUP - PARKING LOT PROPERTY BEA S104911087

225 W. CONGRESS AVENUE South

DETROIT, MI 1/8-1/4

0.237 mi.

1253 ft. Site 5 of 7 in cluster X

BEA: Relative:

Lower

Secondary Address: Not reported

BEA Number: 355

Actual: District: Southeast MI 596 ft. Date Received: 6/6/1997

> STERLING GROUP Submitter Name: Petition Determination: No Request

Petition Disclosure:

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: temppm

Division Assigned: Storage Tank Division

Y96 **CROSS LAUNDRY EDR Historical Cleaners** 1009475230

ENE 1010 RANDOLPH

1/8-1/4 **DETROIT, MI**

0.237 mi.

1253 ft. Site 2 of 2 in cluster Y

EDR Historical Cleaners: Relative:

LAKESON LAUNDRY CO Name: Equal

Year:

Actual: Type: LAUNDRIES-STEAM 599 ft.

Name: **CROSS LAUNDRY** Year: 1935

> Type: LAUNDRIES-STEAM

> > TC2415587.2s Page 111

N/A

1009475415

N/A

N/A

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

W97 FIRST NATIONAL FILLING STATION **EDR Historical Auto Stations** 1009492671 N/A

SE **49 E CONGRESS** 1/8-1/4 **DETROIT, MI**

0.238 mi.

1255 ft. Site 3 of 3 in cluster W

EDR Historical Auto Stations: Relative:

FIRST NATIONAL FILLING STATION Equal

> Year: 1931

Actual: Type: GASOLINE AND OIL SERVICE STATIONS

599 ft.

Z98 MICHIGAN BELL TELEPHONE COMPANY FINDS 1000237523 wsw **444 MICHIGAN AVE** RCRA-CESQG MID006958524

1/8-1/4 DETROIT, MI 48226

0.238 mi.

1259 ft. Site 1 of 2 in cluster Z

FINDS: Relative:

Other Pertinent Environmental Activity Identified at Site Lower

Actual: RCRAInfo is a national information system that supports the Resource 598 ft.

Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

RCRA-CESQG:

Date form received by agency: 02/18/2000

MICHIGAN BELL TELEPHONE COMPANY Facility name:

Site name: AMERITECH CORP Facility address: 444 MICHIGAN AVENUE

DETROIT, MI 48226

EPA ID: MID006958524

2000 W. AMERITECH CENTER DRV., Mailing address:

ROOM 3660

HOFFMAN ESTATES, IL 60196

Contact: **JEFF** A HAAS

Contact address: Not reported

Not reported

Not reported Contact country: Contact telephone: (414) 678-4569 Not reported Contact email:

EPA Region: 05 Land type: Private

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any

time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from

Direction Distance

Elevation Site Database(s) EPA ID Number

MICHIGAN BELL TELEPHONE COMPANY (Continued)

1000237523

EDR ID Number

the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: Unknown Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: Unknown On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: Unknown Used oil processor: Unknown User oil refiner: Unknown Used oil fuel marketer to burner: Unknown Used oil Specification marketer: Unknown Used oil transfer facility: Unknown Used oil transporter: Unknown

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/23/1998

Facility name: MICHIGAN BELL TELEPHONE COMPANY
Site name: AMERITECH, DETROIT H.Q. BUILDING

Classification: Large Quantity Generator

Date form received by agency: 02/08/1996

Facility name: MICHIGAN BELL TELEPHONE COMPANY

Site name: DETROIT H.Q. BUILDING
Classification: Large Quantity Generator

Date form received by agency: 03/01/1994

Facility name: MICHIGAN BELL TELEPHONE COMPANY

Site name: DETROIT H.Q. BUILDING
Classification: Large Quantity Generator

Date form received by agency: 02/20/1992

Facility name: MICHIGAN BELL TELEPHONE COMPANY

Site name: DET HQ BLDG

Classification: Large Quantity Generator

Date form received by agency: 02/05/1990

Facility name: MICHIGAN BELL TELEPHONE COMPANY

Site name: DET HQ BLDG

Classification: Large Quantity Generator

Date form received by agency: 04/29/1981

Facility name: MICHIGAN BELL TELEPHONE COMPANY
Classification: Conditionally Exempt Small Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported

Area of violation: Generators - General

Date violation determined: 08/29/1991
Date achieved compliance: 10/18/1991

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MICHIGAN BELL TELEPHONE COMPANY (Continued)

1000237523

Violation lead agency: State

WRITTEN INFORMAL Enforcement action:

Enforcement action date: 09/09/1991 Enf. disposition status: Not reported Enf. disp. status date: Not reported Enforcement lead agency: State Proposed penalty amount: Not reported Final penalty amount: Not reported Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 08/29/1991

COMPLIANCE EVALUATION INSPECTION ON-SITE Evaluation:

Area of violation: Generators - General

Date achieved compliance: 10/18/1991

Evaluation lead agency: State Contractor/Grantee

00011695

Z99 AMERITECH UST U003322283 wsw **444 MICHIGAN AVE** N/A

1/8-1/4 DETROIT, MI 48226 0.240 mi.

1266 ft. Site 2 of 2 in cluster Z

UST: Relative:

Facility ID: Lower Facility Type: **ACTIVE** Actual: Latitude: 42.3318380000 598 ft. Longitude: -83.0536030000 Owner Name:

AT&T Michigan 308 S Akard Ste 1700 Owner Address: Owner City, St, Zip: Dallas, TX 75202-5399

Owner Country: USA

Owner Contact: **Derrick Taylor** Owner Phone: (887) 648-2073

Contact: Envrionmental Management (Cheryl Allen)

(866) 492-6836 Contact Phone: Date of Collection: 01-11-2001 Accuracy: 100 Accuracy Value Unit: **FEET** Horizontal Datum: NAD83

STATE OF MICHIGAN Source:

Point Line Area: **POINT**

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID:

Tank Status: **Currently In Use**

Capacity: 34400 Install Date: May 9 1971 Product: Diesel Remove Date: Not reported Tank Release Detection: Not reported Pipe Realease Detection: Not reported

Piping Material: Cathodically Protected Suction: No Valve At Tank Piping Type: Constr Material: Cathodically Protected Steel

Impressed Device: No

Direction Distance

Elevation Site Database(s) EPA ID Number

AMERITECH (Continued)

U003322283

EDR ID Number

Tank ID: 2

Tank Status:

Capacity:

Capacity:

Install Date:

Product:

Remove Date:

Tank Release Detection:

Not reported

Pipe Realease Detection:

Not reported

Piping Material: Cathodically Protected
Piping Type: Suction: No Valve At Tank

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

Tank ID:

Tank Status: Currently In Use

Capacity: 25000
Install Date: May 9 1971
Product: Diesel
Remove Date: Not reported
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported

Piping Material: Cathodically Protected
Piping Type: Suction: No Valve At Tank
Constr Material: Cathodically Protected Steel

Impressed Device: No

Tank ID:

Tank Status: Closed in Ground

Capacity: 25000
Install Date: May 9 1971
Product: Diesel
Remove Date: Jul 3 1991
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported

Piping Material: Cathodically Protected Piping Type: Suction: Valve at Tank

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

Tank ID: 5

Tank Status: Closed in Ground

Capacity: 25000
Install Date: May 9 1971
Product: Diesel
Remove Date: Jul 3 1991
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported

Piping Material: Cathodically Protected Piping Type: Suction: Valve at Tank

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

Tank ID: 6

Direction Distance

Elevation Site Database(s) EPA ID Number

AMERITECH (Continued) U003322283

Tank Status: Closed in Ground

Capacity: 25000
Install Date: May 9 1971
Product: Diesel
Remove Date: Jul 3 1991
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported

Piping Material: Cathodically Protected Piping Type: Suction: Valve at Tank

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

Tank ID: 7

Tank Status: Closed in Ground

Capacity: 9200
Install Date: May 9 1971
Product: FUEL OIL
Remove Date: Aug 29 1990
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported

Piping Material: Cathodically Protected

Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

Tank ID: 8

Tank Status: Closed in Ground Capacity: 19300

Install Date: May 9 1971
Product: FUEL OIL
Remove Date: Aug 29 1990
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported

Piping Material: Cathodically Protected

Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

Tank ID:

Tank Status: Closed in Ground

Capacity: 19300
Install Date: May 9 1971
Product: FUEL OIL
Remove Date: Aug 29 1990
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported

Piping Material: Cathodically Protected

Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

Tank ID: 10

Tank Status: Closed in Ground

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

AMERITECH (Continued)

U003322283

EDR ID Number

Capacity: 34400
Install Date: May 9 1971
Product: FUEL
Remove Date: Aug 29 1990
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported

Piping Material: Cathodically Protected

Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

Tank ID: 11

Tank Status: Closed in Ground

Capacity: 34400
Install Date: May 9 1971
Product: FUEL
Remove Date: Oct 1 1990
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported

Piping Material: Cathodically Protected

Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

Tank ID: 12

Tank Status:
Capacity:
34400
Install Date:
Product:
Product:
Cameve Date:
Remove Date:
Diesel
Not reported
Tank Release Detection:
Not reported
Pipe Realease Detection: Not reported

Piping Material: Cathodically Protected

Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

Tank ID: 13

Tank Status:
Capacity:
Capacity:
Install Date:
Product:
Remove Date:
Currently In Use
29400
May 9 1971
Diesel
Not reported

Product: Diesel
Remove Date: Not reported
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Ricing Material: Cathodically R

Piping Material: Cathodically Protected

Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

Tank ID: 14

Tank Status: Currently In Use

Capacity: 29400

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

AMERITECH (Continued) U003322283

Install Date: May 9 1971 Product: Diesel Remove Date: Not reported Tank Release Detection: Not reported Pipe Realease Detection: Not reported

Cathodically Protected Piping Material:

Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

Tank ID: 15

Closed in Ground Tank Status:

Capacity: 24700 Install Date: May 9 1971 Product: **FUEL OIL** Aug 29 1990 Remove Date: Tank Release Detection: Not reported Pipe Realease Detection: Not reported

Piping Material: Cathodically Protected

Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

X100 **DOWN TOWN GARAGE EDR Historical Auto Stations** 1009490027

South 244 CONGRESS W

1/8-1/4 **DETROIT, MI**

0.241 mi.

1274 ft. Site 6 of 7 in cluster X

EDR Historical Auto Stations: Relative:

Name: **DOWN TOWN GARAGE** Lower

Year: 1921

Actual: AUTOMOBILE GARAGES Type:

596 ft.

WAYNE-CONGRESS GARAGE 1009490028 X101 **EDR Historical Auto Stations**

244 W CONGRESS South 1/8-1/4 **DETROIT, MI**

0.241 mi.

1274 ft. Site 7 of 7 in cluster X

EDR Historical Auto Stations: Relative:

Name: WAYNE-CONGRESS GARAGE Lower

Year: 1931

Actual: Type: **AUTOMOBILE GARAGES** 596 ft.

Name:

WAYNE CONGRESS GARAGE

Year: 1935

Type: **AUTOMOBILE GARAGES**

Name: WAYNE-CONGRESS GARAGE

Year: 1940

AUTOMOBILE GARAGES Type:

N/A

N/A

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

102 SEUNG YEE EDR Historical Cleaners 1009480983 WSW 464 HOWARD RDR HISTORICAL CLEANERS N/A

WSW 464 HOWARD 1/8-1/4 DETROIT, MI

0.243 mi. 1285 ft.

Relative: EDR Historical Cleaners:

Higher Name: SEUNG YEE Year: SEUNG YEE

Actual: Type: LAUNDRIES 601 ft.

103 MCDEARMAN STERLING B EDR Historical Auto Stations 1009491848 SSW 405 W FORT N/A

SSW 405 W FORT 1/8-1/4 DETROIT, MI

0.243 mi. 1286 ft.

Relative: EDR Historical Auto Stations:

Higher Name: MCDEARMAN STERLING B

Year: 1940

Actual: Type: GASOLINE AND OIL SERVICE STATIONS

608 ft.

 AA104
 DOWNTOWN GARAGE INC
 LUST
 U003320361

 South
 328 W CONGRESS ST
 UST
 N/A

South 328 W CONGRESS ST 1/4-1/2 DETROIT, MI 48226

0.268 mi.

1414 ft. Site 1 of 2 in cluster AA

Relative: LUST:

Lower Facility ID: 00004607

Source: STATE OF MICHIGAN

Actual: Owner Name: Downtown Prop Inc

597 ft. Owner Address: 333 W FORT ST

Owner City,St,Zip: DETROIT, MI 48226 Owner Contact: Not reported Owner Phone: (313) 961-3615

Country: USA

District: SE Michigan District Office
Site Name: Quality Parking & Storage

Latitude: 42.3287390000 Longitude: -83.0497110000 Date of Collection: 01-11-2001

Method of Collection: Address Matching-House Number

POINT

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83

Point Line Area:

Desc Category: Plant Entrance (Freight)

Leak Number: C-1056-98
Release Date: Nov 11 1998
Substance Released: Unknown,Unknown

Release Status: Open
Release Closed Date: Not reported

UST:

 Facility ID:
 00004607

 Facility Type:
 CLOSED

 Latitude:
 42.3287390000

Direction Distance

Elevation Site Database(s) EPA ID Number

DOWNTOWN GARAGE INC (Continued)

U003320361

EDR ID Number

Longitude: -83.0497110000
Owner Name: Downtown Prop Inc
Owner Address: 333 W FORT ST
Owner City, St, Zip: DETROIT, MI 48226

Owner Country: USA Owner Contact: Not reported Owner Phone: (313) 961-3615 MR FRANK NAZAR Contact: Contact Phone: (313) 961-3615 Date of Collection: 01-11-2001 100 Accuracy: Accuracy Value Unit: **FEET**

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

NAD83

Tank ID:

Horizontal Datum:

Tank Status: Closed in Ground

Capacity: 8000 Install Date: Apr 10 1961 Product: Gasoline Remove Date: Oct 29 1998 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported Constr Material: Unknown Impressed Device: No

Tank ID: 2

Tank Status: Closed in Ground

Capacity: 2000 Install Date: Apr 10 1961 Product: Gasoline Remove Date: Oct 29 1998 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported Constr Material: Unknown Impressed Device: No

Tank ID:

Tank Status: Closed in Ground

Capacity: 2000 Install Date: Apr 10 1961 Product: Diesel Remove Date: Oct 29 1998 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported Constr Material: Unknown

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DOWNTOWN GARAGE INC (Continued)

Impressed Device: No

S104912649 **AA105** FORMER DOWNTOWN GARAGE BEA

328 W. CONGRESS ST South N/A

1/4-1/2 **DETROIT, MI**

0.268 mi.

1414 ft. Site 2 of 2 in cluster AA

BEA: Relative:

Secondary Address: Not reported Lower BEA Number: 1336

Actual: Southeast MI District:

597 ft. Date Received: 1/9/2001 12:59:00 AM Marmalade Enterprises LLC Submitter Name:

Petition Determination: No Request

Petition Disclosure:

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: cokt

Division Assigned: Storage Tank Division

421 BAGLEY PARKING VENTURE LLC S108669805 **AB106 BEA** N/A

WNW **421 BAGLEY STREET** 1/4-1/2 DETROIT, MI 48226

0.273 mi.

1442 ft. Site 1 of 2 in cluster AB

BFA: Relative:

Secondary Address: Equal

Not reported BEA Number: 3655 Actual: District: Southeast MI

599 ft. 9/4/2007 12:59:00 AM Date Received:

421 Bagley Parking Venture LLC Submitter Name:

Petition Determination: No Request

Petition Disclosure:

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: thorntop

Division Assigned: **Environmental Response Division**

AB107 HDC PARTNERS LLC S108669881 BEA N/A

WNW **421 BAGLEY STREET** 1/4-1/2 DETROIT, MI 48226 0.273 mi.

1442 ft. Site 2 of 2 in cluster AB

BEA: Relative:

Secondary Address: Not reported Equal

BEA Number: 3654

Actual: District: Southeast MI 599 ft. Date Received: 9/4/2007 12:59:00 AM

Submitter Name: **HDC Partners LLC** Petition Determination: No Request

Petition Disclosure:

Category: No Hazardous Substance(s) U003320361

Direction Distance

Elevation Site Database(s) EPA ID Number

HDC PARTNERS LLC (Continued) S108669881

Determination 20107A: No Request Reviewer: thorntop

Division Assigned: Environmental Response Division

 108
 FORT & FIRST SERVICE INC
 LUST U003102141

 SSW
 460 W FORT ST
 UST N/A

 1/4-1/2
 DETROIT, MI 48226

0.280 mi. 1479 ft.

Relative: LUST: Higher Facility ID:

Source: STATE OF MICHIGAN

Actual: Owner Name: Fort & First Serv Inc

608 ft. Owner Address: 460 W Fort St

Owner Address: Polytic Michigan

Owner City, St, Zip: Detroit, MI 48226-3118

Owner Contact: Not reported
Owner Phone: (313) 961-7744

Country: USA

District: SE Michigan District Office
Site Name: Fort & First Service Inc
Latitude: 42.3291100000
Longitude: -83.0517480000

Longitude: -83.0517480 Date of Collection: 01-11-2001

Method of Collection: Address Matching-House Number

00002345

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83
Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-0001-96
Release Date: Jan 2 1996
Substance Released: Used Oil
Release Status: Open
Release Closed Date: Not reported

Leak Number: C-1300-94
Release Date: Oct 31 1994
Substance Released: Gasoline
Release Status: Open
Release Closed Date: Not reported

UST:

Facility ID: 00002345
Facility Type: ACTIVE
Latitude: 42.3291100000
Longitude: -83.0517480000
Owner Name: Fort & First Serv Inc
Owner Address: 460 W Fort St

Owner City, St, Zip: Detroit, MI 48226-3118

Owner Country: USA
Owner Contact: Not reported
Owner Phone: (313) 961-7744
Contact: JOHN E DECRISCIO
Contact Phone: (313) 961-7744
Date of Collection: 01-11-2001

Accuracy: 100

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

FORT & FIRST SERVICE INC (Continued)

U003102141

EDR ID Number

Accuracy Value Unit: FEET Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID:

Tank Status: Currently In Use

Capacity: 6000
Install Date: May 1 1975
Product: Gasoline
Remove Date: Not reported

Tank Release Detection: Automatic Tank Gauging, Inventory Control

Pipe Realease Detection: Automatic Line Leak Detectors, Line Tightness Testing

Piping Material: Fiberglass reinforced plastic

Piping Type: Pressure

Constr Material: Fiberglass Reinforced plastic

Impressed Device: No

Tank ID: 5

Tank Status: Removed from Ground

Capacity: 3000
Install Date: May 1 1971
Product: Not reported
Remove Date: Sep 30 1990
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Unknown
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID:

Tank Status: Removed from Ground

Capacity: 3000
Install Date: May 1 1971
Product: Not reported
Remove Date: Sep 30 1990
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Unknown
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID: 2

Tank Status: Currently In Use

Capacity: 10000
Install Date: May 1 1974
Product: Gasoline
Remove Date: Not reported

Tank Release Detection: Automatic Tank Gauging, Inventory Control

Pipe Realease Detection: Automatic Line Leak Detectors, Line Tightness Testing

Direction Distance

Elevation Site Database(s) EPA ID Number

FORT & FIRST SERVICE INC (Continued)

U003102141

EDR ID Number

Piping Material: Fiberglass reinforced plastic

Piping Type: Pressure

Constr Material: Fiberglass Reinforced plastic

Impressed Device: No

Tank ID:

Tank Status: Removed from Ground

Capacity: 500
Install Date: May 1 1971
Product: Used Oil
Remove Date: Aug 31 1995
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Unknown
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID: 6

Tank Status: Removed from Ground

Capacity: 3000
Install Date: May 1 1971
Product: Not reported
Remove Date: Sep 30 1990
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported

Piping Material: Unknown
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID:

Tank Status: Currently In Use

Capacity: 10000
Install Date: May 1 1974
Product: Gasoline
Remove Date: Not reported

Tank Release Detection: Automatic Tank Gauging, Inventory Control

Pipe Realease Detection: Automatic Line Leak Detectors, Line Tightness Testing

Piping Material: Fiberglass reinforced plastic

Piping Type: Pressure

Constr Material: Fiberglass Reinforced plastic

Impressed Device: No

 109
 HOWARD STREET GARAGE
 LUST U000268615

 WSW
 530 HOWARD ST
 UST N/A

1/4-1/2 0.291 mi. 1534 ft.

Relative: LUST:

Higher Facility ID: 00011100

DETROIT, MI 48226

Source: STATE OF MICHIGAN

Actual: Owner Name: General Serv Admin
602 ft. Owner Address: 477 MICHIGAN AVE

Direction Distance

Elevation Site Database(s) EPA ID Number

HOWARD STREET GARAGE (Continued)

U000268615

EDR ID Number

Owner City,St,Zip: DETROIT, MI 48226
Owner Contact: Not reported
Owner Phone: (313) 226-4910

Country: USA

District: SE Michigan District Office
Site Name: Federal Parking Facility
Latitude: 42.3304090000
Longitude: -83.0540430000
Date of Collection: 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83
Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-1704-90
Release Date: Sep 4 1990
Substance Released: Not reported
Release Status: Closed
Release Closed Date: Jun 25 1992

UST:

Facility ID: 00011100
Facility Type: CLOSED
Latitude: 42.3304090000
Longitude: -83.0540430000
Owner Name: General Serv Admin
Owner Address: 477 MICHIGAN AVE
Owner City,St,Zip: DETROIT, MI 48226

Owner Country: USA Owner Contact: Not reported Owner Phone: (313) 226-4910 Contact: MICHAEL ROSE Contact Phone: (313) 226-4910 Date of Collection: 01-11-2001 Accuracy: 100 Accuracy Value Unit: **FEET**

Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID:

Tank Status: Removed from Ground

Capacity: 10000
Install Date: May 5 1976
Product: Gasoline
Remove Date: Jan 1 1991
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Bare Steel
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HOWARD STREET GARAGE (Continued)

U000268615

N/A

Tank ID: 2 **Removed from Ground** Tank Status:

Capacity: 10000 Install Date: May 5 1976 Product: Gasoline Remove Date: Jan 1 1991 Tank Release Detection: Not reported Pipe Realease Detection: Not reported

Piping Material: Bare Steel Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

BAGLEY STREET PROPERTY 110 BEA S109171401

NW 151 WEST ADAMS 1/4-1/2 **DETROIT, MI**

0.331 mi. 1747 ft.

BEA: Relative:

Secondary Address: Not reported Equal

BEA Number: 3966

Actual: District: Southeast MI

599 ft. 8/11/2008 12:59:00 AM Date Received: Submitter Name: 136 Bagley, L.L.C. Petition Determination: No Request

Petition Disclosure:

Category: No Hazardous Substance(s)

Determination 20107A: No Request thorntop Reviewer: Division Assigned: RRD

DETROIT ATHLETIC CLUB LUST U000714826 111 **UST** N/A

NNE 241 MADISON ST 1/4-1/2 DETROIT, MI 48226

0.332 mi. 1751 ft.

LUST: Relative:

Higher Facility ID: 00035093

STATE OF MICHIGAN Source: Actual: Owner Name: Detroit Athletic Club 600 ft. Owner Address: 241 Madison St Owner City, St, Zip: Detroit, MI 48226-2126

> Owner Contact: Not reported Owner Phone: (313) 963-9200

Country: USA

District: SE Michigan District Office Site Name: Detroit Athletic Club 42.3373310000 Latitude: Longitude: -83.0475340000 Date of Collection: 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100 Accuracy Value Unit: **FEET** Horizontal Data: NAD83

Direction Distance

Elevation Site Database(s) EPA ID Number

DETROIT ATHLETIC CLUB (Continued)

U000714826

EDR ID Number

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-0978-85
Release Date: Jun 19 1989
Substance Released: Not reported
Release Status: Closed
Release Closed Date: Sep 21 1991

UST:

Facility ID: 00035093
Facility Type: ACTIVE
Latitude: 42.3373310000
Longitude: -83.0475340000
Owner Name: Detroit Athletic Club
Owner Address: 241 Madison St
Owner City, St, Zip: Detroit, MI 48226-2126

Owner Country: USA
Owner Contact: Not reported
Owner Phone: (313) 963-9200
Contact: MIKE BAGERIS
Contact Phone: (313) 963-9200
Date of Collection: 01-11-2001
Accuracy: 100

Accuracy Value Unit: FEET
Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID:

Tank Status: Currently In Use

Capacity: 10000
Install Date: Aug 4 1990
Product: Gasoline
Remove Date: Not reported

Tank Release Detection: Automatic Tank Gauging, Groundwater Monitoring

Pipe Realease Detection: Not reported

Piping Material: FIBERGLASS, Fiberglass reinforced plastic

Piping Type: Pressure

Constr Material: FIBERGLASS, Fiberglass Reinforced plastic

Impressed Device: No

 112
 JOSEPH PARKING LOT
 BEA
 \$105254705

 East
 419 E. FORT
 N/A

1/4-1/2 DETROIT, MI

0.336 mi. 1772 ft.

Relative: BEA:

Higher Secondary Address: Not reported BEA Number: 1621

Actual: District: Southeast MI

602 ft. Date Received: 2/19/2002 12:59:00 AM

Submitter Name: 2/19/2002 12:59:00 AM Greektown Casino LLC

Petition Determination: Affirmed Petition Disclosure: 1

Direction Distance

Elevation Site Database(s) EPA ID Number

JOSEPH PARKING LOT (Continued) \$105254705

Category: No Hazardous Substance(s)

Determination 20107A: Affirmed Reviewer: novake

Division Assigned: Environmental Response Division

113 FIRST STREET PARKING DECK BEA \$106096729 SSW 621 FIRST STREET N/A

SSW 621 FIRST STREET 1/4-1/2 DETROIT, MI

0.338 mi. 1786 ft.

Relative: BEA:

Lower Secondary Address: Not reported BEA Number: 3895

Actual: District: Southeast MI

593 ft. Date Received: 5/12/2008 12:59:00 AM Submitter Name: Charter County of Wayne

Petition Determination: No Request

Petition Disclosure: 0

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: thorntop

Division Assigned: Environmental Response Division

Secondary Address: Not reported
BEA Number: 2224
District: Southeast MI
Date Received: 12/9/2003 12:59

Date Received: 12/9/2003 12:59:00 AM Submitter Name: 500 Associates LLC

Petition Determination: Affirmed Petition Disclosure: 1

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: williakt

Division Assigned: Environmental Response Division

114 WALBRIDGE ALDINGER PARCEL 3 BEA \$108236834 WSW 608 HOWARD STREET N/A

1/4-1/2 DETROIT, MI

0.344 mi. 1814 ft.

Relative: BEA:

Higher Secondary Address: Not reported BEA Number: 3373

Actual: District: Southeast MI

603 ft. Date Received: 12/6/2006 12:59:00 AM

Submitter Name: Legal Aid and Defender Association Inc.

Petition Determination: Affirmed Petition Disclosure: 1

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: williakt

Division Assigned: Environmental Response Division

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

115 BRUSH 1466 VENTURES LLC BEA \$108669830
NNE 1466 BRUSH STREET N/A

NNE 1466 BRUSH STREET 1/4-1/2 DETROIT, MI

0.345 mi. 1820 ft.

Relative: BEA:

Higher

Secondary Address: Not reported BEA Number: 3622 District: Southeast MI

Actual: District: 601 ft.

Date Received: 7/24/2007 12:59:00 AM Submitter Name: Brush 1466 Ventures LLC

Petition Determination: No Request

Petition Disclosure: 0

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: thorntop

Division Assigned: Environmental Response Division

 116
 THE DETROIT NEWS
 LUST U000268694

 SW
 615 W LAFAYETTE BLVD
 UST N/A

1/4-1/2 0.356 mi. 1878 ft.

Relative: LUST:

Higher Facility ID: 00001208
Source: STATE OF MICHIGAN

DETROIT, MI 48226

Actual: Owner Name: The Detroit News
604 ft. Owner Address: 615 W Lafayette Blvd
Owner City,St,Zip: Detroit, MI 48226-3124

Owner Contact: Not reported
Owner Phone: (313) 222-2595

Country: USA

District: SE Michigan District Office
Site Name: Detroit Newspaper Agency

Latitude: 42.3289480000 Longitude: -83.0540950000 Date of Collection: 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83
Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-0081-90
Release Date: Jan 10 1990
Substance Released: Not reported
Release Status: Closed
Release Closed Date: Jun 5 1995

UST:

Facility ID: 00001208
Facility Type: CLOSED
Latitude: 42.3289480000
Longitude: -83.0540950000
Owner Name: The Detroit News
Owner Address: 615 W Lafayette Blvd
Owner City,St,Zip: Detroit, MI 48226-3124

EDR ID Number

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THE DETROIT NEWS (Continued)

U000268694

Owner Country: USA Owner Contact: Not reported (313) 222-2595 Owner Phone: Contact: **TERRY GOOD** Contact Phone: (313) 222-2595 Date of Collection: 01-11-2001 Accuracy: 100 Accuracy Value Unit: FEET

Source: STATE OF MICHIGAN

Point Line Area: **POINT**

Plant Entrance (Freight) Desc Category:

Method of Collection: Address Matching-House Number

NAD83

Tank ID:

Horizontal Datum:

Tank Status: Removed from Ground

15000 Capacity: Feb 19 1961 Install Date: Product: WATER Remove Date: Jan 9 1990 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported Constr Material: Unknown Impressed Device: Nο

Tank ID:

Tank Status: Removed from Ground

15000 Capacity: Install Date: Feb 19 1961 Product: WATER Remove Date: Jan 9 1990 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported Constr Material: Unknown Impressed Device: No

AC117 BEA S106096544 N/A

401 EAST CONGRESS STREET East 1/4-1/2 DETROIT, MI 48226

0.356 mi.

Actual:

1878 ft. Site 1 of 2 in cluster AC

BEA: Relative:

Secondary Address: Not reported Higher

BEA Number: 2143

District: Southeast MI 601 ft. 9/29/2003 12:59:00 AM Date Received:

608 LLC Submitter Name: Petition Determination: No Request

Petition Disclosure:

No Hazardous Substance(s) Category:

Determination 20107A: No Request Reviewer: williakt

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

(Continued) S106096544

Division Assigned: Environmental Response Division

AC118 BEA S105768247

N/A

N/A

1/4-1/2 DETROIT, MI

0.356 mi.

East

1878 ft. Site 2 of 2 in cluster AC

401 E CONGRESS

Relative: BEA:

Higher Secondary Address: Not reported

BEA Number: 57

Actual: District: Detroit
601 ft. Date Received: 5/16/2000

Submitter Name: 401 ASSOCIATES LLC

Petition Determination: No Request

Petition Disclosure: 0

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: temppm

Division Assigned: Environmental Response Division

119 LITTLE CAESARS BEA S104911413

WNW 285 WEST ADAMS STREET

1/4-1/2 DETROIT, MI

0.357 mi.

1883 ft.

Relative: BEA:

Higher

Secondary Address: Not reported

BEA Number: 457

Actual: District: Southeast MI 600 ft. Date Received: 10/8/1997

Submitter Name: LITTLE CAESARS
Petition Determination: No Request

Petition Disclosure: 0

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: temppm

Division Assigned: Environmental Response Division

AD120 MICHIGAN AVENUE PARKING LOT BEA S108488096
West 551 MICHIGAN AVENUE N/A

West 551 MICHIGAN AVENUE 1/4-1/2 DETROIT, MI 48226

0.361 mi.

1904 ft. Site 1 of 2 in cluster AD

Relative: BEA:

Lower Secondary Address: Not reported

BEA Number: 3577

Actual: District: Southeast MI 598 ft. Data Received: 6/1/2007 13:50:

ft. Date Received: 6/1/2007 12:59:00 AM Submitter Name: HDC Partners, LLC

Petition Determination: No Request

Petition Disclosure: 0

Category: No Hazardous Substance(s)

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

MICHIGAN AVENUE PARKING LOT (Continued)

Determination 20107A: No Request Reviewer: thorntop

Division Assigned: Environmental Response Division

AD121 551 PARKING VENTURE, LLC BEA S108488024

West 551 MICHIGAN AVENUE 1/4-1/2 DETROIT, MI 48226

0.361 mi.

1904 ft. Site 2 of 2 in cluster AD

Relative: BEA:

Lower Secondary Address: Not reported BEA Number: 3552

Actual: District: Southeast MI 598 ft. Date Received: 5/4/2007 12:5

Date Received: 5/4/2007 12:59:00 AM Submitter Name: 551 Parking Venture, LLC

Petition Determination: No Request

Petition Disclosure: 0

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: thorntop

Division Assigned: Environmental Response Division

122 LITTLE CAESARS BEA S104911340

NW 100 WEST ELIZABETH STREET

1/4-1/2 DETROIT, MI

0.372 mi. 1962 ft.

Relative: BEA:

Higher Secondary Address: Not reported

BEA Number: 435

Actual: District: Southeast MI 603 ft. Date Received: 9/16/1997

Submitter Name: LITTLE CAESARS
Petition Determination: No Request

Petition Disclosure: 0

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: temppm

Division Assigned: Environmental Response Division

123 BANK ONE TREANSPORT FACILITY LUST U000268484

NE 461 GRATIOT AVE 1/4-1/2 DETROIT, MI 48226

0.374 mi. 1976 ft.

Relative: LUST:

Higher Facility ID: 00034026

Source: STATE OF MICHIGAN

Actual: Owner Name: Greek Town Depot Lic

601 ft. Owner Address: 1426 Broadway St

Owner City,St,Zip: Detroit, MI 48226-2113

Owner Contact: Not reported

N/A

UST

BEA

S108488096

N/A

N/A

Direction
Distance

Elevation Site Database(s) EPA ID Number

BANK ONE TREANSPORT FACILITY (Continued)

Owner Phone: (313) 965-7861

Country: USA

District: SE Michigan District Office

 Site Name:
 Nbd Bank

 Latitude:
 42.3364120000

 Longitude:
 -83.0445370000

 Date of Collection:
 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83
Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-0848-90
Release Date: May 10 1990
Substance Released: Not reported
Release Status: Closed
Release Closed Date: Nov 30 1993

Leak Number: C-0849-00
Release Date: Oct 17 2000
Substance Released: Unknown
Release Status: Closed
Release Closed Date: Nov 27 2000

UST:

Facility ID: 00034026
Facility Type: CLOSED
Latitude: 42.3364120000
Longitude: -83.0445370000
Owner Name: Greek Town Depot Llc
Owner Address: 1426 Broadway St
Owner City, St, Zip: Detroit, MI 48226-2113

Owner Country: USA
Owner Contact: Not reported
Owner Phone: (313) 965-7861
Contact: MICHAEL AUBREY
Contact Phone: (313) 965-7895
Date of Collection: 01-11-2001
Accuracy: 100

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID: 4

Tank Status: Removed from Ground

Capacity: 1500
Install Date: Jan 1 1960
Product: Gasoline
Remove Date: Nov 1 1991
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Galvanized Steel
Piping Type: Not reported

EDR ID Number

U000268484

Direction Distance

Elevation Site Database(s) EPA ID Number

BANK ONE TREANSPORT FACILITY (Continued)

U000268484

EDR ID Number

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID:

Tank Status: Removed from Ground

Capacity: 550
Install Date: Jan 1 1960
Product: Used Oil
Remove Date: Nov 1 1991
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Galvanized Steel

Constr Material: Asphalt Coated or Bare Steel

Not reported

Impressed Device: No

Piping Type:

Tank ID:

Tank Status: Removed from Ground

Capacity: 8000

Install Date: Jun 1 1990
Product: Gasoline
Remove Date: Oct 6 2000

Tank Release Detection: Groundwater Monitoring, Manual Tank Gauging

Pipe Realease Detection: Automatic Line Leak Detectors, Interstitial Monitoring/Second

Containment

Piping Material: Fiberglass reinforced plastic

Piping Type: Not reported

Constr Material: Cathodically Protected Steel, Double Walled, STL-INT/FRP-EXT

Impressed Device: No

Tank ID:

Tank Status: Removed from Ground

Capacity: 8000
Install Date: Jun 1 1990
Product: Gasoline
Remove Date: Oct 6 2000

Tank Release Detection: Groundwater Monitoring, Manual Tank Gauging

Pipe Realease Detection: Automatic Line Leak Detectors, Interstitial Monitoring/Second

Containment

Piping Material: Fiberglass reinforced plastic

Piping Type: Not reported

Constr Material: Cathodically Protected Steel, Double Walled, STL-INT/FRP-EXT

Impressed Device: No

Tank ID: 8

Tank Status: Removed from Ground

Capacity: 8000
Install Date: Jun 1 1990
Product: Gasoline
Remove Date: Oct 9 2000

Tank Release Detection: Groundwater Monitoring, Manual Tank Gauging

Pipe Realease Detection: Automatic Line Leak Detectors, Interstitial Monitoring/Second

Containment

Direction Distance

Elevation Site Database(s) EPA ID Number

BANK ONE TREANSPORT FACILITY (Continued)

U000268484

EDR ID Number

Piping Material: Fiberglass reinforced plastic

Piping Type: Not reported

Constr Material: Cathodically Protected Steel, Double Walled, STL-INT/FRP-EXT

Impressed Device: No

Tank ID:

Tank Status: Removed from Ground

Capacity: 8000
Install Date: Jun 1 1990
Product: Gasoline
Remove Date: Oct 9 2000

Tank Release Detection: Groundwater Monitoring, Manual Tank Gauging

Pipe Realease Detection: Automatic Line Leak Detectors, Interstitial Monitoring/Second

Containment

Piping Material: Fiberglass reinforced plastic

Piping Type: Not reported

Constr Material: Cathodically Protected Steel, Double Walled, STL-INT/FRP-EXT

Impressed Device: No

Tank ID: 10

Tank Status: Removed from Ground

Capacity: 550

Install Date: Jun 1 1990
Product: Used Oil
Remove Date: Mar 31 2000

Tank Release Detection: Groundwater Monitoring, Manual Tank Gauging

Pipe Realease Detection: Automatic Line Leak Detectors, Interstitial Monitoring/Second

Containment

Piping Material: Fiberglass reinforced plastic

Piping Type: Not reported

Constr Material: Cathodically Protected Steel, Double Walled, STL-INT/FRP-EXT

Impressed Device: No

Tank ID:

Tank Status: Removed from Ground

Capacity: 7500
Install Date: Jan 1 1960
Product: Gasoline
Remove Date: Nov 1 1991
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Galvanized Steel
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID: 2

Tank Status: Removed from Ground

Capacity: 7500
Install Date: Jan 1 1960
Product: Gasoline
Remove Date: Nov 1 1991
Tank Release Detection: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

BANK ONE TREANSPORT FACILITY (Continued)

U000268484

EDR ID Number

Pipe Realease Detection: Not reported
Piping Material: Galvanized Steel
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID:

Tank Status: Removed from Ground

Capacity: 7500
Install Date: Jan 1 1960
Product: Gasoline
Remove Date: Nov 1 1991
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Galvanized Steel
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

BEA:

Secondary Address: Not reported

BEA Number: 54
District: Detroit
Date Received: 5/5/2000
Submitter Name: MIKE AUBREY
Petition Determination: No Request

Petition Disclosure: 0

Category: Different Hazardous Substance(s)

Determination 20107A: No Request Reviewer: temppm

Division Assigned: Environmental Response Division

AE124 GREEK TOWN CASINO, L.L.C.

ENE 459 EAST LAFAYETTE 1/4-1/2 DETROIT, MI

0.379 mi.

1999 ft. Site 1 of 2 in cluster AE

Relative: BEA:

Lower Secondary Address: Not reported

BEA Number: 450
Actual: District: Southeast MI

598 ft. Date Received: 10/10/1997

Submitter Name: GREEK TOWN CASINO, L.L.C.

Petition Determination: Affirmed Petition Disclosure: 1

Category: No Hazardous Substance(s)

Determination 20107A: Denied Reviewer: temppm

Division Assigned: Storage Tank Division

BEA

S104911393

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

AE125 COMERICA INC LUST S102851966
ENE 459 E LAFAYETTE BLVD N/A

ENE 459 E LAFAYETTE BLVD 1/4-1/2 DETROIT, MI 48226

0.379 mi.

Actual:

598 ft.

1999 ft. Site 2 of 2 in cluster AE

Relative: LUST: Lower Fac

Facility ID: 50002131

Source: STATE OF MICHIGAN
Owner Name: Comerica Bank
Owner Address: 500 Woodward Ave

Owner City,St,Zip: Detroit, MI 48275-3205 Owner Contact: Not reported Owner Phone: (313) 222-6976

Country: USA

District: SE Michigan District Office

 Site Name:
 Comerica Inc

 Latitude:
 42.3339340000

 Longitude:
 -83.0428560000

 Date of Collection:
 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83
Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-1000-97
Release Date: Jun 26 1997
Substance Released: Gasoline
Release Status: Open
Release Closed Date: Not reported

 126
 COMERICA PARK MERCURY
 CERCLIS
 1010417300

 NNW
 2100 WOODWARD AVENUE
 MIN000510220

1/4-1/2 DETROIT, MI 48201

0.379 mi. 2001 ft.

Relative: CERCLIS:

Higher Site ID: 0510220

Federal Facility: Not a Federal Facility

Actual: NPL Status: Not on the NPL

603 ft. Non NPL Status: Removal Only Site (N

603 ft. Non NPL Status: Removal Only Site (No Site Assessment Work Needed)

Site Description: Mercury spill in baseball stadium. Comerica Park hired a contractor to conduct

a clean up of mercury at the facility. U.S. EPA provided oversight and air

monitoring support.

CERCLIS Assessment History:

Action: POTENTIALLY RESPONSIBLE PARTY EMERGENCY REMOVAL

Date Started:08/07/2007Date Completed:08/09/2007Priority Level:Cleaned up

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

127 DETROIT POLICE DEPT HEADQUATERS LUST U003330181
NE 500 CLINTON ST UST N/A

1/4-1/2 DETROIT, MI 48226

0.380 mi. 2006 ft.

Relative: LUST:

Higher Facility ID: 00019130

Source: STATE OF MICHIGAN

Actual: Owner Name: City of Detroit (GSD)

600 ft. Owner Address: 65 Cadillac Sq Ste 3200

Owner City,St,Zip: Detroit, MI 48226

Owner Contact: Brad Dick (Deputy Director)

Owner Phone: Not reported

Country: USA

District: SE Michigan District Office
Site Name: Detroit Police Dept Headquaters

Latitude: 42.3361860000 Longitude: -83.0434700000 Date of Collection: 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83
Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-0096-98
Release Date: Feb 16 1998
Substance Released: Gasoline,Unknown

Release Status: Closed Release Closed Date: May 5 1998

UST:

Facility ID: 00019130
Facility Type: ACTIVE
Latitude: 42.3361860000
Longitude: -83.0434700000
Owner Name: City of Detroit (GSD)
Owner Address: 65 Cadillac Sq Ste 3200
Owner City,St,Zip: Detroit, MI 48226

Owner Country: USA

Owner Contact: Brad Dick (Deputy Director)

Owner Phone: Not reported
Contact: Not reported
Contact Phone: (313) 876-0017
Date of Collection: 01-11-2001
Accuracy: 100

Accuracy Value Unit: FEET
Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID: 1

Tank Status: Removed from Ground

Capacity: 5000
Install Date: Mar 19 1970
Product: Gasoline

EDR ID Number

MAP FINDINGS Map ID

Direction Distance

Elevation Site Database(s) **EPA ID Number**

DETROIT POLICE DEPT HEADQUATERS (Continued)

U003330181

EDR ID Number

Remove Date: Feb 3 1998 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Galvanized Steel Piping Type: Not reported

Constr Material: Cathodically Protected Steel

Impressed Device: No

Tank ID:

Tank Status: Removed from Ground

1000 Capacity: Install Date: Mar 19 1968 Product: Diesel Remove Date: Jun 24 1992 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Galvanized Steel Piping Type: Not reported

Asphalt Coated or Bare Steel, Cathodically Protected Steel Constr Material:

Impressed Device: No

Tank ID:

Tank Status: **Currently In Use**

Capacity: 5000 Install Date: Feb 4 1998 Product: Gasoline Remove Date: Not reported

Tank Release Detection: Automatic Tank Gauging, Inter Monitoring Double Walled Tank

Pipe Realease Detection: Interstitial Monitoring Double Walled Piping Piping Material: FLEXIBLE PLASTI, Secondary Containment

Piping Type: Suction: Valve at Tank Constr Material: Composite(Steel w/Fiberglass)

Impressed Device: No

OLYMPIA DEVELOPMENT OF MICHIGAN LLC 128

NW 2121 CASS AVENUE

1/4-1/2 **DETROIT, MI**

0.414 mi. 2184 ft.

BEA: Relative:

Secondary Address: Not reported Higher

BEA Number: 3538

Actual: District: Southeast MI 604 ft.

Date Received: 4/24/2007 12:59:00 AM Olympia Development of Michigan LLc

Submitter Name:

Petition Determination: No Request

Petition Disclosure:

Category: No Hazardous Substance(s)

Determination 20107A: No Request thorntop Reviewer:

Environmental Response Division Division Assigned:

S108488104

N/A

BEA

Direction Distance

Distance EDR ID Number

Elevation Site EDA ID Number

129 LITTLE CAESARS BEA S104911343
NW 145 WEST COLUMBIA STREET N/A

NW 145 WEST COLUMBIA STREET 1/4-1/2 DETROIT, MI

0.425 mi. 2246 ft.

Relative: BEA:

Higher Secondary Address: Not reported

BEA Number: 436

Actual: District: Southeast MI 604 ft. Date Received: 9/16/1997

Submitter Name: LITTLE CAESARS
Petition Determination: No Request

Petition Disclosure: 0

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: temppm

Division Assigned: Environmental Response Division

 130
 GREEKTOWN LLC
 BEA
 \$108236759

 ENE
 566 MONROE STREET
 N/A

ENE 566 MONROE STREET 1/4-1/2 DETROIT, MI 48226

0.428 mi. 2258 ft.

Relative: BEA:

Equal Secondary Address: Not reported

BEA Number: 3310

Actual: District: Southeast MI

599 ft. Date Received: 10/12/2006 12:59:00 AM

Submitter Name: Greektown LLC Petition Determination: No Request

Petition Disclosure: 0

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: thorntop

Division Assigned: Environmental Response Division

 131
 LITTLE CAESARS
 BEA
 \$104911332

 NW
 2171 CASS AVENUE
 N/A

1/4-1/2 DETROIT, MI

0.436 mi. 2303 ft.

Relative: BEA:

Higher Secondary Address: Not reported

BEA Number: 433

Actual: District: Southeast MI 604 ft. Date Received: 9/16/1997

Submitter Name: LITTLE CAESARS
Petition Determination: No Request

Petition Disclosure: 0

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: tempom

Division Assigned: Environmental Response Division

Direction Distance

Elevation Site Database(s) EPA ID Number

AF132 MGM RAND DETROIT II, LLC BEA S104912291 WSW 811 ABBOTT AVENUE N/A

1/4-1/2 DETROIT, MI

0.461 mi.

2437 ft. Site 1 of 2 in cluster AF

Relative: BEA:

Higher

Secondary Address: Not reported

BEA Number: 909

Actual: District: Southeast MI 600 ft. Date Received: 5/28/1999

Submitter Name: MGM GRAND DETROIT II, LLC

Petition Determination: Affirmed Petition Disclosure: 1

Category: No Hazardous Substance(s)

Determination 20107A: Pending Reviewer: williakt

Division Assigned: Environmental Response Division

 AF133
 DETROIT WOODWARD DISTRICT
 LUST
 U003322258

 WSW
 811 ABBOTT ST
 UST
 N/A

1/4-1/2 DETROIT, MI 75202

0.461 mi.

2437 ft. Site 2 of 2 in cluster AF

Relative: LUST:
Higher Facility ID:

Higher Facility ID: 00011648
Source: STATE OF MICHIGAN

Actual: Owner Name: AT&T Michigan
600 ft. Owner Address: 308 S Akard Ste 1700
Owner City,St,Zip: Dallas, TX 75202-5399

Owner Contact: Derrick Taylor Owner Phone: (887) 648-2073

Country: USA

District: SE Michigan District Office

 Site Name:
 Ameritech

 Latitude:
 42.3299500000

 Longitude:
 -83.0567880000

 Date of Collection:
 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83
Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-0593-99
Release Date: Jun 21 1999
Substance Released: Unknown
Release Status: Closed
Release Closed Date: Nov 4 1999

UST:

Facility ID: 00011648
Facility Type: CLOSED
Latitude: 42.3299500000
Longitude: -83.0567880000
Owner Name: AT&T Michigan
Owner Address: 308 S Akard Ste 1700
Owner City, St, Zip: Dallas, TX 75202-5399

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

DETROIT WOODWARD DISTRICT (Continued)

Owner Country: USA

Owner Contact: Derrick Taylor Owner Phone: (887) 648-2073

Contact: Environmental Management

Contact Phone: (877) 648-2073
Date of Collection: 01-11-2001
Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID:

Tank Status: Removed from Ground

Capacity: 10000
Install Date: May 8 1968
Product: Gasoline
Remove Date: Oct 1 1989
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Unknown
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID: 2

Tank Status: Removed from Ground

Capacity: 10000
Install Date: May 8 1968
Product: Gasoline
Remove Date: Oct 1 1989
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Unknown
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID: 3

Tank Status: Closed in Ground

Capacity: 500

Install Date: May 8 1968
Product: LUBE
Remove Date: Jan 1 1991
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported

Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID: 4

EDR ID Number

U003322258

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DETROIT WOODWARD DISTRICT (Continued)

U003322258

Closed in Ground Tank Status:

500 Capacity:

Install Date: May 8 1968 Product: LUBE Remove Date: Jan 1 1991 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID:

Tank Status: **Closed in Ground**

Capacity:

Install Date: Not reported Product: Used Oil Remove Date: Jan 1 1991 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID:

Tank Status: Removed from Ground

12000 Capacity: Install Date: Jan 1 1990 Product: Gasoline Remove Date: Jun 21 1999

Tank Release Detection: Automatic Tank Gauging, Inter Monitoring Double Walled Tank, Inventory

Control, Manual Tank Gauging, Tank Tightness Testing

Pipe Realease Detection: Automatic Line Leak Detectors

Piping Material: Double Walled, Fiberglass reinforced plastic, Secondary Containment

Piping Type: Pressure

Double Walled, Fiberglass Reinforced plastic Constr Material:

Impressed Device: No

AG134 LUST U004106677 **640 MICHIGAN AVENUE** UST West **640 MICHIGAN AVE** N/A

1/4-1/2 0.462 mi.

2439 ft. Site 1 of 3 in cluster AG

DETROIT, MI 48226

LUST: Relative:

Facility ID: 00041998 Lower

Source: STATE OF MICHIGAN Actual: Owner Name: MGM Grand Detroit LLC 597 ft.

Owner Address: 1300 John Owner City,St,Zip: Detroit, MI 48226 Owner Contact: Not reported Owner Phone: (313) 223-3674

Country: USA

SE Michigan District Office District: Site Name: Former Gasoline Station

Direction Distance Elevation

vation Site Database(s) EPA ID Number

640 MICHIGAN AVENUE (Continued)

U004106677

EDR ID Number

Latitude: 42.3320870000
Longitude: -83.0557160000
Date of Collection: 22-10-2007
Method of Collection: Interpolation-Map

Accuracy: 40
Accuracy Value Unit: FEET
Horizontal Data: NAD83
Point Line Area: POINT
Desc Category: Not reported

Leak Number: C-0061-07
Release Date: Apr 15 2007
Substance Released: Gasoline,Gasoline

Release Status: Open
Release Closed Date: Not reported

UST:

Facility ID: 00041998
Facility Type: CLOSED
Latitude: 42.3320870000
Longitude: -83.0557160000
Owner Name: MGM Grand Detroit LLC

Owner Address: 1300 John Owner City,St,Zip: Detroit, MI 48226

Owner Country: USA
Owner Contact: Not reported
Owner Phone: (313) 223-3674
Contact: Sharon R Newlon
Contact Phone: (313) 223-3674
Date of Collection: 22-10-2007

Accuracy: 40
Accuracy Value Unit: FEET
Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT
Desc Category: Not reported
Method of Collection: Interpolation-Map

Tank ID:

Tank Status: Removed from Ground

Capacity: 1000
Install Date: Not reported
Product: Gasoline
Remove Date: Apr 14 2007
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Unknown
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID: 2

Tank Status: Removed from Ground

Capacity: 1000
Install Date: Not reported
Product: Gasoline
Remove Date: Apr 14 2007

Direction Distance

Elevation Site Database(s) **EPA ID Number**

640 MICHIGAN AVENUE (Continued)

U004106677

N/A

EDR ID Number

Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Unknown Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

AG135 SHORT TERM PARKING LOT BEA S108488123

640 MICHIGAN AVENUE West 1/4-1/2 DETROIT, MI 48226

0.462 mi.

2439 ft. Site 2 of 3 in cluster AG

BEA: Relative:

Secondary Address: Not reported Lower

BEA Number: 3569

Actual: District: Southeast MI

597 ft. Date Received: 5/23/2007 12:59:00 AM Submitter Name: HDC Partners, LLC

Petition Determination: No Request Petition Disclosure:

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: thorntop

Division Assigned: **Environmental Response Division**

FORMER GAS STATION/SHORT TERM PARKING LO BEA S108488094 AG136 N/A

West **640 MICHIGAN AVENUE** 1/4-1/2 DETROIT, MI 48226

0.462 mi.

2439 ft. Site 3 of 3 in cluster AG

BEA: Relative:

Secondary Address: Not reported Lower BEA Number: 3570

Actual: District: Southeast MI

597 ft. Date Received:

5/23/2007 12:59:00 AM Submitter Name: 551 Parking Venture, LLC

Petition Determination: No Request

Petition Disclosure:

No Hazardous Substance(s) Category:

Determination 20107A: No Request Reviewer: schlaufi

Division Assigned: Storage Tank Division

Secondary Address: Not reported BEA Number: 3566 District: Southeast MI

Date Received: 5/22/2007 12:59:00 AM MGM Grand Detroit, LLC Submitter Name:

Petition Determination: No Request

Petition Disclosure:

No Hazardous Substance(s) Category:

Determination 20107A: No Request Reviewer: schlaufj

Storage Tank Division Division Assigned:

Direction Distance

Elevation Site Database(s) EPA ID Number

 137
 HUDSON'S WAREHOUSE
 LUST
 U000268504

 NNE
 425 BEACON ST
 UST
 N/A

1/4-1/2 0.470 mi. 2484 ft.

Relative: LUST:

HigherFacility ID:00007656Source:STATE OF MICHIGAN

DETROIT, MI 48226

Actual: Owner Name: Dli Properties/Llc Liability Co
603 ft. Owner Address: 1201 W PARKLANE
Owner City,St,Zip: DEARBORN, MI 48126

Owner Contact: Not reported Owner Phone: (313) 393-7543

Country: USA

District: SE Michigan District Office
Site Name: Hudsons Warehouse
Latitude: 42.3383460000
Longitude: -83.0460860000
Date of Collection: 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83
Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-0094-00
Release Date: Jan 27 2000
Substance Released: Unknown
Release Status: Closed
Release Closed Date: Jun 16 2000

Leak Number: C-0118-00
Release Date: Feb 1 2000
Substance Released: Unknown
Release Status: Closed
Release Closed Date: Jun 16 2000

Leak Number: C-1981-91
Release Date: Oct 11 1991
Substance Released: Unknown
Release Status: Closed
Release Closed Date: Oct 7 1996

UST:

 Facility ID:
 00007656

 Facility Type:
 CLOSED

 Latitude:
 42.3383460000

 Longitude:
 -83.0460860000

Owner Name: Dli Properties/Llc Liability Co
Owner Address: 1201 W PARKLANE
Owner City,St,Zip: DEARBORN, MI 48126

Owner Country: USA
Owner Contact: Not reported
Owner Phone: (313) 393-7543
Contact: KURT M BRAUER
Contact Phone: (313) 393-7543
Date of Collection: 01-11-2001
Accuracy: 100

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

HUDSON'S WAREHOUSE (Continued)

Accuracy Value Unit: FEET Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID:

Tank Status: Removed from Ground

Capacity: 12000
Install Date: Mar 20 1968
Product: Gasoline
Remove Date: Jan 31 2000
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Unknown
Piping Type: Not reported

Constr Material: Fiberglass Reinforced plastic

Impressed Device: No

Tank ID: 2

Tank Status: Removed from Ground

Capacity: 12000
Install Date: Mar 20 1981
Product: Gasoline
Remove Date: Jan 31 2000
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Galvanized Steel
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

AH138 FIRE ENGINE #3 LUST U003324291
NW 111 W MONTCALM ST UST N/A

1/4-1/2 0.471 mi.

2484 ft. Site 1 of 3 in cluster AH

DETROIT, MI 48201

Relative: Higher LUST:

Facility ID: 00019090

Source: STATE OF MICHIGAN

Actual: Owner Name: City of Detroit / DPW/CED
604 ft. Owner Address: 65 Cadillac Sq Suite 900

Owner City,St,Zip: Detroit, MI 48226 Owner Contact: Not reported Owner Phone: (313) 224-3822

Country: USA

District: SE Michigan District Office
Site Name: Detroit Fire Dept. Engine Co. #3

Latitude: 42.3380330000 Longitude: -83.0542770000 Date of Collection: 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Data: NAD83

EDR ID Number

U000268504

Direction Distance

Elevation Site Database(s) EPA ID Number

FIRE ENGINE #3 (Continued)

U003324291

EDR ID Number

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Leak Number: C-0521-94
Release Date: Jun 13 1994
Substance Released: Diesel,Unknown
Release Status: Closed
Release Closed Date: Oct 18 1994

UST:

 Facility ID:
 00019090

 Facility Type:
 CLOSED

 Latitude:
 42.3380330000

 Longitude:
 -83.0542770000

Owner Name: City of Detroit / DPW/CED
Owner Address: 65 Cadillac Sq Suite 900

Owner City,St,Zip: Detroit, MI 48226

Owner Country: USA
Owner Contact: Not reported
Owner Phone: (313) 224-3822
Contact: RON BRUNDIDGE
Contact Phone: (313) 833-7290
Date of Collection: 01-11-2001

Accuracy: 100
Accuracy Value Unit: FEET
Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: POINT

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID:

Tank Status: Removed from Ground

Capacity: 2000

Install Date: Mar 19 1952
Product: Diesel
Remove Date: Jul 1 1994
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Galvanized Steel
Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

AH139 HOTEL BUILDING BEA \$109094228 NW 120 WEST MONTCALM N/A

1/4-1/2 DETROIT, MI

0.471 mi.

2486 ft. Site 2 of 3 in cluster AH

Relative: BEA:

Higher Secondary Address: Not reported BEA Number: 3887

Actual: District: Southeast MI

604 ft. Date Received: 4/29/2008 12:59:00 AM

Submitter Name: Olympia Development of Michigan, LLC

Petition Determination: No Request

Petition Disclosure: 0

Direction Distance

Elevation Site Database(s) EPA ID Number

HOTEL BUILDING (Continued) \$109094228

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: thorntop Division Assigned: RRD

-

140 JEFFERSON-CHENE PROPERTY US BROWNFIELDS 1009310485

ESE EAST JEFFERSON AVE & CHENE STREET

1/4-1/2 DETROIT, MI 48207

0.475 mi. 2507 ft.

Relative: US BROWNFIELDS:

Higher Recipient name: R5 TBA (Superfund Funded)
Project name: R5 TBA (Superfund Funded)
Actual: Property name: Jefferson-Chene Property
600 ft. Parcel #: Not reported

Parcel #: Not reported
Parcel size: 145000.00
Latitude: 42.33056
Longitude: -83.04
Region: 5

HCM label: Not reported Map scale: Not reported Point of reference: Not reported Datum: Not reported ACRES property ID: 10508 Start date: 3/31/1997 Completed date: 3/31/1997

Accomplishment type: Phase II Environmental Assessment

Accomplishment (acres): Not reported Ownership entity: Not reported Current use: Not reported Current owner: Not reported Not reported Future use: Not reported Past use flag: Future use flag: Not reported Cleanup required: Not reported Proprietary controls: Not reported Gov. control: Not reported Not reported Enforcement permit tools: Info. devices: Not reported Video available: Not reported Photo available: Not reported Usage type: Not reported Not in state/tribal program: Not reported IC data address: Not reported IC in place date: Not reported IC in place flag: Unknown IC required flag: Not reported NFA issue date: Not reported State and tribal program date: Not reported State and tribal program ID: Not reported Air contaminated: Not reported Air cleaned: Not reported Asbestos found: Not reported Asbestos cleaned: Not reported Controled substance found: Not reported Controled substance cleaned: Not reported Drinking water affected: Not reported **EDR ID Number**

N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

JEFFERSON-CHENE PROPERTY (Continued)

1009310485

Drinking water cleaned: Not reported Groundwater affected: Not reported Not reported Groundwater cleaned: Not reported Lead contaminant found: Lead cleaned up: Not reported None found: Not reported Not reported None cleaned up: No media found: Not reported Not reported No media cleaned up: Other found: Not reported Not reported Other cleaned up: Other metals found: Not reported Other metals cleaned: Not reported PAHs found: Not reported PAHs cleaned up: Not reported PCBs found: Not reported Not reported PCBs cleaned up: Petro products found: Not reported Petro products cleaned: Not reported Sediments found: Not reported Sediments cleaned: Not reported Soil affected: Not reported Not reported Soil cleaned up: Surface water affected: Not reported Surface water cleaned: Not reported Not reported Unknown found: Unknwon cleaned: Not reported Unknown media: Not reported Unknown media cleaned: Not reported VOCs found: Not reported VOCs cleaned: Not reported

LUST U003330156 141 **FIRE DEPT ENGINE #9 ENE 545 E LAFAYETTE** UST N/A DETROIT, MI 48226

1/4-1/2 0.479 mi. 2527 ft.

LUST: Relative:

00019094 Facility ID: Lower

Source: STATE OF MICHIGAN Actual: Owner Name: City of Detroit / DPW/CED 597 ft. Owner Address: 65 Cadillac Sq Suite 900

Owner City,St,Zip: Detroit, MI 48226 Owner Contact: Not reported Owner Phone: (313) 224-3822

Country: USA

SE Michigan District Office District: Site Name: Fire Dept Engine #9 42.3344280000 Latitude: Longitude: -83.0417090000 Date of Collection: 01-11-2001

Method of Collection: Address Matching-House Number

Accuracy: 100 Accuracy Value Unit: **FEET** NAD83 Horizontal Data: **POINT** Point Line Area:

Desc Category: Plant Entrance (Freight)

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

FIRE DEPT ENGINE #9 (Continued)

U003330156

Leak Number: C-0754-96 Sep 30 1996 Release Date: Gasoline Substance Released: Release Status: Closed Release Closed Date: Dec 19 1996

UST:

00019094 Facility ID: Facility Type: CLOSED Latitude: 42.3344280000 -83.0417090000 Longitude:

City of Detroit / DPW/CED Owner Name: Owner Address: 65 Cadillac Sq Suite 900

Detroit, MI 48226 Owner City, St, Zip:

Owner Country: USA Owner Contact: Not reported (313) 224-3822 Owner Phone: **RON BRUNDIDGE** Contact: Contact Phone: (313) 833-7286 Date of Collection: 01-11-2001 Accuracy: 100

Accuracy Value Unit: **FEET** Horizontal Datum: NAD83

Source: STATE OF MICHIGAN

Point Line Area: **POINT**

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID:

Tank Status: **Removed from Ground**

2000 Capacity: Install Date: Mar 19 1966 Product: Diesel Remove Date: Oct 1 1996 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Galvanized Steel Piping Type: Not reported

Constr Material: Asphalt Coated or Bare Steel, Cathodically Protected Steel

Impressed Device: No

AI142 BEA S105768242 N/A

561 GRATIOT NE 1/4-1/2 **DETROIT, MI**

0.479 mi.

2528 ft. Site 1 of 2 in cluster Al

BEA: Relative:

Secondary Address: Not reported Higher BEA Number: 63

Actual: District: Detroit 601 ft. 7/6/2000 Date Received:

Submitter Name: ZORRO DEVELOPMENT LLC

Petition Determination: None Petition Disclosure:

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: temppm

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

(Continued) S105768242

Division Assigned: Storage Tank Division

LUST S104872597 AI143 FORMER SHELL STATION **561 GRATIOT AVE**

N/A

NE 1/4-1/2 DETROIT, MI 48226

0.479 mi.

2528 ft. Site 2 of 2 in cluster Al

LUST: Relative: Facility ID: Higher

Source: STATE OF MICHIGAN

Actual: Owner Name: John Macleod 601 ft. Owner Address: 233 Lewiston Rd

> Owner City,St,Zip: Grosse Pointe Farms, MI 48236-3519

50002646

Owner Contact: Not reported Owner Phone: ()-Country: USA

District: SE Michigan District Office Site Name: Former Shell Station 42.3379950000 Latitude: Longitude: -83.0434030000 Date of Collection: 10-05-2004

Method of Collection: Address Matching-House Number

100 Accuracy: Accuracy Value Unit: **FEET** Horizontal Data: NAD83 Point Line Area: **POINT**

Desc Category: Plant Entrance (Freight)

Leak Number: C-0657-00 Release Date: Apr 1 2000 Substance Released: Unknown Release Status: Open Release Closed Date: Not reported

144 **GREEKTOWN LLC** BEA S108084370 ΝE **666 MACOMB STREET** N/A

1/4-1/2 0.490 mi. 2589 ft.

BEA: Relative:

Secondary Address: Not reported Equal BEA Number: 3181

DETROIT, MI 48226

Actual: District: Southeast MI

599 ft. Date Received: 7/5/2006 12:59:00 AM

Submitter Name: Greektown LLC Petition Determination: No Request

Petition Disclosure:

Category: No Hazardous Substance(s)

Determination 20107A: No Request thorntop Reviewer:

Division Assigned: **Environmental Response Division**

Direction Distance

Elevation Site Database(s) EPA ID Number

AH145 LITTLE CAESARS BEA \$104911626 NNW 2323/2333 PARK AVENUE N/A

1/4-1/2 DETROIT, MI

0.492 mi.

2598 ft. Site 3 of 3 in cluster AH

Relative: BEA:

Higher Secondary Address: Not reported

BEA Number: 543

Actual: District: Southeast MI 604 ft. Date Received: 2/19/1998

Submitter Name: LITTLE CAESARS
Petition Determination: No Request

Petition Disclosure: 0

Category: No Hazardous Substance(s)

Determination 20107A: No Request Reviewer: temppm

Division Assigned: Environmental Response Division

EDR ID Number

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
DETROIT	S105768165		1310 - 1340 MICHIGAN AVE		BEA
DETROIT	S106662599	FORMER LAFAYETTE BUILDING	132 - 144 MICHIGAN AVENUE		BROWNFIELDS
DETROIT	S103594610	ST. ANNE'S GATE PROPERTIES	16TH / 18TH STREET OF LAFAYE		SHWS, DEL SHWS
DETROIT	S104911971	RITE AID OF MICHIGAN	1900 / 2000 GRATIOT AVENUE		BEA
DETROIT	1008879643	CLIFFORD LAB	2600 - 2616 CLIFFORD STREET	48201	CERCLIS
DETROIT	S104911017	BILTRITE FABRICATING, INC.	4603 / 4629 W. FORT STREET		BEA
DETROIT	S105768676	CITY OF DETROIT ENVIROAMENTAL AFFA	4622 / 4648-50 WEST FORT STR		BEA
DETROIT	S105768277		9200 - 9208 GRATIOT AVENUE		BEA
DETROIT	S108414574	THE NEW WHITNEY LLC	4400 AND 4421 WOODWARD AVENUE	48201	BEA
DETROIT	S107031694	CITY OF DETROIT	AREA BOUND BY GRATIOT AVE, GUO		BEA
DETROIT	S104910972	LITTLE CAESERS	150 BAGLEY STREET/501 PARK AVE		BEA
DETROIT	S104911691	FORT AND CLARK STREET PROPERTY	BOUNDED BY FORT ST., CLARK AVE		BEA
DETROIT	S104911775	SCOTTEN AVENUE PROPERTY	BOUNDED BY W. FORT ST., SCOTTE		BEA
DETROIT	S105768335		1370 CASS AVENUE / 315 BAGLEY		BEA
DETROIT	S106521793	FAMILY DOLLAR STORES OF MICHIGAN I	NE CORNER OF GRATIOT AVE / H		BEA
DETROIT	S106096727	PROPOSED NEXTENERGY CENTER PROPERT	SOUTHWEST CORNER OF CASS AVE/B		BEA
DETROIT	S106096737	PROPOSED NEXT ENERGY CENTER PROPER	SOUTHWEST CORNER OF CASS AVENU		BEA
DETROIT	S108488146	FORMER DETROIT GARAGE INC	145 W ELIZABETH ST	48201	LUST
DETROIT	S105768225		WEST FORT STREET, CLARK AVENUE		BEA
DETROIT	S104909741	CROWN ENTERPRISES	3333 FORT STREET		BEA
DETROIT	S105768679	CITY OF DETROIT ENVIROMENTAL AFFAI	4600 FORT ST/ 746 / 754 LANS		BEA
DETROIT	S106802611	FORT STREET HOLDING	3511 FORT STREET		LUST, BEA
DETROIT	S108414542	OLYMPIA DEVELOPMENT OF MICHIGAN LL	2142 WEST GRAND RIVER AVENUE	48201	BEA
DETROIT	S104911337	LITTLE CAESARS	2148 W. GRAND RIVER AVENUE AND		BEA
DETROIT	U000267760	DOWNTOWN MOBIL	2245 GRAND RIVER AVE	48201	LUST, UST
DETROIT	S106676516	PARCEL 109 STADIUMS PROJECT	GRATIOT AVENUE AND ST. ANTOINE		BEA
DETROIT	S106096731	STANDARD FEDERAL BANK	GRATIOT AVENUE		BEA
DETROIT	S108488150	FORMER SEARS AUTOMOTIVE CENTER	8100 GRATIOT AVE 8000 GRATIO		LUST
DETROIT	U003758807	ST ANNE'S GATE	LAFAYETTE & 18TH ST	48226	LUST, UST
DETROIT	S109171452	JOY & SCHAEFER VACANT PROPERTY	8800-8830 SCHAEFER HIGHWAY AND		BEA
DETROIT	U003323956	DETROIT SWITCH	1320 3RD STREET	48226	LUST, UST
DETROIT	1007266541	BRUSH PARK	WOODWARD AVE/JOHN R/ERSKINE/WA	48226	US BROWNFIELDS

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 09/29/2008 Source: EPA
Date Data Arrived at EDR: 10/10/2008 Telephone: N/A

Date Made Active in Reports: 11/19/2008 Last EDR Contact: 01/26/2009

Number of Days to Update: 40 Next Scheduled EDR Contact: 04/27/2009
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

EPA Region 1 EPA Region 6

Telephone 617-918-1143 Telephone: 214-655-6659

EPA Region 3 EPA Region 7

Telephone 215-814-5418 Telephone: 913-551-7247

EPA Region 4 EPA Region 8

Telephone 404-562-8033 Telephone: 303-312-6774

EPA Region 5 EPA Region 9

Telephone 312-886-6686 Telephone: 415-947-4246

EPA Region 10

Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 09/29/2008 Source: EPA
Date Data Arrived at EDR: 10/10/2008 Telephone: N/A

Date Made Active in Reports: 11/19/2008 Last EDR Contact: 01/26/2009

Number of Days to Update: 40 Next Scheduled EDR Contact: 04/27/2009
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991 Date Data Arrived at EDR: 02/02/1994 Date Made Active in Reports: 03/30/1994

Number of Days to Update: 56

Source: EPA Telephone: 202-564-4267 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: No Update Planned

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 09/29/2008 Date Data Arrived at EDR: 10/10/2008 Date Made Active in Reports: 11/19/2008

Date Made Active in Reports: 11/19/2

Number of Days to Update: 40

Source: EPA Telephone: N/A

Last EDR Contact: 01/26/2009

Next Scheduled EDR Contact: 04/27/2009 Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/07/2008 Date Data Arrived at EDR: 10/16/2008 Date Made Active in Reports: 12/08/2008

Number of Days to Update: 53

Source: EPA

Telephone: 703-412-9810 Last EDR Contact: 01/30/2009

Next Scheduled EDR Contact: 04/13/2009 Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 12/03/2007 Date Data Arrived at EDR: 12/06/2007 Date Made Active in Reports: 02/20/2008

Number of Days to Update: 76

Source: EPA

Telephone: 703-412-9810 Last EDR Contact: 01/26/2009

Next Scheduled EDR Contact: 03/16/2009 Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 09/11/2008 Date Data Arrived at EDR: 09/19/2008 Date Made Active in Reports: 10/16/2008

Number of Days to Update: 27

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 12/01/2008

Next Scheduled EDR Contact: 03/02/2009 Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Transporters, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 09/10/2008 Date Data Arrived at EDR: 09/23/2008 Date Made Active in Reports: 10/16/2008

Number of Days to Update: 23

Source: Environmental Protection Agency

Telephone: 312-886-6186 Last EDR Contact: 02/06/2009

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 09/10/2008 Date Data Arrived at EDR: 09/23/2008 Date Made Active in Reports: 10/16/2008

Number of Days to Update: 23

Source: Environmental Protection Agency

Telephone: 312-886-6186 Last EDR Contact: 02/06/2009

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 09/10/2008
Date Data Arrived at EDR: 09/23/2008
Date Made Active in Reports: 10/16/2008

Number of Days to Update: 23

Source: Environmental Protection Agency

Telephone: 312-886-6186 Last EDR Contact: 02/06/2009

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 09/10/2008
Date Data Arrived at EDR: 09/23/2008
Date Made Active in Reports: 10/16/2008
Number of Days to Lindate: 23

Number of Days to Update: 23

Source: Environmental Protection Agency

Telephone: 312-886-6186 Last EDR Contact: 02/06/2009

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Varies

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 10/06/2008 Date Data Arrived at EDR: 10/17/2008 Date Made Active in Reports: 12/08/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 12/29/2008

Next Scheduled EDR Contact: 03/30/2009 Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 10/06/2008 Date Data Arrived at EDR: 10/17/2008 Date Made Active in Reports: 12/08/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 12/29/2008

Next Scheduled EDR Contact: 03/30/2009 Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous

substances.

Date of Government Version: 12/31/2007 Date Data Arrived at EDR: 01/23/2008 Date Made Active in Reports: 03/17/2008

Number of Days to Update: 54

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180 Last EDR Contact: 01/30/2009

Next Scheduled EDR Contact: 04/19/2009 Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: Contaminated Sites

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 11/13/2008 Date Data Arrived at EDR: 11/18/2008 Date Made Active in Reports: 11/21/2008

Number of Days to Update: 3

Source: Department of Environmental Quality

Telephone: 517-373-9541 Last EDR Contact: 11/18/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Semi-Annually

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Solid Waste Facilities Database

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 11/20/2008 Date Data Arrived at EDR: 11/21/2008 Date Made Active in Reports: 01/06/2009

Number of Days to Update: 46

Source: Department of Environmental Quality

Telephone: 517-335-4035 Last EDR Contact: 02/02/2009

Next Scheduled EDR Contact: 04/19/2009 Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

LUST: Leaking Underground Storage Tank Sites

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 12/01/2008 Date Data Arrived at EDR: 12/09/2008 Date Made Active in Reports: 01/06/2009

Number of Days to Update: 28

Source: Department of Environmental Quality

Telephone: 517-373-9837 Last EDR Contact: 12/09/2008

Next Scheduled EDR Contact: 03/09/2009 Data Release Frequency: Annually

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 12/02/2008 Date Data Arrived at EDR: 12/04/2008 Date Made Active in Reports: 12/23/2008

Number of Days to Update: 19

Source: EPA Region 8 Telephone: 303-312-6271 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 03/12/2008 Date Data Arrived at EDR: 03/14/2008 Date Made Active in Reports: 03/20/2008

Number of Days to Update: 6

Source: EPA Region 1 Telephone: 617-918-1313 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 10/10/2008 Date Data Arrived at EDR: 10/10/2008 Date Made Active in Reports: 10/16/2008

Number of Days to Update: 6

Source: Environmental Protection Agency Telephone: 415-972-3372 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Quarterly

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 11/18/2008 Date Data Arrived at EDR: 11/19/2008 Date Made Active in Reports: 12/23/2008

Number of Days to Update: 34

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/01/2008 Date Data Arrived at EDR: 12/03/2008 Date Made Active in Reports: 12/23/2008

Number of Days to Update: 20

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 11/19/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 11/25/2008 Date Data Arrived at EDR: 11/26/2008 Date Made Active in Reports: 12/23/2008

Number of Days to Update: 27

Source: EPA Region 6 Telephone: 214-665-6597 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 06/06/2008 Date Data Arrived at EDR: 10/09/2008 Date Made Active in Reports: 11/19/2008

Number of Days to Update: 41

Source: EPA Region 4 Telephone: 404-562-8677 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Semi-Annually

State and tribal registered storage tank lists

UST: Underground Storage Tank Facility List

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 12/01/2008 Date Data Arrived at EDR: 12/09/2008 Date Made Active in Reports: 01/06/2009

Number of Days to Update: 28

Source: Department of Environmental Quality

Telephone: 517-335-4035 Last EDR Contact: 12/09/2008

Next Scheduled EDR Contact: 03/09/2009 Data Release Frequency: Annually

AST: Aboveground Tanks

Registered Aboveground Storage Tanks.

Date of Government Version: 06/23/2008 Date Data Arrived at EDR: 06/30/2008 Date Made Active in Reports: 08/18/2008

Number of Days to Update: 49

Source: Department of Environmental Quality

Telephone: 517-373-8168 Last EDR Contact: 12/11/2008

Next Scheduled EDR Contact: 03/09/2009 Data Release Frequency: No Update Planned

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 11/18/2008 Date Data Arrived at EDR: 11/19/2008 Date Made Active in Reports: 12/23/2008

Number of Days to Update: 34

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 09/05/2008 Date Data Arrived at EDR: 09/19/2008 Date Made Active in Reports: 10/16/2008

Number of Days to Update: 27

Source: EPA Region 9 Telephone: 415-972-3368 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Quarterly

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 12/01/2008 Date Data Arrived at EDR: 12/04/2008 Date Made Active in Reports: 12/23/2008

Number of Days to Update: 19

Source: EPA Region 8 Telephone: 303-312-6137 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 06/01/2007 Date Data Arrived at EDR: 06/14/2007 Date Made Active in Reports: 07/05/2007

Number of Days to Update: 21

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 11/19/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 11/25/2008 Date Data Arrived at EDR: 11/26/2008 Date Made Active in Reports: 12/23/2008

Number of Days to Update: 27

Source: EPA Region 6 Telephone: 214-665-7591 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 09/08/2008 Date Data Arrived at EDR: 09/19/2008 Date Made Active in Reports: 10/16/2008

Number of Days to Update: 27

Source: EPA Region 5 Telephone: 312-886-6136 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009

Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 06/06/2008 Date Data Arrived at EDR: 10/09/2008 Date Made Active in Reports: 11/19/2008

Number of Days to Update: 41

Source: EPA Region 4 Telephone: 404-562-9424 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Semi-Annually

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 03/12/2008 Date Data Arrived at EDR: 03/14/2008 Date Made Active in Reports: 03/20/2008

Number of Days to Update: 6

Source: EPA, Region 1 Telephone: 617-918-1313 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

AUL: Engineering and Institutional Controls

A listing of sites with institutional and/or engineering controls in place.

Date of Government Version: 10/13/2008 Date Data Arrived at EDR: 10/14/2008 Date Made Active in Reports: 11/21/2008

Number of Days to Update: 38

Source: Department of Environmental Quality

Telephone: 517-373-4828 Last EDR Contact: 01/05/2009

Next Scheduled EDR Contact: 03/23/2009 Data Release Frequency: Varies

State and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008 Date Data Arrived at EDR: 04/22/2008 Date Made Active in Reports: 05/19/2008

Number of Days to Update: 27

Source: EPA, Region 7 Telephone: 913-551-7365 Last EDR Contact: 01/19/2009

Next Scheduled EDR Contact: 04/19/2009 Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 04/02/2008 Date Data Arrived at EDR: 04/22/2008 Date Made Active in Reports: 05/19/2008

Number of Days to Update: 27

Source: EPA, Region 1 Telephone: 617-918-1102 Last EDR Contact: 01/19/2009

Next Scheduled EDR Contact: 04/19/2009 Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS: Brownfields and USTfield Site Database

All state funded Part 201 and 213 sites, as well as LUST sites that have been redeveloped by private entities using the BEA process. Be aware that this is not a list of all of the potential brownfield sites in Michigan.

Date of Government Version: 12/16/2008 Date Data Arrived at EDR: 12/17/2008 Date Made Active in Reports: 01/06/2009

Number of Days to Update: 20

Source: Department of Environmental Quality

Telephone: 517-373-4805 Last EDR Contact: 12/15/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Varies

BROWNFIELDS 2: Brownfields Building and Land Site Locations

A listing of brownfield building and land site locations. The listing is a collaborative effort of Michigan Economic Development Corporation, Michigan Economic Developers Association, Detrot Edison, Detroit Area Commercial Board of Realtors

Date of Government Version: 04/09/2007 Date Data Arrived at EDR: 04/10/2007 Date Made Active in Reports: 05/01/2007

Number of Days to Update: 21

Source: Economic Development Corporation

Telephone: 888-522-0103 Last EDR Contact: 12/11/2008

Next Scheduled EDR Contact: 03/09/2009

Data Release Frequency: Varies

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 10/01/2008 Date Data Arrived at EDR: 11/14/2008 Date Made Active in Reports: 12/23/2008

Number of Days to Update: 39

Source: Environmental Protection Agency

Telephone: 202-566-2777 Last EDR Contact: 01/16/2009

Next Scheduled EDR Contact: 04/13/2009 Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985 Date Data Arrived at EDR: 08/09/2004 Date Made Active in Reports: 09/17/2004

Number of Days to Update: 39

Source: Environmental Protection Agency

Telephone: 800-424-9346 Last EDR Contact: 06/09/2004 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside

County and northern Imperial County, California.

Date of Government Version: 03/25/2008 Date Data Arrived at EDR: 04/17/2008 Date Made Active in Reports: 05/15/2008

Number of Days to Update: 28

Source: EPA, Region 9 Telephone: 415-972-3336 Last EDR Contact: 12/22/2008

Next Scheduled EDR Contact: 03/23/2009

Data Release Frequency: Varies

HIST LF: Inactive Solid Waste Facilities

The database contains historical information and is no longer updated.

Date of Government Version: 03/01/1997 Date Data Arrived at EDR: 02/28/2003 Date Made Active in Reports: 03/06/2003

Number of Days to Update: 6

Source: Department of Environmental Quality

Telephone: 517-335-4034 Last EDR Contact: 02/28/2003 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998 Date Data Arrived at EDR: 12/03/2007 Date Made Active in Reports: 01/24/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-308-8245 Last EDR Contact: 11/24/2008

Next Scheduled EDR Contact: 02/23/2009 Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 07/01/2008 Date Data Arrived at EDR: 10/31/2008 Date Made Active in Reports: 12/23/2008

Number of Days to Update: 53

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 10/31/2008

Next Scheduled EDR Contact: 03/23/2009 Data Release Frequency: Quarterly

DEL SHWS: Delisted List of Contaminated Sites

Sites that have been delisted or deleted from the List of Contaminated Sites. The available documentation for the site does not support it's listing or the site no longer meets criteria specified in rules.

Date of Government Version: 11/19/2008 Date Data Arrived at EDR: 11/19/2008 Date Made Active in Reports: 01/06/2009

Number of Days to Update: 48

Source: Department of Environmental Quality

Telephone: 517-373-9541 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009

Data Release Frequency: Varies

CDL: Clandestine Drug Lab Listing

A listing of clandestine drug lab locations.

Date of Government Version: 10/20/2008 Date Data Arrived at EDR: 11/18/2008 Date Made Active in Reports: 11/21/2008

Number of Days to Update: 3

Source: Department of Community Health

Telephone: 517-373-3740 Last EDR Contact: 11/18/2008

Next Scheduled EDR Contact: 02/16/2009

Data Release Frequency: Varies

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 08/19/2008 Date Data Arrived at EDR: 08/29/2008 Date Made Active in Reports: 09/09/2008

Number of Days to Update: 11

Source: Environmental Protection Agency

Telephone: 202-564-6023 Last EDR Contact: 11/17/2008

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005 Date Data Arrived at EDR: 12/11/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 31

Source: Department of the Navy Telephone: 843-820-7326 Last EDR Contact: 12/08/2008

Next Scheduled EDR Contact: 03/09/2009

Data Release Frequency: Varies

LIENS: Lien List

An Environmental Lien is a charge, security, or encumbrance upon title to a property to secure the payment of a cost, damage, debt, obligation, or duty arising out of response actions, cleanup, or other remediation of hazardous substances or petroleum products upon a property, including (but not limited to) liens imposed pursuant to CERCLA 42 USC * 9607(1) and similar state or local laws. In other words: a lien placed upon a property's title due to an environmental condition

Date of Government Version: 11/03/2008 Date Data Arrived at EDR: 11/25/2008 Date Made Active in Reports: 01/06/2009

Number of Days to Update: 42

Source: Department of Environmental Quality

Telephone: 517-373-9837 Last EDR Contact: 08/14/2008

Next Scheduled EDR Contact: 11/10/2008

Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 09/30/2008 Date Data Arrived at EDR: 10/16/2008 Date Made Active in Reports: 11/19/2008

Number of Days to Update: 34

Source: U.S. Department of Transportation

Telephone: 202-366-4555 Last EDR Contact: 01/30/2009

Next Scheduled EDR Contact: 04/13/2009 Data Release Frequency: Annually

PEAS: Pollution Emergency Alerting System

Environmental pollution emergencies reported to the Department of Environmental Quality such as tanker accidents, pipeline breaks, and release of reportable quantities of hazardous substances.

Date of Government Version: 09/19/2008 Date Data Arrived at EDR: 09/30/2008 Date Made Active in Reports: 10/14/2008

Number of Days to Update: 14

Source: Department of Environmental Quality

Telephone: 517-373-8427 Last EDR Contact: 12/29/2008

Next Scheduled EDR Contact: 03/30/2009 Data Release Frequency: Quarterly

Other Ascertainable Records

RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 09/10/2008 Date Data Arrived at EDR: 09/23/2008 Date Made Active in Reports: 10/16/2008

Number of Days to Update: 23

Source: Environmental Protection Agency

Telephone: 312-886-6186 Last EDR Contact: 02/06/2009

Next Scheduled EDR Contact: 02/16/2009 Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 05/14/2008 Date Data Arrived at EDR: 05/28/2008 Date Made Active in Reports: 08/08/2008

Number of Days to Update: 72

Source: Department of Transporation, Office of Pipeline Safety

Telephone: 202-366-4595 Last EDR Contact: 11/26/2008

Next Scheduled EDR Contact: 02/23/2009 Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 11/10/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 62

Source: USGS

Telephone: 703-692-8801 Last EDR Contact: 02/06/2009

Next Scheduled EDR Contact: 05/04/2009 Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2007 Date Data Arrived at EDR: 09/05/2008 Date Made Active in Reports: 09/23/2008

Number of Days to Update: 18

Source: U.S. Army Corps of Engineers

Telephone: 202-528-4285 Last EDR Contact: 12/29/2008

Next Scheduled EDR Contact: 03/30/2009 Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 09/15/2008 Date Data Arrived at EDR: 10/22/2008 Date Made Active in Reports: 12/23/2008

Number of Days to Update: 62

Source: Department of Justice, Consent Decree Library

Telephone: Varies

Last EDR Contact: 01/19/2009

Next Scheduled EDR Contact: 04/19/2009

Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 10/21/2008 Date Data Arrived at EDR: 10/29/2008 Date Made Active in Reports: 12/23/2008

Number of Days to Update: 55

Source: EPA

Telephone: 703-416-0223 Last EDR Contact: 12/29/2008

Next Scheduled EDR Contact: 03/30/2009 Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 07/13/2007 Date Data Arrived at EDR: 12/03/2007 Date Made Active in Reports: 01/24/2008

Number of Days to Update: 52

Source: Department of Energy Telephone: 505-845-0011 Last EDR Contact: 12/17/2008

Next Scheduled EDR Contact: 03/16/2009 Data Release Frequency: Varies

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/07/2008 Date Data Arrived at EDR: 09/23/2008 Date Made Active in Reports: 10/16/2008

Number of Days to Update: 23

Source: Department of Labor, Mine Safety and Health Administration

Telephone: 303-231-5959 Last EDR Contact: 12/23/2008

Next Scheduled EDR Contact: 03/23/2009 Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2006 Date Data Arrived at EDR: 02/29/2008 Date Made Active in Reports: 04/18/2008

Number of Days to Update: 49

Source: EPA

Telephone: 202-566-0250 Last EDR Contact: 09/19/2008

Next Scheduled EDR Contact: 12/15/2008 Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002 Date Data Arrived at EDR: 04/14/2006 Date Made Active in Reports: 05/30/2006

Number of Days to Update: 46

Source: EPA

Telephone: 202-260-5521 Last EDR Contact: 01/12/2009

Next Scheduled EDR Contact: 04/13/2009 Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 10/08/2008 Date Data Arrived at EDR: 10/17/2008 Date Made Active in Reports: 12/08/2008

Number of Days to Update: 52

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667 Last EDR Contact: 12/15/2008

Next Scheduled EDR Contact: 03/16/2009 Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 10/08/2008 Date Data Arrived at EDR: 10/17/2008 Date Made Active in Reports: 12/08/2008

Number of Days to Update: 52

Source: EPA

Telephone: 202-566-1667 Last EDR Contact: 12/15/2008

Next Scheduled EDR Contact: 03/16/2009 Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2007

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2008

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2006 Date Data Arrived at EDR: 03/14/2008 Date Made Active in Reports: 04/18/2008

Number of Days to Update: 35

Source: EPA

Telephone: 202-564-4203 Last EDR Contact: 12/04/2008

Next Scheduled EDR Contact: 01/12/2009 Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 07/31/2008 Date Data Arrived at EDR: 08/13/2008 Date Made Active in Reports: 09/09/2008

Number of Days to Update: 27

Source: Environmental Protection Agency

Telephone: 202-564-5088 Last EDR Contact: 01/12/2009

Next Scheduled EDR Contact: 04/13/2009 Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 12/04/2007 Date Data Arrived at EDR: 02/07/2008 Date Made Active in Reports: 03/17/2008

Number of Days to Update: 39

Source: EPA

Telephone: 202-566-0500 Last EDR Contact: 02/02/2009

Next Scheduled EDR Contact: 05/04/2009 Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 10/03/2008 Date Data Arrived at EDR: 10/15/2008 Date Made Active in Reports: 11/19/2008

Number of Days to Update: 35

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169 Last EDR Contact: 12/29/2008

Next Scheduled EDR Contact: 03/30/2009 Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 10/28/2008 Date Data Arrived at EDR: 10/29/2008 Date Made Active in Reports: 12/08/2008

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-343-9775 Last EDR Contact: 01/30/2009

Next Scheduled EDR Contact: 04/27/2009 Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 10/30/2008 Date Data Arrived at EDR: 10/31/2008 Date Made Active in Reports: 12/23/2008

Number of Days to Update: 53

Source: EPA

Telephone: (312) 353-2000 Last EDR Contact: 12/29/2008

Next Scheduled EDR Contact: 03/30/2009 Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995 Date Data Arrived at EDR: 07/03/1995 Date Made Active in Reports: 08/07/1995

Number of Days to Update: 35

Source: EPA

Telephone: 202-564-4104 Last EDR Contact: 06/02/2008

Next Scheduled EDR Contact: 09/01/2008

Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 03/06/2007 Date Made Active in Reports: 04/13/2007

Number of Days to Update: 38

Source: EPA/NTIS Telephone: 800-424-9346 Last EDR Contact: 12/09/2008

Next Scheduled EDR Contact: 03/09/2009 Data Release Frequency: Biennially

DRYCLEANERS: Drycleaning Establishments
A listing of drycleaning facilities in Michigan.

Date of Government Version: 07/17/2008 Date Data Arrived at EDR: 09/02/2008 Date Made Active in Reports: 09/19/2008

Number of Days to Update: 17

Source: Department of Environmental Quality

Telephone: 517-335-4586 Last EDR Contact: 02/09/2009

Next Scheduled EDR Contact: 05/11/2009

Data Release Frequency: Varies

NPDES: List of Active NPDES Permits

General information regarding NPDES (National Pollutant Discharge Elimination System) permits and NPDES Storm

Water permits.

Date of Government Version: 10/28/2008 Date Data Arrived at EDR: 10/29/2008 Date Made Active in Reports: 11/21/2008

Number of Days to Update: 23

Source: Department of Environmental Quality

Telephone: 517-241-1300 Last EDR Contact: 01/29/2009

Next Scheduled EDR Contact: 04/27/2009

Data Release Frequency: Varies

AIRS: Permit and Emissions Inventory Data Permit and emissions inventory data.

> Date of Government Version: 05/22/2007 Date Data Arrived at EDR: 10/19/2007 Date Made Active in Reports: 11/05/2007

Number of Days to Update: 17

Source: Department of Environmental Quality

Telephone: 517-373-7074 Last EDR Contact: 01/16/2009

Next Scheduled EDR Contact: 04/13/2009 Data Release Frequency: Varies

BEA: BASELINE ENVIRONMENTAL ASSESSMENT DATABASE

A Baseline Environmental Assessment (BEA) allows people to purchase or begin operating at a facility without being held liable for existing contamination. BEAs are used to gather enough information about the property being transferred so that existing contamination can be distinguished from any new releases that might occur after the new owner or operator takes over the property.

Date of Government Version: 12/08/2008 Date Data Arrived at EDR: 12/09/2008 Date Made Active in Reports: 01/06/2009

Number of Days to Update: 28

Source: DEPT. OF ENVIRONMENTAL QUALITY

Telephone: 517-373-9541 Last EDR Contact: 12/08/2008

Next Scheduled EDR Contact: 03/09/2009 Data Release Frequency: Semi-Annually

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 12/08/2006

Date Made Active in Reports: 01/11/2007

Number of Days to Update: 34

Source: USGS

Telephone: 202-208-3710 Last EDR Contact: 02/06/2009

Next Scheduled EDR Contact: 05/04/2009 Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 09/08/2008 Date Data Arrived at EDR: 09/10/2008 Date Made Active in Reports: 09/23/2008

Number of Days to Update: 13

Source: Environmental Protection Agency

Telephone: 615-532-8599 Last EDR Contact: 02/09/2009

Next Scheduled EDR Contact: 05/11/2009 Data Release Frequency: Varies

PWS: Public Water System Data

This Safe Drinking Water Information System (SDWIS) file contains public water systems name and address, population

served and the primary source of water

Date of Government Version: 02/24/2000 Source: EPA Date Data Arrived at EDR: 04/27/2005 Date Made Active in Reports: N/A

Number of Days to Update: 0

Telephone: N/A

Last EDR Contact: 12/29/2008

Next Scheduled EDR Contact: 03/30/2009

Data Release Frequency: N/A

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 02/06/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 339

Source: U.S. Geological Survey Telephone: 888-275-8747 Last EDR Contact: 02/06/2009

Next Scheduled EDR Contact: 05/04/2009

Data Release Frequency: N/A

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 07/09/2008 Date Data Arrived at EDR: 09/30/2008 Date Made Active in Reports: 10/07/2008

Number of Days to Update: 7

Source: EPA

Telephone: 202-564-6064 Last EDR Contact: 12/29/2008

Next Scheduled EDR Contact: 03/30/2009 Data Release Frequency: Quarterly

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A

Number of Days to Update: N/A

Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

EDR Historical Auto Stations: EDR Proprietary Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc.

Source: EDR, Inc.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A

Telephone: N/A Last EDR Contact: N/A Next Scheduled EDR Contact: N/A

EDR Historical Cleaners: EDR Proprietary Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A

Number of Days to Update: N/A

Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 06/15/2007 Date Made Active in Reports: 08/20/2007

Number of Days to Update: 66

Source: Department of Environmental Protection

Telephone: 860-424-3375 Last EDR Contact: 12/11/2008

Next Scheduled EDR Contact: 03/09/2009 Data Release Frequency: Annually

NJ MANIFEST: Manifest Information Hazardous waste manifest information.

> Date of Government Version: 09/30/2007 Date Data Arrived at EDR: 12/04/2007

> Date Made Active in Reports: 12/31/2007 Number of Days to Update: 27

Source: Department of Environmental Protection

Telephone: N/A

Last EDR Contact: 02/03/2009

Next Scheduled EDR Contact: 05/04/2009 Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 10/21/2008 Date Data Arrived at EDR: 11/26/2008 Date Made Active in Reports: 12/11/2008

Number of Days to Update: 15

Source: Department of Environmental Conservation

Telephone: 518-402-8651 Last EDR Contact: 11/26/2008

Next Scheduled EDR Contact: 02/23/2009 Data Release Frequency: Annually

PA MANIFEST: Manifest Information Hazardous waste manifest information.

Date of Government Version: 12/31/2007 Date Data Arrived at EDR: 09/11/2008 Date Made Active in Reports: 10/02/2008

Number of Days to Update: 21

Source: Department of Environmental Protection

Telephone: N/A

Last EDR Contact: 12/08/2008

Next Scheduled EDR Contact: 03/09/2009 Data Release Frequency: Annually

RI MANIFEST: Manifest information Hazardous waste manifest information

> Date of Government Version: 10/07/2008 Date Data Arrived at EDR: 10/10/2008 Date Made Active in Reports: 10/28/2008

Number of Days to Update: 18

Source: Department of Environmental Management

Telephone: 401-222-2797 Last EDR Contact: 12/15/2008

Next Scheduled EDR Contact: 03/16/2009 Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2007 Date Data Arrived at EDR: 08/22/2008 Date Made Active in Reports: 09/08/2008

Number of Days to Update: 17

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 01/05/2009

Next Scheduled EDR Contact: 04/06/2009 Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: PennWell Corporation Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its

fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services,

a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary

and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are

comparable across all states. Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Centers, Group & Family Homes

Source: Bureau of REgulatory Services

Telephone: 517-373-8300

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory Source: Department of Natural Resources

Telephone: 517-241-2254

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

© 2009 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK®-PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

DAVID STOTT BUILDING 1150 GRISWOLD DETROIT, MI 48226

TARGET PROPERTY COORDINATES

Latitude (North): 42.33250 - 42° 19' 57.0" Longitude (West): 83.0489 - 83° 2' 56.0"

Universal Tranverse Mercator: Zone 17 UTM X (Meters): 331193.1 UTM Y (Meters): 4688513.5

Elevation: 599 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map: 42083-C1 DETROIT, MI

Most Recent Revision: 1980

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

- 1. Groundwater flow direction, and
- 2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General West

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

FEMA Flood Electronic Data

Target Property County WAYNE, MI

YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property:

2602220030B

Additional Panels in search area:

2602220035B

NATIONAL WETLAND INVENTORY

NWI Electronic

NWI Quad at Target Property DETROIT

Data Coverage Not Available

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius: 1.25 miles Status: Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

	LOCATION	GENERAL DIRECTION
MAP ID	FROM TP	GROUNDWATER FLOW
1	1/8 - 1/4 Mile SSE	Not Reported
A3	1/8 - 1/4 Mile ESE	NW
4	1/2 - 1 Mile East	NE
B6	1/2 - 1 Mile SW	Not Reported
7	1/2 - 1 Mile East	Varies
8	1/2 - 1 Mile East	NE

For additional site information, refer to Physical Setting Source Map Findings.

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

GEOLOGIC AGE IDENTIFICATION


Era: Paleozoic Category: Stratified Sequence

System: Devonian
Series: Middle Devonian

Code: D2 (decoded above as Era, System & Series)

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 2415587.2s



SITE NAME: David Stott Building ADDRESS: 1150 Griswold

Detroit MI 48226 42.3325 / 83.0489 LAT/LONG:

CLIENT: AKT Peerless Env. Services
CONTACT: Deanna Hutsell
INQUIRY#: 2415587.2s
DATE: February 09, 2009 3:12 pm

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Area not mapped

Soil Surface Texture:

Hydrologic Group: Not reported

Soil Drainage Class: Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE SEARCH DISTANCE (miles)

Federal USGS 1.000

Federal FRDS PWS Nearest PWS within 1 mile

State Database 1.000

FEDERAL USGS WELL INFORMATION

LOCATION

MAP ID WELL ID FROM TP

No Wells Found

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

LOCATION

MAP ID WELL ID FROM TP

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID WELL ID FROM TP

A2 MI0081801 1/8 - 1/4 Mile ESE


Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

LOCATION MAP ID WELL ID FROM TP

No Wells Found

PHYSICAL SETTING SOURCE MAP - 2415587.2s



SITE NAME: David Stott Building ADDRESS: 1150 Griswold

Detroit MI 48226 LAT/LONG: 42.3325 / 83.0489 AKT Peerless Env. Services

CLIENT: AKT Peerless E CONTACT: Deanna Hutsell

INQUIRY#: 2415587.2s

February 09, 2009 3:12 pm DATE:

GEOCHECK®-PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance

Elevation Database EDR ID Number

1 SSE 1/8 - 1/4 Mile Higher

Site ID: 826272 Groundwater Flow: Not Reported

Shallowest Water Table Depth: 8 Deepest Water Table Depth:

Average Water Table Depth: Not Reported 10/1996 Date:

FRDS PWS MI0081801

1/8 - 1/4 Mile Higher

Status:

PWS ID: MI0081801 PWS Status: Active Date Initiated: 7412 Date Deactivated: Not Reported

DETROIT WATER BOARD PWS Name: 735 RANDOLF ST DETROIT, MI 48226

Pwsid: MI0081801 Epa region: 05 MI St. Clair State: County:

DETROIT WATER BOARD Pws name:

Population Served: Pwssvcconn: 0

PWS Source: Surface_water **CWS** Pws type:

Status: Closed Owner type: Local_Govt

Facility id:

Facility name: LAKE HURON

Facility type: Intake Treatment process: gaseous chlorination, pre

Treatment objective: disinfection

DETROIT WATER BOARD Contact name:

Original name: Not Reported Contact phone: Not Reported Contact address1:

Not Reported 735 RANDOLF ST **DETROIT** Contact address2: Contact city:

Contact zip: 48226

Pwsid: MI0081801 Epa region: 05 State: County: St. Clair

DETROIT WATER BOARD Pws name:

Closed

Population Served: 0 Pwssvcconn: 0

PWS Source: Surface_water Pws type: **CWS**

Facility id: 1T

Facility name: LAKE HURON

Owner type:

Treatment process:

Facility type: Treatment_plant Treatment objective: disinfection

DETROIT WATER BOARD Contact name: Original name: Not Reported

Contact phone: Not Reported Contact address1: Not Reported Contact address2: 735 RANDOLF ST Contact city: **DETROIT**

Contact zip: 48226 Local_Govt

gaseous chlorination, pre

AQUIFLOW

35006

GEOCHECK®-PHYSICAL SETTING SOURCE MAP FINDINGS

MI0081801 05 Pwsid: Epa region: State: County: St. Clair

DETROIT WATER BOARD Pws name:

Population Served: Pwssvcconn: 0

PWS Source: Surface_water Pws type: **CWS**

Status: Closed

Owner type: Local Govt

Facility id:

LAKE HURON Facility name:

filtered Facility type: Intake Treatment process:

particulate removal Treatment objective:

Contact name: **DETROIT WATER BOARD**

Original name: Not Reported Contact phone: Not Reported

Not Reported Contact address1: 735 RANDOLF ST **DETROIT** Contact address2: Contact city:

Contact zip: 48226

Pwsid: MI0081801 05 Epa region: St. Clair State: MI County:

Pws name: **DETROIT WATER BOARD**

Population Served: 0 Pwssvcconn:

PWS Source: Surface_water

Pws type: **CWS**

Closed Status: Owner type: Local_Govt

Facility id: 1T

Facility name: LAKE HURON

Facility type: Treatment_plant Treatment process: filtered

Treatment objective: particulate removal

Contact name: **DETROIT WATER BOARD**

Original name: Not Reported Contact phone: Not Reported

Contact address1: Not Reported 735 RANDOLF ST Contact address2: Contact city: **DETROIT**

48226 Contact zip:

Status:

Pwsid: MI0081801 Epa region: 05

State: MI County: St. Clair

DETROIT WATER BOARD Pws name: 0

Population Served: Pwssvcconn:

PWS Source: Surface_water Pws type: **CWS**

Facility id:

LAKE HURON Facility name:

Facility type: Intake

Closed

Treatment process: chlorination (frds-1.5) Treatment objective: disinfection

Owner type:

Contact name: **DETROIT WATER BOARD**

Original name: Not Reported

Not Reported Contact address1: Not Reported Contact phone: Contact address2: 735 RANDOLF ST **DETROIT** Contact city:

Contact zip: 48226

MI0081801 Epa region: 05 Pwsid: State: MI County: St. Clair

DETROIT WATER BOARD Pws name:

Population Served: Pwssvcconn: 0

PWS Source: Surface_water

CWS Pws type:

Status: Closed Local_Govt Owner type:

Facility id: 1T

LAKE HURON Facility name:

Facility type: chlorination (frds-1.5) Treatment_plant Treatment process: Treatment objective: disinfection

Local_Govt

GEOCHECK®-PHYSICAL SETTING SOURCE MAP FINDINGS

Contact name: DETROIT WATER BOARD

Original name: Not Reported

Contact phone: Not Reported Contact address1: Not Reported

Contact address2: 735 RANDOLF ST Contact city: DETROIT

Contact zip: 48226

Addressee / Facility: System Owner/Responsible Party

DETROIT LAKE HURON PLANT

3993 METCALF RD

NORTH STREET, MI 48048

Facility Latitude: 42 19 53 Facility Longitude: 083 02 44

City Served: DETROIT COMM

Treatment Class: Treated Population: 00000000

Violations information not reported.

A3 Site ID: 820638 ESE Groundwater Flow: NW

1/8 - 1/4 Mile
Higher

Shallowest Water Table Depth: .5
Deepest Water Table Depth: .11

Average Water Table Depth: Not Reported Date: 03/1996

 4
 Site ID:
 820077

 East
 Groundwater Flow:
 NE
 AQUIFLOW
 35417

East
1/2 - 1 Mile
Higher

Groundwater Flow: NE
Shallowest Water Table Depth: 2
Deepest Water Table Depth: 3

Average Water Table Depth: Not Reported

Date: 06/05/1998

 B6
 Site ID:
 826654

 SW
 Groundwater Flow:
 Not Reported
 AQUIFLOW
 34919

1/2 - 1 Mile
Higher

Shallowest Water Table Depth: Not Reported
Deepest Water Table Depth: Not Reported

Average Water Table Depth: Not Reported

Date: 04/03/1995

7 Site ID: 820663

East Groundwater Flow: Varies AQUIFLOW 35327

1/2 - 1 Mile
Lower

Shallowest Water Table Depth: 1
Deepest Water Table Depth: 3.5

Average Water Table Depth: Not Reported Date: 02/28/1995

 8
 Site ID:
 826561

 East
 Groundwater Flow:
 NE
 AQUIFLOW
 34944

1/2 - 1 Mile
Lower

Shallowest Water Table Depth: 1
Deepest Water Table Depth: 5.5

Average Water Table Depth: Not Reported 07/08/1991

AQUIFLOW

35395

GEOCHECK®- PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for WAYNE County: 3

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for WAYNE COUNTY, MI

Number of sites tested: 159

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.853 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	1.398 pCi/L	97%	3%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory Source: Department of Natural Resources

Telephone: 517-241-2254

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Water Well Data

Source: Department of Environmental Quality

Telephone: 517-335-9218

OTHER STATE DATABASE INFORMATION

Michigan Oil and Gas Wells

Source: Michigan Department of Natural Resources

Locations of oil and gas wells are compiled from permit records on file at the Geological Survey Division (GSD), Michigan Department of Natural Resources.

RADON

State Database: MI Radon

Source: Department of Environmental Quality

Telephone: 517-335-9551 Radon Test Results

Michigan Radon Test Results

Source: Department of Environmental Quality

Telephone: 517-335-8037

These results are from test kits distributed by the local health departments and used by

Michigan residents. There is no way of knowing whether the devices were used properly, whether there are duplicates (or repeat verification) test (i.e., more than one sample per home), etc.

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency

(USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at

private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor

radon levels.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

STREET AND ADDRESS INFORMATION

© 2009 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.



APPENDIX E AERIAL PHOTOGRAPHS















APPENDIX F HISTORICAL RESEARCH DOCUMENTATION

David Stott Building

1150 Griswold Detroit, MI 48226

Inquiry Number: 2415587.3

February 09, 2009

Certified Sanborn® Map Report



Certified Sanborn® Map Report

2/09/09

Site Name: Client Name:

David Stott Building AKT Peerless Env. Services 1150 Griswold 607 Shelby Street Detroit, MI 48226 Detroit, MI 48226

EDR Inquiry # 2415587.3 Contact: Deanna Hutsell



The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by AKT Peerless Env. Services were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: David Stott Building Address: 1150 Griswold City, State, Zip: Detroit, MI 48226

Cross Street:

P.O. # NA Project: NA

Certification # 8C35-4550-88D1

Maps Provided:

2002	1977	1919
1996	1961	1897
1991	1957	1884
1989	1953	
1988	1950	
1983	1921	



Sanborn® Library search results Certification # 8C35-4550-88D1

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

Library of Congress

✓ University Publications of America

▼ EDR Private Collection

Limited Permission To Make Copies

AKT Peerless Env. Services (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Certified Sanborn® Map Report Enhancements for 2009

The accompanying Certified Sanborn Map Report reflects a number of enhancements that make it easier for you to review these historical maps. EDR has digitally joined together the more than one million fire insurance maps from the Sanborn Library collection so that your target property is centered, making it easier for you to review adjoining properties. Here is a list of the new features:


- · Your target property is centered on each map. You can quickly locate your target property and view adjoining properties. Plus, adjoining properties are included more often, reducing your need to refer to additional maps.
- · All maps are now displayed at a uniform scale. This makes it easier for you to view changes to the property over time.
- · We've increased coverage by adding thousands of new maps from 40 cities for years 1994-2007.
- · A new Map Key and Sheet Thumbnails let you reference sheet numbers, year and volume of original Sanborn Map panels used for this report.

For more information about the new enhancements to the Certified Sanborn Map Report, contact your EDR representative at 800-352-0050.

Sanborn Sheet Thumbnails

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.





Volume 4, Sheet 1

Volume 3, Sheet 1



Volume 3, Sheet 2



Volume 1, Sheet 1



Volume 1, Sheet 2



Volume 1, Sheet 6



Volume 2, Sheet 5



Volume 2, Sheet 6



Volume 2, Sheet 8



Volume 1, Sheet 1



Volume 1, Sheet 2



Volume 1, Sheet 6



Volume 2, Sheet 5



Volume 2, Sheet 6



Volume 2, Sheet 8



Volume 4, Sheet 1



Volume 4, Sheet 2




Volume 3, Sheet 1



Volume 3, Sheet 2



Volume 4, Sheet 1






Volume Central_Business_District, Shéenlu26e Central_Business_District



Volume Central_Business_District, Sheet 1, Sheet 1



Volume 1, Sheet 2



Volume 1, Sheet 6



Volume Central_Business_District, Sheet 25












Volume Central_Business_District, Shéenlu@6e Central_Business_District











 $Volume\ Central_Business_District,\ Sh\'eellu\'able\ CentralBusiness_District,\ Sh\'eellu\'able\ CentralBusiness_District,\ Sh\'eellu\'able\ CentralBusiness_D$

Volume 2, Sheet 6







Volume 3, Sheet 1



Volume 3, Sheet 2



Volume Central_Business_District, Sheet 48





Volume Central_Business_District, Sheet 51

1988 Source Sheets Volume 4, Sheet 1 Volume 4, Sheet 3 Volume 3, Sheet 1 Volume 3, Sheet 2 Volume 1, Sheet 1 Volume 1, Sheet 2 Volume 1, Sheet 6 Volume 2, Sheet 5 Volume 2, Sheet 6 Volume 2, Sheet 8 1983 Source Sheets

Volume Central_Business_District, Shéellu05e Central_Business_District, Shéellu06e Central_Business_District









Volume Central_Business_District, Shéellu@7e Central_Business_District, Shéellu@6e Central_Business_District

1977 Source Sheets Volume 4, Sheet 1



Volume 4, Sheet 3



Volume 1, Sheet 2



Volume 1, Sheet 6



Volume 2, Sheet 5











Volume 2, Sheet 5

Volume 2, Sheet 6

Volume 2, Sheet 6

Volume 2, Sheet 8

Volume 1, Sheet 1

Volume 1, Sheet 2











Volume 1, Sheet 6

Volume 3, Sheet K

Volume 3, Sheet 1

Volume 3, Sheet 2

Volume 4, Sheet 1



Volume 4, Sheet 3









Volume 1, Sheet 2



Volume 1, Sheet 6



Volume 2, Sheet 5



Volume 2, Sheet 6



Volume 2, Sheet 8



Volume 3, Sheet 1



Volume 3, Sheet 2



Volume 4, Sheet 1



Volume 3, Sheet 1



Volume 3, Sheet 2




Volume 4, Sheet 1



Volume 4, Sheet 2



Volume 2, Sheet 5



Volume 2, Sheet 6

Volume 2, Sheet 8



Volume 1, Sheet 1



Volume 1, Sheet 2



Volume 1, Sheet 6



Volume 2, Sheet 5



Volume 2, Sheet 6



Volume 2, Sheet 8



Volume 3, Sheet 1



Volume 3, Sheet 2



Volume 4, Sheet 1



Volume 4, Sheet 2



Volume 4, Sheet 3





Volume 2, Sheet 2

Volume 2, Sheet 4

1897 Source Sheets











Volume 2, Sheet 2

Volume 2, Sheet 4

Volume 3, Sheet 1

Volume 4, Sheet 1

Volume 1, Sheet 1



Volume 1, Sheet 2












Volume 1, Sheet 2


Volume 1, Sheet 2


Volume 2, Sheet 39


Volume 2, Sheet 39

Volume 2, Sheet 40














Copyright: 1989























2415587 - 3 page 24



David Stott Building

1150 Griswold Detroit, MI 48226

Inquiry Number: 2415587.4

February 19, 2009

The EDR-City Directory Abstract



EDR City Directory Abstract

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening report designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Thank you for your business.

Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2008 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

SUMMARY

City Directories:

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1891 through 2008. (These years are not necessarily inclusive.) A summary of the information obtained is provided in the text of this report.

Date EDR Searched Historical Sources: February 19, 2009

Target Property:

1150 Griswold Detroit, MI 48226

<u>Year</u> 1891	<u>Uses</u> Address Not Listed in Research Source	Source Polk's City Directory
1896	Address Not Listed in Research Source	Polk's City Directory
1901	Address Not Listed in Research Source	Polk's City Directory
1906	Address Not Listed in Research Source	Polk's City Directory
1911	Address Not Listed in Research Source	Polk's City Directory
1915	Address Not Listed in Research Source	Polk's City Directory
1919	Address Not Listed in Research Source	Polk's City Directory
1924	George G. Black (barber)	Polk's City Directory
1930	David Stott Building (70 occupants)	Polk's City Directory
1936	David Stott Building (139 occupants)	Polk's City Directory
1941	David Stott Building (156 occupants)	Polk's City Directory
1956	David Stott Building (165 occupants)	Polk's City Directory
1964	David Stott Building (132 occupants)	Polk's City Directory
1968	David Stott Building (128 occupants)	Polk's City Directory
1973	David Stott Building	Bresser's Criss-Cross Directory
1978	David Stott Building	Bresser's Criss-Cross Directory
1983	David Stott Building	Bresser's Criss-Cross Directory
1988	David Stott Building	Bresser's Criss-Cross Directory
1993	David Stott Building	Bresser's Criss-Cross Directory
1998	David Stott Building	Bresser's Criss-Cross Directory
2003	David Stott Building (42 occupants)	Bresser's Criss-Cross Directory

<u>Year</u> <u>Uses</u> <u>Source</u>

2008 Office Building (38 occupants) Bresser's Criss-Cross Directory

Adjoining Properties

SURROUNDING

Multiple Addresses Detroit, MI 48226

Year 1891	<u>Uses</u> Address Not Listed in Research Source	Source Polk's City Directory
1896	Address Not Listed in Research Source	Polk's City Directory
1901	Address Not Listed in Research Source	Polk's City Directory
1906	Address Not Listed in Research Source	Polk's City Directory
1911	Address Not Listed in Research Source	Polk's City Directory
1915	Address Not Listed in Research Source	Polk's City Directory
1919	**GRISWOLD**	Polk's City Directory
	Address not listed in research source (1148)	Polk's City Directory
	Address not listed in research source (1154)	Polk's City Directory
	-All Addresses on Griswold Renumbered in 1920	Polk's City Directory
	STATE STREET	Polk's City Directory
	Address not listed in research source (37)	Polk's City Directory
	Address not listed in research source (41)	Polk's City Directory
	Address not listed in research source (45)	Polk's City Directory
	Address not listed in research source (51)	Polk's City Directory
	-All Addresses on State Street Renumbered in 1920	Polk's City Directory
1924	**GRISWOLD**	Polk's City Directory
	Charles F. LaFond Cigar Co. (1148)	Polk's City Directory
	Hugh Connolly & Son (yer) (1154)	Polk's City Directory
	STATE STREET	Polk's City Directory

<u>Year</u> 1924	<u>Uses</u> Chisholm Boot Shop (37)	Source Polk's City Directory
	Address not listed in research source (41)	Polk's City Directory
	Address not listed in research source (45)	Polk's City Directory
	Address not listed in research source (51)	Polk's City Directory
1930	**GRISWOLD**	Polk's City Directory
	Leed's Tailors (1148)	Polk's City Directory
	Address not listed in research source (1154)	Polk's City Directory
	STATE STREET	Polk's City Directory
	LaSalle Millinery (37)	Polk's City Directory
	Red Robin Hosiery Shop (41)	Polk's City Directory
	Address not listed in research source (45)	Polk's City Directory
	Address not listed in research source (51)	Polk's City Directory
1936	**GRISWOLD**	Polk's City Directory
	Wiltshire Travel Shop (luggage) (1148)	Polk's City Directory
	Address not listed in research source (1154)	Polk's City Directory
	STATE STREET	Polk's City Directory
	S. Adams (mlnrs.) (37)	Polk's City Directory
	Adams Shoes (37)	Polk's City Directory
	Pansy Hosiery Shop (41)	Polk's City Directory
	Address not listed in research source (45)	Polk's City Directory
	Address not listed in research source (51)	Polk's City Directory
1941	**GRISWOLD**	Polk's City Directory
	Disrael Limited (custom hatters) (1148)	Polk's City Directory
	Address not listed in research source (1154)	Polk's City Directory

<u>Year</u> 1941	<u>Uses</u> **STATE STREET**	Source Polk's City Directory
	Best's Millinery, Inc. (37)	Polk's City Directory
	Farmer Fanny, Inc. (41)	Polk's City Directory
	Address not listed in research source (45)	Polk's City Directory
	Address not listed in research source (51)	Polk's City Directory
1956	**GRISWOLD**	Polk's City Directory
	Disrael Limited (custom hatters) (1148)	Polk's City Directory
	Address not listed in research source (1154)	Polk's City Directory
	STATE STREET	Polk's City Directory
	Schiller Millinery Stores (br.) (37)	Polk's City Directory
	Morrow's Nut House (41)	Polk's City Directory
	Address not listed in research source (45)	Polk's City Directory
	Address not listed in research source (51)	Polk's City Directory
1964	**GRISWOLD**	Polk's City Directory
	Caronet Card Store (1148)	Polk's City Directory
	Address not listed in research source (1154)	Polk's City Directory
	STATE STREET	Polk's City Directory
	Schiller Millinery Stores (br.) (37)	Polk's City Directory
	Morrow's Nut House (41)	Polk's City Directory
	Address not listed in research source (45)	Polk's City Directory
	Address not listed in research source (51)	Polk's City Directory
1968	**GRISWOLD**	Polk's City Directory
	Coronet Card Store (1148)	Polk's City Directory
	Address not listed in research source (1154)	Polk's City Directory

Year 1968	<u>Uses</u> **STATE STREET**	Source Polk's City Directory
	Schiller Millinery Stores (br.) (37)	Polk's City Directory
	Morrow's Nut House (41)	Polk's City Directory
	Address not listed in research source (45)	Polk's City Directory
	Address not listed in research source (51)	Polk's City Directory
1973	**GRISWOLD**	Bresser's Criss-Cross Directory
	William R. Slocum (1148)	Bresser's Criss-Cross Directory
	Address not listed in research source (1154)	Bresser's Criss-Cross Directory
	STATE STREET	Bresser's Criss-Cross Directory
	Schiller Millinry. (37)	Bresser's Criss-Cross Directory
	Morrow's Nut House (41)	Bresser's Criss-Cross Directory
	Address not listed in research source (45)	Bresser's Criss-Cross Directory
	No Return (51)	Bresser's Criss-Cross Directory
1978	**GRISWOLD**	Bresser's Criss-Cross Directory
	William R. Slocum (1148)	Bresser's Criss-Cross Directory
	Address not listed in research source (1154)	Bresser's Criss-Cross Directory
	STATE STREET	Bresser's Criss-Cross Directory
	Paramount Millinry. (37)	Bresser's Criss-Cross Directory
	Morrow's Nut House (41)	Bresser's Criss-Cross Directory
	Address not listed in research source (45)	Bresser's Criss-Cross Directory
	No Return (51)	Bresser's Criss-Cross Directory
1983	**GRISWOLD**	Bresser's Criss-Cross Directory
	William R. Slocum (1148)	Bresser's Criss-Cross Directory
	Address not listed in research source (1154)	Bresser's Criss-Cross Directory

<u>Year</u> 1983	<u>Uses</u> **STATE STREET**	Source Bresser's Criss-Cross Directory
	New York Fashion (37)	Bresser's Criss-Cross Directory
	Try One Ladies Wr. (37)	Bresser's Criss-Cross Directory
	Morrow's Nut House (41)	Bresser's Criss-Cross Directory
	Address not listed in research source (45)	Bresser's Criss-Cross Directory
	Address not listed in research source (51)	Bresser's Criss-Cross Directory
1988	**GRISWOLD**	Bresser's Criss-Cross Directory
	Vollmer's Hallmark (1148)	Bresser's Criss-Cross Directory
	Address not listed in research source (1154)	Bresser's Criss-Cross Directory
	STATE STREET	Bresser's Criss-Cross Directory
	New York Fashion (37)	Bresser's Criss-Cross Directory
	Morrow's Nut House (41)	Bresser's Criss-Cross Directory
	Address not listed in research source (45)	Bresser's Criss-Cross Directory
	Address not listed in research source (51)	Bresser's Criss-Cross Directory
1993	**GRISWOLD**	Bresser's Criss-Cross Directory
	Vollmer's Hallmark (1148)	Bresser's Criss-Cross Directory
	Address not listed in research source (1154)	Bresser's Criss-Cross Directory
	STATE STREET	Bresser's Criss-Cross Directory
	Address not listed in research source (37)	Bresser's Criss-Cross Directory
	Morrow's Nut House (41)	Bresser's Criss-Cross Directory
	Address not listed in research source (45)	Bresser's Criss-Cross Directory
	Address not listed in research source (51)	Bresser's Criss-Cross Directory
1998	**GRISWOLD**	Bresser's Criss-Cross Directory
	Address not listed in research source (1148)	Bresser's Criss-Cross Directory

<u>Year</u>	<u>Uses</u>	Source
1998	Address not listed in research source (1154)	Bresser's Criss-Cross Directory
	STATE STREET	Bresser's Criss-Cross Directory
	Address not listed in research source (37)	Bresser's Criss-Cross Directory
	Address not listed in research source (41)	Bresser's Criss-Cross Directory
	Address not listed in research source (45)	Bresser's Criss-Cross Directory
	Address not listed in research source (51)	Bresser's Criss-Cross Directory
2003	**GRISWOLD**	Bresser's Criss-Cross Directory
	Address not listed in research source (1148)	Bresser's Criss-Cross Directory
	Address not listed in research source (1154)	Bresser's Criss-Cross Directory
	STATE STREET	Bresser's Criss-Cross Directory
	Address not listed in research source (37)	Bresser's Criss-Cross Directory
	Kelia's, Inc. (41)	Bresser's Criss-Cross Directory
	Address not listed in research source (45)	Bresser's Criss-Cross Directory
	Address not listed in research source (51)	Bresser's Criss-Cross Directory
2008	**GRISWOLD**	Bresser's Criss-Cross Directory
	JB Printing & Signs (1148)	Bresser's Criss-Cross Directory
	JB Graphics Etc. (1148)	Bresser's Criss-Cross Directory
	Address not listed in research source (1154)	Bresser's Criss-Cross Directory
	STATE STREET	Bresser's Criss-Cross Directory
	Address not listed in research source (37)	Bresser's Criss-Cross Directory
	Kelia's Phone Pagng. Cnnctn. (41)	Bresser's Criss-Cross Directory
	Address not listed in research source (45)	Bresser's Criss-Cross Directory
	Address not listed in research source (51)	Bresser's Criss-Cross Directory



February 6, 2009

Mr. Lee Petrovich Department of Environmental Quality Waste and Hazardous Materials Division P.O. Box 30242 Lansing, MI 48909 Phone: (517) 373-6049

Fax: (517) 241-3571

Dear Mr. Petrovich:

Pursuant to the Freedom of Information Act (FOIA), Act No. 442 of 1976 (MCL 15.231 *et seq.*), I am requesting any file information your department may have regarding underground storage tanks or aboveground storage tanks registered to the following sites.

Address, City, & County	Occupant(s)
1142-1154 Griswold St (even), Detroit, Wayne County	
37-51 State Street (odd), Detroit, Wayne County	

Please include UST Facility Data Report, as well as any file information related to UST removal activities (i.e. UST Site Assessment Report forms, site sketches, confirmatory sampling data, etc.).

If a file or files for this site are maintained by your department, please notify me so that I may schedule an appointment to review the information.

Thank you for your attention to this matter. If you have any questions about this request, please call me at 313.962.9353 ext 31. My fax number is 313.962.0966.

Sincerely,

AKT PEERLESS ENVIRONMENTAL SERVICES

Deanna Hutsell Environmental Consultant AKT Peerless Environmental Consultants 607 Shelby Street, Suite 900 Detroit, Michigan 48226



February 6, 2009

Ms. Mary Nikitin
Freedom of Information Act Coordinator
Waste Management Division
Michigan Department of Environmental Quality
27700 Donald Court
Warren, Michigan 48092-2793
Phone: (586) 753-3833

Fax: (586) 753-3831

Dear Ms. Nikitin:

Pursuant to the Freedom of Information Act (FOIA), Act No. 442 of 1976 (MCL 15.231 *et seq.*), I am requesting any file information your department may have regarding environmental concerns in connection with the properties described below.

Address, City, & County	Occupant(s)
1142-1154 Griswold St (even), Detroit, Wayne County	
37-51 State Street (odd), Detroit, Wayne County	

If a file or files for this site are maintained by your department, please notify me so that I may schedule an appointment to review the information.

Thank you for your attention to this matter. If you have any questions about this request, please call me at 313.962.9353 ext 31. My fax number is 313.962.0966.

Sincerely,

AKT PEERLESS ENVIRONMENTAL SERVICES

Deanna Hutsell Environmental Consultant AKT Peerless Environmental Consultants 607 Shelby Street, Suite 900 Detroit, Michigan 48226

Mailing Address:

Information Technology Services Department c/o GIS Sales and Service Center 2 Woodward Avenue, Room 526 Detroit, Michigan 48226



Office Location:

Coleman A. Young Municipal Center 8th Floor Room 802


Telephone: 313-224-9427

Fax: 313-224-9431

E-Mail: GIS_Sales_Center@detroitmi.gov

Customer Request Form

REQUESTOR NAME Deanno Hutsell			CITY AGENCY OR ORGANIZATION D.			DATE 2/11/09		
STUDENT LETTER OF APPROVAL FROM STUDENT'S INSTRUCTOR			PHONE		F	AX 313-962.	-0966	
С	ITY GOVERNMENT EMPLO	YEE		313-962-0 E-MAIL ADDRESS	hutse	end@a	*toeerle	55.COM
			Descri	ption of Requ				y GIS Technician
	Parcel Boundary / S			ional		Copies	Map Size	Cost
	(e.g., zoning, wards, clus		•			, a	8.5×11	
	DESCRIPTION/MAP BOUNDA	East:	11) nodun	of Sout	L: N	smaps lichiec	an, West	: Griswold.
	Thematic Map			•		Copies	Map Size	Cost
	(e.g., city-owned, state to		cant properties)				
	DESCRIPTION/MAP BOUNDA	ARIES						
	Electronic Files	Format	DESCRIPTION	DESCRIPTION			Cost	
	(maps / data records) (access, excel, .dwg, .dxf)							
Ш	Technical Support 8 System Integration	m Integration			Cost			
_	(hardware/ software / progra							
Ц	Consulting Services (e.g. RFP development) DESCRIPTION				Cost			
	Other:				Cost			
	(customization / compact di	sc fee / pos	tage / money orde	er)				Total Cost
	Total Cost							
	Purpose of Requested Item(s): Deposit					Deposit		
	Environment	bal Ass	3638ment					Balance Due
	2/13/09 REQUESTED COMPLETION DA	TE (CITY AGENCY COST	CENTER	De	OM I A	UESTOR SIGNATU	L)
	ESTIMATED COMPLETION DAT	ΓE	GIS REFERENCE N	UMBER		GIS TE	CHNICIAN SIGNA	TURE





FAX TRANSMITTAL

hutselld@aktpeerless.com

Number of Pages Transmitted (including cover sheet): _____1 __.

DATE: FEBRUARY 6, 2009 TIME:

TO: DTE PHONE: 313 577 7236

FAX: 313 577 7061

FROM: DEANNA HUTSELL PHONE: 313 962 9353 EXT 31

607 SHELBY STREET SUITE 900 FAX: 313 962 0966

DETROIT, MICHIGAN 48226

Please call if you do not receive all pages.

Message:

AKT Peerless Environmental Services is conducting a environmental assessment of the property located at 1142-1154 Griswold and 37-51 State Streets, Detroit, Wayne County, Michigan. I am requesting a map with the locations of the high, medium and low pressure gas lines in the area bounded by State St to the north, Woodward Ave to the east, Michigan Avenue to the south, and Griswold Street to the west. If the map is available in adobe acrobat, my email address is hutselld@aktpeerless.com.

I appreciate your time and thank you in advance. Please call me if you have any questions.



January 13, 2009

Mr. Gang Song Detroit Water and Sewage Department Engineering Division 1420 Washington Blvd, Ste. 500 Detroit, MI 48226

Fax: (313) 964-9810

Re: Map Request

Dear Mr. Song:

I am respectfully requesting a copy of the water and sewer section maps showing the years that any municipal water or sewer connections were made for the following property:

Address, City, & County	Occupants
1142-1154 Griswold St (even), Detroit, Wayne County	
37-51 State Street (odd), Detroit, Wayne County	

Thank you for your attention to this matter. If you have any questions about this request, please call me at 313.962.9353 ext 31. My fax number is 313.962.0966.

Sincerely,

AKT PEERLESS ENVIRONMENTAL SERVICES

Deanna Hutsell Environmental Consultant AKT Peerless Environmental Consultants 607 Shelby Street, Suite 900 Detroit, Michigan 48226



February 6, 2009

Ms. Lorie Coburn Remediation & Redevelopment Division Freedom of Information Act Coordinator 27700 Donald Court Warren, MI 48092-2793 Phone: (586) 753-3804

Fax: (586) 753-3801

Dear Ms. Coburn:

Pursuant to the Freedom of Information Act (FOIA), Act No. 442 of 1976 (MCL 15.231 *et seq.*), I am requesting any file information your department may have regarding environmental concerns in connection with the properties described below.

Address, City, & County	Occupant(s)
1142-1154 Griswold St (even), Detroit, Wayne County	
37-51 State Street (odd), Detroit, Wayne County	

If a file or files for this site are maintained by your department, please notify me so that I may schedule an appointment to review the information.

Thank you for your attention to this matter. If you have any questions about this request, please call me at 313.962.9353 ext 31. My fax number is 313.962.0966.

Sincerely,

AKT PEERLESS ENVIRONMENTAL SERVICES

Deanna Hutsell Environmental Consultant AKT Peerless Environmental Consultants 607 Shelby Street, Suite 900 Detroit, Michigan 48226



February 6, 2009

Mr. Paul Max Detroit Health Department Freedom of Information Act Coordinator Community and Industrial Hygiene Building 4 1151 Taylor Street Detroit, Michigan 48202

Phone: (313) 876-0506

Fax: (313) 876-4236

Dear Mr. Max:

Pursuant to the Freedom of Information Act (FOIA), Act No. 442 of 1976 (MCL 15.231 *et seq.*), I am requesting any file information your department may have regarding environmental concerns in connection with the subject property described below and immediate surrounding area. In addition, please provide any available information regarding wells and/or septic systems associated with the subject property.

Address, City, & County	Occupants
1142-1154 Griswold St (even), Detroit, Wayne County	
37-51 State Street (odd), Detroit, Wayne County	

If a file or files for this site are maintained by your department, please notify me so that I may schedule an appointment to review the information.

Thank you for your attention to this matter. If you have any questions about this request, please call me at 313.962.9353 ext 31. My fax number is 313.962.0966.

Sincerely,

AKT PEERLESS ENVIRONMENTAL SERVICES

Deanna Hutsell Environmental Consultant AKT Peerless Environmental Consultants 607 Shelby Street, Suite 900 Detroit, Michigan 48226





February 16, 2009

Lt. Holmes City of Detroit Fire Department Freedom of Information Act Coordinator 250 West Larned Detroit, Michigan 48226 Phone: (313) 596-2975

Fax: (313) 596-2916

Dear Lt. Holmes:

AKT Peerless respectfully requests to review any file information maintained by the department for the properties listed below in the City of Detroit:

Address				
1142-1154 Griswold Street (even)				
174-178 Griswold Street (even)				
37-51 State Street (odd)				
17-19 State Street (odd)				
Griswold Street: 163-177, 180-186 (even), 1119-1151 (odd), 1122-1140 (even), 1200-1212 (even),				
State Street: 11-20, 21-35 (odd), 24-52 (even), 103-111 (odd)				

Please notify me so that I may schedule an appointment to review the information.

Thank you for your attention to this matter. If you have any questions about this request, please call me at 313.962.9353 ext 31 or on my cell at 734.716.7129. My fax number is 313.962.0966.

Sincerely,

AKT PEERLESS ENVIRONMENTAL SERVICES
Deanna Hutsell
Environmental Consultant
AKT Peerless Environmental Consultants
607 Shelby Street, Suite 900
Detroit, Michigan 48226
hutselld@aktpeerless.com



February 23, 2009

Mr. Ogletree Buildings & Safety Engineering Department 401 City-County Building Detroit, MI 48226

Fax: (313) 224-1467

Dear Mr. Ogletree:

Pursuant to the Freedom of Information Act (FOIA), Act No. 442 of 1976 (MCL 15.231 et seq.), I am requesting any file information your department may have regarding environmental concerns in connection with the subject property described below and immediate surrounding area. In addition, I am requesting that this letter be kept on file for permission to review historical oil and gas card files in the Heating and Plumbing Division of the Buildings & Safety Engineering Department for the following address.

Address, City, & County	Occupants
1142-1154 Griswold St (even), Detroit, Wayne County	
37-51 State Street (odd), Detroit, Wayne County	

If a file or files for this site are maintained by your department, please notify me so that I may schedule an appointment to review the information.

Thank you for your attention to this matter. If you have any questions about this request, please call me at 313.962.9353 x31. My fax number is 313.962.0966.

Sincerely,

AKT PEERLESS ENVIRONMENTAL SERVICES

Deanna Hutsell Environmental Consultant AKT Peerless Environmental Consultants 607 Shelby Street, Suite 900 Detroit, Michigan 48226



February 6, 2009

Mr. Eric Anderson Wayne County Health Department Freedom of Information Act Coordinator 3600 Commerce Court Building E Wayne, Michigan 48184 Phone: (734) 326-3936

Fax: (734) 326-4421

Dear Mr. Anderson:

Pursuant to the Freedom of Information Act (FOIA), Act No. 442 of 1976 (MCL 15.231 *et seq.*), I am requesting any file information your department may have regarding environmental concerns in connection with the subject property described below. In addition, please provide any available information regarding wells and/or septic systems associated with the subject property.

Address, City, & County	Occupants
1142-1154 Griswold St (even), Detroit, Wayne County	
37-51 State Street (odd), Detroit, Wayne County	

If a file or files for this site are maintained by your department, please notify me so that I may schedule an appointment to review the information.

Thank you for your attention to this matter. If you have any questions about this request, please call me at 313.962.9353 ext 31. My fax number is 313.962.0966.

Sincerely,

AKT PEERLESS ENVIRONMENTAL SERVICES

Deanna Hutsell Environmental Consultant AKT Peerless Environmental Consultants 607 Shelby Street, Suite 900 Detroit, Michigan 48226



STATE OF MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY LANSING



April 6, 2009

Deanna Hutsell 22725 Orchard Lake Rd Farmington, MI 48336

Dear Deanna Hutsell:

SUBJECT: Request for Disclosure of Official Files from the Waste and Hazardous Materials Division

This written notice is issued in response to your February 6, 2009, request for information under the Freedom of Information Act, 1976 PA 442, as amended (FOIA), Michigan Complied Laws 15.231 *et seq.* that was received by the Waste and Hazardous Materials Division office on February 6, 2009.

The purpose of the FOIA is to provide the public with access to existing, nonexempt public records of public bodies. Your request to examine or receive a copy of the following documents is denied.

Description of documents being denied: 1142-1154 Griswold St, 37-51 State St, Detroit, Mi

Reason for denial: To the best of this public body's knowledge, information, and belief the public record does not exist under the name given by the requester or by another name reasonably known to the public body.

Authority for denial: FOIA, Section 3(1). Under Section 10, you may do either of the following:

- Appeal this decision in writing to the Director of the Michigan Department of Environmental Quality at P.O. Box 30473, Lansing, Michigan 48909-7917. The writing must specifically state the word "appeal," and must identify the reason, or reasons, you believe the denial should be reversed. The Director, or his designee, must respond to your appeal within 10 days after its receipt. Under unusual circumstances, the time for response to your appeal may be extended by 10 business days.
- 2. File an action in circuit court within 180 days after the date of the final determination to deny the request. If you prevail in such an action, the court is to award reasonable attorney fees, costs, and disbursements. Further, if the court finds the denial to be arbitrary and capricious, you may receive punitive damages in the amount of \$500.00.

Sincerely

Lee Petrovick, FOIA Liaison

Waste and Hazardous Materials Division

517-373-6049

DETROIT WATER and SEWERAGE DEPARTMENT

Engineering Services Group 1420 Washington Blvd., Suite 500 Detroit, MI 48226

Facsimile Transmittal

To: Deanna Hutsell	Date: 2/12/2009
Fax Number: 313' 962 0966	
Organization: AKT	
Pages (including Transmittal):	
From: Gang Song	
Phone: (313) 967-1508	Fax: (313) 964-9810
Re: Water main 4 Sewer	Info.
Notes:	
The No. Constitution and T. T. K. Constitution and T. T. Constitution and T. T. Constitution and T. Constitu	
- Colonia v. I	
AA/midrit — interes	, , , , , , , , , , , , , , , , , , ,

Pleaned 2/6/200? Lee



Facsimile

January 13, 2009

Mr. Gang Song
Detroit Water and Sewage Department
Engineering Division
1420 Washington Blvd, Ste. 500
Detroit, MI 48226

Fax: (313) 964-9810

Re: Map Request

Dear Mr. Song:

I am respectfully requesting a copy of the water and sewer section maps showing the years that any municipal water or sewer connections were made for the following property:

Address, City, & County	1. 1		Occupants
1142-1154 Griswold St (even), Detroit, Wayne	County		
37-51 State Street (odd), Detroit, Wayne Coun	ty		

Thank you for your attention to this matter. If you have any questions about this request, please call me at 313.962.9353 ext 31. My fax number is 313.962.0966.

Sincerely,

AKT PEERLESS ENVIRONMENTAL SERVICES

Deanna Hutsell
Environmental Consultant
AKT Peerless Environmental Consultants
607 Shelby Street, Suite 900
Detroit, Michigan 48226

hutselld@aktpeerless.com



₹0 ODWAR

BTATS

00 L


05001992

001

02001886

02001885.003L


02001885.0020



GRISWAL



80.08





Robert A. Ficano County Executive

February 10, 2009

Deanna Hutsell
AKT Peerless Environmental Services
607 Shelby Street, Suite 900
Detroit, MI 48226

RE: Freedom of Information Act Request of – February 6, 2009 1142-1154 Griswold and 37-51 State, Detroit

Dear Ms. Hutsell:

This Division has no files for the specific site requested; however, please find attached a list of sites of environmental interest within an approximate one-mile radius of the site. This list is based only on information available to the Land Resource Management Division at the time of the request and in no way is to be interpreted as being an all-inclusive list of sites of environmental interest.

If you would like copies of any of the listed files maintained by the Division or would like to make an appointment to view the files, please do not hesitate to contact me at (734) 326-3936.

Sincerely,

Eric C. Anderson

Land Resource Management Division

cc:

Cynthia Davis Octavia Van Pelt Lavonda Jackson

09-052

an Albandaria (n. 1944). Para di Arabandaria (n. 1944). Para di Arabandaria (n. 1944). Manggaran di Arabandaria (n. 1944). Para di Arabandaria (n. 1944). Para di Arabandaria (n. 1944). Para di Arab

Attributes of Sites2003.shp

Community Facility t File locat DETROIT Part 201 Site MDEQ ERD Detroit Part 210 Site U.S. EPA DETROIT CERCLIS SITE U.S. EPA

Address 22 JOHN R. 3011 Russell St. 2900 Orleans Facility n Parsell/Watson St nr Eastern Mkt Russell/Watson St nr Eastern Mkt Rusnell/Watson St nr Eastern Mkt Nr Eastern M

DTE Energy Gas 3200 Hobson Street Noble Complex, 2nd Floor Detroit, MI 48201

DTE Energy

February 11, 2009

To: Deanna Hutsell
AKT Peerless Environmental Services
607 Shelby Road, Suite 900
City of Detroit, MI 48226

Dear D. Hutsell:

Subject: Gas Main Strip Prints Request Re: Faxed Sent Dated: 02/06/2009

As per your request for gas facility locations, we are transmitting herewith one (1) print of the following:

CITY OF DETROIT, WAYNE CO, MICHIGAN Addresses: 1142-1154 Griswold Street and 27-51 State Street

If there is a construction project designed for this location, please forward one set of plans to us as soon as they are made available. This will enable us to determine if there will be any conflicts with your project. Please understand that this transmittal of our facility locations does not generate a project in our office. Our process begins only upon receipt of construction plans.

For those needing new or additional gas service, please note that although we may have a gas main or mains near your project area, we may not have a sufficient supply to handle additional equipment needs. Please contact the New Service Team at 1-800-338-0178 for assistance in determining the gas needs for your project.


If we can be of any further assistance in the future, please do not hesitate to contact us; fax (313) 577-7498, or mail requests to:

DTE Energy - Michigan Consolidated Gas Company Drafting Clerk, Data Integrity and Technology 3200 Hobson Street, Noble Bldg. 2nd Floor City of Detroit, MI 48201

Eddle A. Reye Senior Drafter

EAR/ Enclosure

Sincere



660 Woodward Avenue 1650 First National Building Detroit, Michigan 48226-3535 Phone: 313-224-4550

FAX: 313•224•5505 WWW.CI.DETROIT.MI.US

February 24, 2009

Deanna Hutsell AKT PEERLESS 607 Shelby Street, Ste 900 Detroit, Michigan 48226

RE:

Freedom of Information Act Request Dated February 6, 2009, Concerning Health Department (DHWP) Records Pertaining to Multiple Addresses on Griswold and State, Detroit

Dear Ms. Hutsell:

This letter serves as the City of Detroit's response to the above-referenced matter. Your letter was received by the Law Department FOIA Coordinator on February 19, 2009.

Your letter requests:

"... any file information your department may have regarding environmental concerns in connection with the subject property [1142-1154 Griswold St (even); 37-51 State St (odd), Detroit]."

Your request is denied, pursuant to MCL 15.235(4)(b), for the reason that, based on information provided by DHWP personnel, DHWP does not possess any record which corresponds to the description above.

Please be advised that, pursuant Section 10 of the Michigan Freedom of Information Act, being MCL 15.240, a person receiving a written denial of a request may do one of the following:

- (1) Submit a written appeal to the head of the public body denying the request. Such appeal, if submitted, should specifically state the word "appeal" and identify the reason or reasons for reversal of the denial. MCL 15.240(1)(a); or
- (2) Commence an action in the circuit court to compel the disclosure of the public records within 180 days after the public body's denial of the request. MCL 15.240(1)(b). If a court finds that the information withheld by a public body is not exempt from disclosure, the requesting party may receive the

Deanna Hutsell February 24, 2009 Page 2

requested record and, at the discretion of the court, reasonable attorney fees and/or cost. MCL 15.240(6) and (7).

Very truly yours,

Carol Brown Paralegal Freedom of Information Section City of Detroit Law Department (313) 237-0408

cb/